





uzzneos

U22 NEOS

Neos means "new" in Greek, and Beretta's American design staff started with a clean sheet when drawing up this new line of .22 pistols. The lines are meant to appeal to a new generation of shooting enthusiasts who are respectful of the past while bringing a fresh attitude to the shooting sports. The Neos pistols feature cutting-edge design, modular

construction that allows personalization and the flexibility for many shooting disciplines. Available at popular prices, the Neos is ideal for new shooters, but it won't easily be outgrown as skills improve.





MODEL	CAT. CODE	ACTION	SIGHTS/GRIPS	CALIBER	MSRP
U22 Neos 4.5	JU2S45B	Single	Target/Polymer	22LR	\$285
U22 Neos 4.5 Inox	JU2S45X	Single	Target/Polymer	22LR	\$335
U22 Neos 6.0	JU2S60B	Single	Target/Polymer	22LR	\$285
U22 Neos 6.0 Inox	JU2S60X	Single	Target/Polymer	22LR	\$335
U22 Neos 6.0 DLX	JUDS60B	Single	Target/Polymer w/Inlays	22LR	\$355
U22 Neos 6.0 Inox DLX	JUDS60X	Single	Target/Polymer w/Inlays	22LR	\$395
U22 Neos 7.5 DLX	JUDS75B	Single	Target/Polymer w/Inlays	22LR	\$355
U22 Neos 7.5 Inox DLX	JUDS75X	Single	Target/Polymer w/Inlays	22LR	\$395

U22 NEOS

The advanced shooter demands more control, and gets it in the Neos DLX. The best in off-hand accuracy comes from a trigger adjustable for takeup and overtravel. Front sight posts in black, red and white match rear sight leaves outlined in the same colors. Blue or gray (for the Inox

version) soft rubber grip inserts. An aggressive grip molding pattern makes the grasp secure when match pressure gives even the seasoned competitor moist palms. Select the standard 6" barrel or specify the extra sight radius of the $7\frac{1}{2}$ " barrel.









	U22 NEOS 4.5	U22 NEOS 6.0 & DLX 6.0	U22 NEOS DLX 7.5
Caliber	22LR	22LR	22LR
Overall Length	8.8"	10.3"	11.8"
Overall Height	5.2"	5.2"	5.2"
Overall Width	1.5"	1.5"	1.5"
Barrel Length	4.5"	6.0"	7.5"
Sight Radius	7.4"	8.9"	10.4"
Weight Unloaded	31.7 oz	36.2 oz	40.7 oz
Mag. Capacity	10	10	10

uzzneos

U22 NEOS

The modular design and parts interchangeability of the Neos make it the top value in its class, with category-leading features at an affordable price. Grip frames in a variety of colors and interchangeable rubber inserts make it easy for the user to personalize the Neos from mild to wild. All three barrel lengths $(4\frac{1}{2})^n$, 6^n and $7\frac{1}{2}$ are fitted with integral rails that accept all standard

Weaver-style rings for easy scope mounting. Changing barrels doesn't mean rezeroing, either: both front and rear sights are fixed to the integral rail and stay with the barrel. Neos is a pistol that can grow and change to fit your shooting interests, from plinking to small game hunting to competition.



ACCESSORY GRIPS WITH RUBBER INLAYS

UPGRADE TO THE DLX-STYLE GRIP FRAME WITH COMFORTABLE RUBBER INLAYS.

For 2005, Beretta offers the Neos Carbine Kit*, a shoulder stock and barrel that turns the pistol into a handy, accurate long gun. Without special tools, you can return it to pistol configuration.*



92/96

From the jungle heat of Panama to the sandstorms of Iraq, the U.S. Armed Forces have counted on Beretta pistols for almost two decades of distinguished service. The 92FS most resembles the military M9 9mm pistol, while the 96 offers the same features, but is chambered for the popular .40 S&W cartridge.

Both are available with the heavier, recoil-reducing Brigadier slide and in blue or Inox finishes. It's even easier to master your Beretta when you add the 22LR Practice kit, which adapts the 92 or 96 pistols to fire inexpensive .22 Long Rifle ammunition.



22LR PRACTICE KIT J9022PK BUILD YOUR SHOOTING SKILLS WITH THE OPTIONAL .22 CONVERSION KIT FOR THE 92/96 PISTOLS. IT'S EASILY INSTALLED AND REMOVED.



MODEL	STANDARD CAPACITY CAT. CODE*	RESTRICTED CAPACITY CAT. CODE*	ACTION	SIGHTS/GRIPS	CALIBER	MSRP
92FS Vertec	J92FA10M	J92FA10	Double/Single	3 dot/Plastic	9mm	\$760
92FS Vertec Inox	J92FA20M	J92FA20	Double/Single	3 dot/Plastic	9mm	\$825
92G Elite IA	J92GE15M	J92GE15	Double/Single	3 dot/Plastic	9mm	\$875
92G Elite II	J92GE20M	J92GE20	Double/Single	Novak/Plastic	9mm	\$985
96	J960300M	J960300	Double/Single	3 dot/Plastic	40 S&W	\$715
96 Inox	J960500M	J960500	Double/Single	3 dot/Rubber	40 S&W	\$795
96 Brigadier Inox	J960560M	J960560	Double/Single	3 dot/Rubber	40 S&W	\$845
96 Brigadier	J960700M	J960700	Double/Single	3 dot/Rubber	40 S&W	\$795
96 Vertec	J96FA10M	J96FA10	Double/Single	3 dot/Plastic	40 S&W	\$760
96 Vertec Inox	J96FA20M	J96FA20	Double/Single	3 dot/Plastic	40 S&W	\$825
96G Elite IA	J96GE15M	J96GE15	Double/Single	3 dot/Plastic	40 S&W	\$875
96G Elite II	J96GE20M	J96GE20	Double/Single	Novak/Plastic	40 S&W	\$985
92FS Inox Lasergrip	N/A	JS92F01	Double/Single	Lasergrip/3 dot	9mm	\$975
92FS Vertec Inox Lasergrip	N/A	JS92F02	Double/Single	Lasergrip/3 dot	9mm	\$995

^{*} Check State and Local regulations on magazine capacity

The "F"-series pistols of the 92/96 family have a safety system that combines decocking with a positive thumb safety. The Inox models feature stainless steel slide and barrel

SURE, FIRM GRIP

THE FRONT AND BACK OF THE GRIP ARE
GROOVED, AND THE GRIP FRAME IS FLARED
SLIGHTLY AT THE BOTTOM TO ENHANCE
POINTABILITY AND CONTROL DURING FIRING.

construction, as well as rubber grips. Beretta's proprietary black Bruniton finish gives your 92/96 a wear-resistant coating which means these pistols will stand up to any special duty.



	92FS, 96	92FS, 96 BRIGADIER	92FS, 96 VERTEC
Caliber	9mm, 40 S&W	9mm, 40 S&W	9mm, 40 S&W
Overall Length	8.5"	8.5"	8.3"
Overall Height	5.4"	5.5"	5.5"
Overall Width	1.5"	1.5"	1.5"
Barrel Length	4.9"	4.9"	4.7"
Sight Radius	6.1"	6.3"	6.3"
Weight Unloaded	34.4 oz	35.3 oz	32.2 oz
Mag. Capacity - 9mm (Standard/Restricted)	15/10	15/10	15/10
Mag. Capacity - 40 S&W (Standard/Restricted)	11/10	11/10	11/10

92/96

The 92/96 Steel I has been designed with the competitive shooter in mind, that desire the recoil reducing benefits of a steel frame, this pistol also features Beretta's slim "vertical" grip, frame mounted safety and nickel alloy finish. Available in double/single and single action only, both in 9mm and 40 S&W.



Nothing reduces recoil like a little extra weight, and Beretta engineers added it to this full-race competition pistol by specifying a steel frame. When you combine a bit more heft with the M1911-style Vertec grip style, you have a soft-shooting 9mm or .40 S&W pistol that's ready for the range, right out of the box. Choose single- or double-action variants to match your shooting style.



MODEL	STANDARD CAPACITY CAT. CODE*	RESTRICTED CAPACITY CAT. CODE*	ACTION	SIGHTS/GRIPS	CALIBER	MSRP
92 Steel I	J92XA01M	J92XA01	Single	Plastic	9mm	\$1,600
92 Steel I	J92XB01M	J92XB01	Double/Single	Plastic	9mm	\$1,600
96 Steel I	J96XA01M	J96XA01	Single	Plastic	40 S&W	\$1,600
96 Steel I	J96XB01M	J96XB01	Double/Single	Plastic	40 S&W	\$1,600

^{*} Check State and Local regulations on magazine capacity

Developed to meet the "Special Duty" requirements of elite law enforcement and military units, this advanced pistol is also ideal for IDPA competition shooting. The "G" decock-only mechanism guarantees that the pistol is always ready to fire, eliminating the possibility that the safety is accidentally left engaged during stressful competitive shooting events. The "SD" features an integral accessory rail machined into the frame to attach a variety of popular white light and laser devices.

The Brigadier style recoil-reducing heavy slide, and removable front and rear Trijicon 3-dot tritium sights come standard. The frame is customized to include front and back strap checkering and an aggressively beveled magazine for faster reloading. The stainless barrel, finished in our proprietary Bruniton $^{\text{TM}}$ finish, boasts a machined target crown. The extended magazine button allows for quick magazine drops.



92G-SD J92GSD1

92G-SD & 96G-SD Caliber 9mm, 40 S&W 8.5" Overall Length 5.5" Overall Height Overall Width 1.5" Grip Width 1.3" Barrel Length 4.9" Sight Radius 6.3" Weight Unloaded 35.3 oz Mag. Capacity - 9mm (Standard/Restricted) 15/10 Mag. Capacity - 40 S&W (Standard/Restricted) 11/10

SURE FIRE NITROLON LIGHT (NOT INCLUDED)

MODEL	STANDARD CAPACITY CAT. CODE*	RESTRICTED CAPACITY CAT. CODE*	ACTION	SIGHTS/GRIPS	CALIBER	MSRP
92G-SD	J92GSD1M	J92GSD1	Double/Single	3 dot Tritium/Plastic	9mm	\$1,175
96G-SD	J96GSD1M	J96GSD1	Double/Single	3 dot Tritium/Plastic	40 S&W	\$1,175

^{*} Check State and Local regulations on magazine capacity

Mag. Capacity - 9mm (Std./Rest.)

Mag. Capacity - 40 S&W (Std./Rest.)

92/96

As the name implies, the Elite pistols are for advanced competition shooters who want to carry only the best when gunning for IDPA and IPSC championships. The "IA" model combines a slim vertical grip frame with the integral accessory rail of the Vertec and the Brigadier slide. Practical competitors will like the forward slide serrations, skeletonized hammer, beveled magazine well and

15/10

11/10

stainless barrel cut flush with the front of the slide. Like the "IA", the Elite II uses the "G"-style decocker lockwork, but with the traditional curved-butt Beretta frame. It adds a stainless steel slide with Novak rear and thin serrated front sights. Both guns feature beveled magazine wells and a flush hammer spring cap that deletes the lanyard loop of the service models.



^{*} Check State and Local regulations on magazine capacity

J92F560M

I92F700M

J92F560

J92F700

Double/Single

Double/Single

3 dot/Rubber

3 dot/Rubber

92FS Brigadier Inox

92FS Brigadier

\$845

\$795

9mm

9mm

There's no doubt you're looking at a work of art when you see the Beretta 9000S. Its styling, by legendary Italian design house Giugiaro, is one-of-a-kind. Soft wrap-around polymer grip insert makes it easy to grasp in the toughest conditions, and resistant to corrosion. It's available in both 9mm Parabellum and .40 S&W calibers, both with 10-round magazines.

It will accept "pre-ban" 92/96 magazines for increased capacity (using optional adapter). An extendable magazine "bottom", that extends 11/32" when the pistol is drawn and retracts when it is holstered, is included. (See Pistol Pro Shop section for details.)

Caliber

Overall Length

Overall Height

Overall Width

Barrel Length

Sight Radius

Weight Unloaded

Mag. Capacity- 9mm

Mag. Capacity - 40 S&W

SIGHT SYSTEM

THE WHITE 3-DOT SIGHT IS DESIGNED

FOR QUICK TARGET ACQUISITION.

EXTERNAL HAMMER
THE EXTERNAL HAMMER RETAINS THE
TRADITIONAL BERETTA DESIGN WITH
THROUGH-HOLE AND GRIPPING SERRATIONS.

ERGONOMIC GIUGIARO DESIGN

AESTHETICALLY AND FUNCTIONALLY SUPERIOR.

9mm, 40 S&W

6.6"

4.8"

1.7"

3.5"

5.2"

26.8 oz, 27.5 oz

12/10

10

THE DISTINCTIVE GIUGIARO DESIGN IS

ERGONOMIC GRIP

DURABLE POLYMER INSERT,

AND ENSURES POSITIVE

PISTOL RETENTION.

THE GRIP ABSORBS VIBRATIONS

FEATURING A SOFT YET

BOTH THE REAR AND FRONT SIGHTS
ARE DOVETAILED TO THE SLIDE
FOR WINDAGE ADJUSTMENTS
AND MAY BE REPLACED.



THE 9000S IS SIMPLE, ROBUST AND RELIABLE;
THE HALLMARKS OF A PISTOL YOU CAN COUNT ON.



THE POLYMER FRAME MAKES THE 9000S
BOTH COMFORTABLE TO SHOOT AND RESISTANT
TO CORROSION AND WEAR.



EXPERTS PREFER A DOUBLE-ACTION TRIGGER IN A PISTOL DESIGNED FOR CONCEALED CARRY.



ARE INCLUDED WITH EACH

ALSO ACCEPTS THE MAGAZINES

PISTOL. THE MODEL 9000S

OF THE 92 SERIES PISTOLS

WITH THE USE OF AN

OPTIONAL ADAPTER.

SLIDE

MODEL	HIGH CAP. MODELS	CAT. CODE*	ACTION	SIGHTS/GRIPS	CALIBER	MSRP
9000S Type F	N/A	J904F10	Single/Double	3 dot/Plastic	40 S&W	\$485
9000S Type F	J909F10M	J909F10	Single/Double	3 dot/Plastic		

DIMENSIONS,

ESPECIALLY IN

LENGTH AND

HEIGHT, MAKE

PARTICULARLY

CONVENIENT

FOR CARRY.

THIS PISTOL

CHEETAH & 87 TARGET

If you prefer the light recoil and report of the .380 Auto cartridge, the Beretta Cheetah is for you. While the 84FS and 85FS offer conventional blowback operation.

> **OPEN SLIDE DESIGN** OPEN TOP SLIDE VIRTUALLY ELIMINATES JAMMING AND STOVEPIPING.

THE 85FS CHEETAH IS AN IDEAL DEFENSIVE PISTOL FOR THOSE WHO PREFER THE MILDER RECOIL AND REPORT OF THE .380 AUTO CARTRIDGE. The 87 Cheetah is a sporting version in .22 Long Rifle. All the Cheetahs are light, fast-handling

HIGH-STRENGTH NICKEL-CHROMIUM-MOLYBDENUM STEEL WITH HARD CHROMED BORE FOR LONGER LIFE.

BARREL

COMBAT-STYLE TRIGGER GUARD

PROVIDES SUPPORT FOR A TWO HAND GRIP AND OFFERS AN ENLARGED OPENING FOR EASY ACCESS WITH GLOVES.

pistols that are ideal for personal defense or police back-up carry. Beretta's proprietary black Bruniton finish provides a wear-resistant coating. Back by popular demand, the nickel finish models carry checkered, walnut grips.

FIRING PIN BLOCK EXECUTEDA ALBERTA ALBERTA DE LA CONTRACTOR DEL CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR TATEMEN BENETTA USA BREET MANE OR 85FS CHEETAH J85F200

AND ALL SUBSEQUENT ROUNDS ARE

FIRED SINGLE-ACTION.

SIGHTS

AMBIDEXTROUS SAFETY EASILY ACCESSIBLE BY THE THUMB FOR RIGHT OR LEFT HANDED SHOOTERS.

FAST, SURE TARGET ACQUISITION

SYSTEM, NOTCHED REAR SIGHT

IS DOVETAILED FOR WINDAGE

ADJUSTMENT. BLADE FRONT SIGHT IS INTEGRAL WITH SLIDE.

FROM STANDARD 3-DOT

85 CHEETAH 87 CHEETAH Caliber 22LR 380 Auto 380 Auto 6.8" Overall Length 6.8" 6.8" Overall Height 4.8" 4.8" 4.7" Overall Width 1.4" 1.4" 1.3" 3.8" 3.8" Barrel Length 3.8" Sight Radius 4.9" 4.9" 4.9" Weight Unloaded 23.3 oz 21.9 oz 20.1 oz Mag. Capacity 13/10 8 7

DURABLE FRAME DOUBLE ACTION TRIGGER AN ANODIZED ALLOY OFFERS THE FIRST ROUND IS FULL DOUBLE-SUPERIOR CORROSION ACTION MODE, AND THE SECOND

RESISTANCE, MATTE BLACK FINISH IS NON-REFLECTIVE

	MODEL	HIGH CAP. MODEL	CAT. CODE*	ACTION	FINISH/GRIP	CALIBER	MSRP
	84 Cheetah	J84F200M	J84F200	Double/Single	Bruniton/Plastic	380 Auto	\$625
	84FS Cheetah Nickel	J84F212M	J84F212	Double/Single	Nickel/Wood	380 Auto	\$690
	85 Cheetah	N/A	J85F200	Double/Single	Brunition/Plastic	380 Auto	\$590
	85FS Cheetah Nickel	N/A	J85F212	Double/Single	Nickel/Wood	380 Auto	\$665
ſ	87 Cheetah	N/A	J87B210	Double/Single	Bruniton/Wood	22 LR	\$625
ſ	87 Target	N/A	J87T010	Single	Blued/Plastic	22 LR	\$710

84FS CHEETAH NICKEL J84F212

CHEETAH & 87 TARGET

While the 87 Cheetah is a lightweight pistol for field carry, the 87 Target is a heavyweight competition gun that will be at home on any range. It features both adjustable metallic sights and a Weaver-style rail for mounting scopes or red dot sights. A squared-off muzzle allows a steady ready position on the bench for practical or international standard pistol shooting. The single-action trigger is light and crisp for accurate off-hand firing. You can add the optional walnut grips from our Pro Shop line of products.



87 TARGET J87T010

(SCOPE NOT INCLUDED) AN INTEGRAL

FINISHING

THE MATTE-BLACK FINISH IS OBTAINED THROUGH SAND BLASTING AND ANODIZING OF THE LIGHT ALUMINUM ALLOY PARTS OR BLUING OF THE STEEL COMPONENTS.

INTERCHANGEABLE FRONT SIGHT

INTERCHANGEABLE WITH ANOTHER FRONT SIGHT OF DIFFERENT THICKNESS.

ALUMINUM BARREL SLEEVE

INTEGRAL SCOPE BASE RAIL DESIGNED TO ACCEPT WEAVER STYLE SCOPE MOUNTS.

FULLY ADJUSTABLE TARGET SIGHTS

> HANDLING BY RIGHT AND LEFT-HANDED SHOOTERS.

87 TARGET J87T010

ALUMINUM ALLOY

SPECIALLY TREATED. HAS THE STRENGTH AND DURABILITY OF STEEL WITH 65% LESS WEIGHT.

> COMBAT-STYLE TRIGGER GUARD PROVIDES SUPPORT FOR A TWO HAND GRIP.

TRIGGER PULL SINGLE ACTION, LIGHT

AND CRISP TRIGGER PULL IS FACTORY SET.

HARD PLASTIC GRIPS

GRIP CONFIGURATION MAKES THE 87 TARGET IDEAL FOR ACTION SHOOTING COMPETITION. SEMI-ANATOMICAL WALNUT GRIPS ARE ALSO AVAILABLE.

	87 TARGET
Caliber	22LR
Overall Length	8.9"
Overall Height	5.4"
Overall Width	1.3"
Barrel Length	5.9"
Sight Radius	7.3"
Weight Unloaded	40.9 oz
Mag. Capacity	10

BOBCAT & TOMCAT

When police officers or concealed carry permit holders look for the ultimate in concealability, they look to the Beretta Tomcat in .32 Auto and the Bobcat in .25 Auto and .22 Long Rifle. These double-action pistols many be tiny, but they're reliable defensive arms. Both pocket pistols are

available in blued or Beretta Inox (stainless) finishes. The tip-up barrels allow rounds to be loaded directly into the chamber without slide retraction. Tomcat and Bobcat: unobtrusive companions for the toughest streets.



MODEL	CAT. CODE	ACTION	finish/grip	CALIBER	MSRP
Model 21 Bobcat	J212104	Double/Single	Matte/Plastic	22LR	\$275
Model 21 Bobcat	J212110	Double/Single	Blued/Plastic	22LR	\$315
Model 21 Bobcat Inox	J212500	Double/Single	Stainless/Plastic	22LR	\$340
Model 21 Bobcat	J215104	Double/Single	Matte/Plastic	25 Auto	\$275
Model 21 Bobcat	J215110	Double/Single	Blued/Plastic	25 Auto	\$315
3032 Tomcat	J320104	Double/Single	Matte/Plastic	32 Auto	\$370
3032 Tomcat	J320110	Double/Single	Blued/Plastic	32 Auto	\$390
3032 Tomcat Tritium	J320105	Double/Single	Matte/Plastic	32 Auto	\$450
3032 Tomcat Inox	J320500	Double/Single	Stainless/Plastic	32 Auto	\$460

BOBCAT & TOMCAT



TIP-UP BARREL

OFFERS QUICK, DIRECT CHAMBER LOADING AND UNLOADING WITHOUT WORKING THE SLIDE. THIS MAKES THE TOMCAT IDEAL FOR BEGINNERS AND ELDERLY SHOOTERS WHO LACK THE STRENGTH TO RETRACT THE SLIDE MANUALLY.

PROMINENT TRITIUM-FILLED SIGHTS GIVE THE

TOMCAT TRITIUM A BOLD SIGHT PICTURE IN

LOW-LIGHT CONDITIONS.



SLIDE PERMIT QUICK PRESENTATION OF THE PISTOL TO THE TARGET.

BARREL

FORGED OUT OF SPECIAL HIGH

FOR ACCURACY, INOX MODELS

STRENGTH STEEL; PRECISELY RIFLED

FEATURE STAINLESS STEEL BARRELS.

TRIGGER PULL

SMOOTH, CRISP PULL IN DOUBLE/ SINGLE ACTION.

MACHINED OUT OF HIGH-STRENGTH

CARBON STEEL AND SPECIALLY HEAT

FEATURE STAINLESS STEEL SLIDES.

TREATED. INOX MODELS

SIGHTS

FIXED, LOW PROFILE NOTCHED REAR SIGHT IS DOVETAILED INTO THE SLIDE. BLADE FRONT SIGHT OFFERS FAST TARGET ACQUISITION.

SAFETY

MANUAL, CONVENIENTLY THUMB OPERATED. LOCKS SLIDE IN PLACE.

CONTOURED TANG

TOP OF THE GRIP AREA IS PRECISELY CURVED AND RELIEVED TO SNUGLY ACCOMMODATE THE SHOOTER'S HAND. PROTECTING THE THUMB WEB OF THE SHOOTER'S HAND FROM BEING PINCHED BY THE SLIDE.

MAGAZINE RELEASE

PROTECTED BY GRIP TO PREVENT ACCIDENTAL RELEASE.



3032 TOMCAT TRITIUM J320105

	21 BOBCAT 22LR	21 BOBCAT 25 AUTO	3032 TOMCAT	3032 TOMCAT INOX	3032 TOMCAT TRITIUM
Caliber	22LR	25 Auto	32 Auto	32 Auto	32 Auto
Overall Length	4.9"	4.9"	4.9"	4.9"	4.9"
Overall Height	3.7"	3.7"	3.7"	3.7"	3.7"
Overall Width	1.1"	1.1"	1.1"	1.1"	1.1"
Barrel Length	2.4"	2.4"	2.4"	2.4"	2.4"
Sight Radius	3.5"	3.5"	3.3"	3.3"	3.3"
Weight Unloaded	11.8 oz	11.5 oz	14.5 oz	15.8 oz	16.9 oz
Mag. Capacity	7	8	7	7	7

230

Cx4 STORM

Beretta's Cx4 Storm redefines the pistol-caliber carbine, with racy and radical lines from the masters of industrial design at Giugiaro. Form follows function in a symphony of smooth, sweeping curves made possible by the use of modern high-strength technopolymers. Beretta's use of cutting-edge materials also keeps weight down to just 5¾ lbs., making the Cx4 a pleasure



to carry, whether in the field or on duty. Five different models accept full-size Beretta magazines from the 92/96 and Cougar series pistols in 9mm, .40 S&W and .45 Auto, including large-capacity restricted and pre-ban styles. The cold hammer-forged 16.6-inch barrel is chrome-lined for long life and corrosion resistance with any ammo.

SEMIAUTOMATIC,

STRAIGHT BLOWBACK OPERATION SIMPLE, RUGGED AND RELIABLE

OPERATING SYSTEM.

HANDLE, EJECTION PORT COVER, MAGAZINE RELEASE, AND MANUAL SAFETY BUTTON ARE REVERSIBLE FOR RIGHT OR LEFT HAND USE.

REVERSIBLE CONTROLS

EXTRACTOR, EJECTOR, OPERATING

BOLT RELEASE LEVER

ALLOWS CLOSING OF THE BOLT WHICH REMAINS IN THE OPEN POSITION AFTER THE LAST ROUND FROM THE MAGAZINE HAS BEEN FIRED, (WITH THE MAGAZINE INSERTED.) THIS PERMITS THE USER TO IMMEDIATELY DETERMINE THAT THE CARBINE DOES NOT HAVE A ROUND IN THE CHAMBER OR MAGAZINE.

RUBBER CHEEK PIECE

ALLOWS THE OPERATOR TO COMFORTABLY
MAINTAIN TIGHT CONTROL OF THE FIREARM
EVEN WHEN WET.

ADJUSTABLE STOCK

STOCK SPACERS ALLOW
THE USER TO INCREASE THE
LENGTH OF THE STOCK BY
.60 INCHES PER SPACER.

BARREL

SIGHTS

I6.6 INCHES
IN STEEL, COLD
HAMMER FORGED
CHROME LINED.

Cx4 CARBINE

TECHNOPOLYMER FRAME

FRONT SIGHT IS FULLY ADJUSTABLE FOR WINDAGE AND

ELEVATION. THE REAR SIGHT HAS TWO APERTURES FOR

LONG AND SHORT RANGE USE. BOTH MAY BE FOLDED

DOWN WHEN OPTICS ARE USED.

ULTRA TOUGH, LIGHT, TECHNICALLY —
ADVANCED FIREARM. TECHNOPOLYMER
GUARANTEES CORROSION RESISTANCE
AND COLOR CONSISTENCY.

SIMPLE FIELD STRIPPING

ACCESSORY RAILS

MAY BE ADDED TO THE TOP, SIDE AND BOTTOM OF THE CX4.

INTERNAL RAIL MAY BE EXTRACTED FROM THE FRONT OF

THE CX4 BY PUSHING IN ON THE FRONT SLING SWIVEL.

BY REMOVING ONE FRICTION-FIT PIN THE CX4 MAY BE COMPLETELY DISASSEMBLED FOR EASY CLEANING.

SINGLE ACTION TRIGGER

SHORT, LIGHT SA TRIGGER ALLOWS FOR FAST, ACCURATE DISCHARGE OF SUBSEQUENT ROUNDS.



RETRACTABLE FORE-END RAIL



RETRACTABLE FORE-END RAIL WITH SUREFIRE NITROLON LIGHT ATTACHED. (NOT INCLUDED)

REMOVABLE MAGAZINE

THE CX4 STORM IS ABLE TO UTILIZE THE SAME
MAGAZINES AS THE 92/96 AND 8000/8040/8045
COLIGAR PISTOL SERIES



SLING SWIVELS

COME PREINSTALLED
IN THE FRONT AND REAR
PART OF THE STOCK.
SLING LOOP ATTACHMENT
POINTS ARE LOCATED
ON BOTH SIDES OF THE
BUTT STOCK ALLOWING
FOR A VARIETY OF SLING
CONFIGURATIONS.

MODEL	STANDARD CAPACITY CAT. CODE*	RESTRICTED CAPACITY CAT. CODE*	ACTION	SIGHTS	CALIBER	MSRP
Cx4 STORM, 8000 Carbine	JX48010M	JX48010	Single	Ghost	9mm	\$775
Cx4 STORM, 8040 Carbine	JX48410M	JX48410	Single	Ghost	40 S&W	\$775
Cx4 STORM, 8045 Carbine	JX48510	N/A	Single	Ghost	45 Auto	\$775
Cx4 STORM, 92 Carbine	JX49210M	JX49210	Single	Ghost	9mm	\$775
Cx4 STORM, 96 Carbine	JX49610M	JX9610	Single	Ghost	40 S&W	\$775

^{*} Check State and Local regulations on magazine capacity

Cx4 STORM

The Cx4 is unsurpassed in its adaptability for right- or left-handed users. Ejection and operating handle can be switched from the standard right side to the left without the use of tools or spare parts. The crossbolt safety and magazine release are reversible for the left-hander, too. The firing pin and hammer are blocked until the trigger is pulled, and a bolt safety locks the bolt to prevent it

cycling should the Cx4 be dropped on its butt. The magazine is protected inside the grip, helping keep it safe from damage in vigorous maneuvers. Sling studs and loops on both sides of the butt stock allow a variety of sling configurations for comfortable carrying.







SIDE AND BOTTOM ACCESSORY RAILS ALLOW EASY MOUNTING OF TACTICAL LIGHTS, LASERS AND OTHER ACCESSORIES, ONE SIDE RAIL INCLUDED. BOTTOM ACCESSORY RAIL AVAILABLE AS ACCESSORY.

	Cx4 STORM				
Action	Semiautomatic blowback				
Caliber	9 mm, 40 S&W, 45 Auto				
Stock	Synthetic				
Recoil Pad	Rubber				
Safety	Cross bolt, reversible				
Overall Length	29.7" *				
Barrel Length	16.6"				
Length of Pull	131/4" - 15" **				
Weight unloaded	53/4 lb				
Rear Sight	Ghost ring with two size apertures				
Front Sight	Post, adjustable for windage & elevation				
Sight Radius	12.9"				
Magazine	Detachable				
Mag. Capacity (Std./Rest.)	10 (8 rounds for 45 Auto)				
Mag. Capacity (Std./Rest.)	15/20 (9mm); 11 (40 S&W & 8000)				
Case	No				

^{*} Without stock spacers installed ** Adjustable with stock spacers

Cx4 STORM

Unlike folding-stock carbines, the Cx4 is comfortable to fire, with a rubber comb insert for a comfortable cheek rest. Adding spacers allows length of pull adjustment from 13 to 15 inches in .6 inch increments, letting the Cx4 fit users of all heights and making it easy to accommodate winter clothing, protective vests and other gear. Today's shooter demands a gun that can accept a

large assortment of accessories, and here the Cx4 caters for all tastes. A retractable accessory rail extends from the fore-end for mounting tactical lights. Rails can be installed on either side or the bottom of the fore-end for lasers or forward grips.





ADJUST PULL LENGTH TO YOUR SPECIFICATIONS
WITH SUPPLIED SPACER. (TWO MORE SPACERS
MAY BE ADDED AND REMOVED)



THE OPTIONAL PICATINNY (MIL-STD-1913) TOP RAIL ALLOWS EASY INSTALLATION OF DOT SIGHTS OR SCOPES.



THE OPTIONAL CARRYING CASE PROTECTS THE CX4 FROM THE ELEMENTS.

Cx4 STORM

Controls are very similar to those found on our popular 92FS pistol, so most shooters will be immediately familiar with the operation of this firearm. Length of pull can be lengthened in .6" increments, from 13" to 15" by addition one to three stock spacers (one provided). Multiple sling attachment points allow a multitude of carry options. A retractable forward accessory rail extends out from the fore-end, allowing quick mounting of a tactical light or laser unit.

Hard mounting points allow the addition of various accessories, including side, top and bottom "Picatinny" rails. These will accept optics, tactical lights, lasers and vertical grips. One side rail is included. The front post sight is adjustable for windage and elevation, while the rear sight has long-range and ghost ring apertures. Both sights are protected by rugged "ears" and may be folded down when optics are used..







INDIVIDUALIZED PERFORMANCE. The Px4 Storm is built around a modular concept so that a single pistol can be adapted to different needs. This without compromising on the legendary ergonomics, reliability and performance for which Beretta is rightfully known. Available in 9mm

and 40 S&W, this pistol features the F-type single-action/double-action firing mechanism with de-cocker and manual safety.







FLUSH AND OPTIONAL LANYARD HAMMER SPRING CAPS,
ALLOW FOR THE USE OF TACTICAL RETENTION LANYARD.



SAFETY/DECOCKER LEVER GEOMETRY PREVENTS ACCIDENTAL ENGAGEMENT OR DISENGAGEMENT WHEN RETRACTING SLIDE.



The Px4 can be adapted to different levels of concealment or to different hand-sizes, concealment modes and shooting styles. The back-strap can be customized to three sizes; the safety lever and magazine-release button come in two additional sizes to accommodate a smaller or larger grip.

Thanks to these options, the same powerful and reliable handgun can be adapted to fit diverse needs and uses.



INTERCHANGEABLE GRIP BACKSTRAPS ALLOW FOR CUSTOMIZATION TO THE INDIVIDUAL'S HAND SIZE. MEDIUM COMES STANDARD ON THE GUN, WHILE SMALL AND LARGE ARE INCLUDED IN THE BOX FOR EASY MODIFICATION.



MULTIPLE-SIZED, REVERSIBLE MAGAZINE RELEASE BUTTONS ALLOW FOR CUSTOMIZATION TO THE INDIVIDUAL'S HAND SIZE. SMALL SIZE COMES STANDARD ON THE GUN, WHILE MEDIUM AND LARGE BUTTONS ARE INCLUDED IN THE BOX FOR EASILY REPLACEMENT. EACH SIZE CAN BE POSITIONED FOR RIGHT-HANDED OR LEFT-HANDED USE.



MIL-STD-1913 "PICATINNY" STANDARD ACCESSORY
RAIL. ALLOWS MOUNTING OF OPTIONAL TACTICAL
LIGHTS AND LASER UNITS.

	Px4 STORM
Overall Length	7.59"
Overall Heights	5.51"
Barrel Length	4"
Sight Radius	5.7"
Grip Width	1.18"
Weight Unloaded	27.52 oz.
Magazine Capacity 40 S&W	14 rounds

MODEL	CAT. CODE	ACTION	SIGHTS	CALIBER	MAG. CAPACITY	MSRP
NEW Px4 STORM, TYPE F	JXF411	Double/Single	Black/Pronox	40 S&W	14	\$630
NEW Px4 STORM, TYPE F	JXF9F11	Double/Single	Black/Pronox	9mm	17	\$630





When not in use, the Px4 Storm pistol is extremely easy to disassemble and service without tools. Furthermore, its integral modified Picatinny MIL-STD-1913 renders it readily adaptable to a host

of accessories. Each Px4 Storm pistol comes equipped with two magazines, a cleaning brush, the operator manual and a plastic carrying case.







THE PX4 FEATURES A CAPTIVE RECOIL SPRING ASSEMBLY WITH INTEGRATED RECOIL BUFFER. THESE FEATURES HELP REDUCE FELT RECOIL AND MINIMIZE MUZZLE RISE.