Leupold & Stevens Foundation — Established 2002

Leupold & Stevens, Inc. is a contributing member of our community with a long history of support of local charities. The Leupold and Stevens families have established the Leupold & Stevens Foundation to support the needs of local and regional charities that enhance our community through their efforts in support of education, health and welfare, the environment, and the arts.

Leupold & Stevens, Inc. is Proud to Support These and Other Organizations



National Rifle Association, National Shooting Sports
Foundation, Hunting and Shooting Sports Heritage
Fund, National Association of Sporting Goods
Wholesalers, Rocky Mountain Elk Foundation,
Women in the Outdoors/Women's Shooting Sports
Foundation, Outdoor Writers of Canada, New
England Outdoor Writers Association, Northwest
Outdoor Writers Association, Boone and Crockett
Club, Friends of NRA, Foundation for North
American Wild Sheep, Safari Club International,
National 4-H Youth Shooting Sports, Mule Deer
Foundation, Becoming An Outdoors-Woman
Program, International Association of Law
Enforcement Firearms Instructors, Inc., Archery
Manufacturers and Merchants Organization,
American Custom Gunmakers Guild, American
Shooting Sports Council, Texas Outdoor Writers
Association, Oregon Wildlife Heritage Foundation,
U. S. Sportsmen's Alliance, Business Council, National
Wild Turkey Federation, Wheelin' Sportsman,
Jakes/Juniors Acquiring Knowledge, Ethics and
Sportsmanship, National Tactical Officers Association,
Crane Meadows Nature Center, The Oregon
Cascades Birding Trail (Title Sponsor), Birder's
Exchange, Boy Scouts of America and Last Chance
Forever, The Bird of Prey Conservancy.

www.leupold.com

Leupold & Stevens, Inc., PO Box 688, Beaverton, OR 97075-0688 14400 NW Greenbrier Parkway, Beaverton, OR 97006-5790 USA



BOONE AND CROCKETT CLUB Fair Chase and Conservation

PARTNERS IN CONSERVATION... LEUPOLD AND THE BOONE AND CROCKETT CLUB

"To waste, to destroy our natural resources, to skin and exhaust the land instead of using it so as to increase its usefulness, will result in undermining in the days of our children the very prosperity which we ought by right to hand down to them amplified and developed



—Theodore Roosevelt, message to Congress, December 15





When the Boone and Crockett Club was founded in 1887, many thought America's supply of game was inexhaustib Today, we understand the need for conservation (Photo: Inwin Brothers Collection - Arizona Historical Society)

(Cirea. 1910) The Boone and Crockett Club's National Collection of Heads and Horns opened for public display at the Bronx Zoo in New York City in 1922. The display sparked public interest in big game animals and created the momentum needed to launch a conservation and recovery effort that saved many of these great animals, and hunting from extinction.

When the Boone and Crockett Club was founded in 1887 the general thinking of the time was that an abundance of game meant an inexhaustible supply. During this same time in our nation's history game laws, rules, and regulations did not exist and there was also no real ethical code of conduct for sportsmen to follow. As a result, our big game populations were headed for disaster.

The Boone and Crockett Club is credited with reversing this trend by helping to establish our first game laws, hunting seasons and bag limits. But more importantly, they took a leadership role by defining the "rules of the chase" and helping to forge an ethical code of conduct for sportsmen to follow. Their vision was that if our big game populations were to return to productive numbers, and that if hunting itself was going to survive, hunters needed to take responsibility for their actions.

This is one of the reasons why Leupold has gone the extra mile to develop a riflescope reticle system that will take the guesswork out of longer range shooting, giving hunters the tools they need to make clean kills and ethical choices.

We are pleased to not only offer you this new sighting system, but that we are able to join the Boone and Crockett Club in their efforts to promote ethical, fair chase hunting.



(Circa. 1950) Boone and Crockett Club member, Grancel Fitz, one of the architects of the Club's scoring system, takes a measurement on what was then the World's Record Alaska Yukon moos

Leupold has long supported the efforts of the Boone and Crockett Club® because they share so many of our goals and values, promoting the sport of game hunting and the conservation of the wildlife that makes our way of life possible.

We're extremely proud to offer the first optical product ever to bear the Boone and Crockett Club name, and we look forward to the continuation of our relationship with the Club and the development of other exciting new tools for hunters. We at Leupold urge you to support their efforts as well. To learn more about the Boone and Crockett Club, and how you can help stand guard over North America's wild resources and our sporting way of life, visit www.booneandcrockettclub.com.




Last year, Leupold made some of its biggest changes ever, completely revamping some product lines, like the incredible VX HIII and Mark 4° riflescopes, while refining, improving and perfecting the VX-I, VX-II and Rifleman riflescopes.

We know hunters and shooters appreciate the quality and performance they get from Leupold products, and that you look forward to what the new year brings. But sometimes, it's good to look back and recognize a job well done. The VX-III with Leupold Ballistic Aiming System we introduced in 2004 is proving itself in the field daily. Hunters really appreciate the level of confidence that the Boone and Crockett Big Game reticle gives them on long-range shots. Likewise the Varmint Hunter's reticle is becoming an indispensable tool for those who need small target precision. If you haven't taken the time to learn about this exciting new system, available exclusively in the VX-III models, turn to pages 14-17, or visit us online at leupold.com.

2005 continues the great tradition of innovative, exciting new Leupold products Look for new FX " fixed power riflescopes, the new Alumina" accessories, new full-size Golden Ring binoculars, our new high definition spotting scope, new camouflage Leupold Wind River binoculars, and more.

You count on Leupold to deliver the finest optics and accessories hunters an shooters ever took into the field. We count on you to continually challenge and inspir us to create the optics you're looking for. Together, we just made 2005 a great year



IN THIS CATALOG:

Facts on Scopes4	
Alumina Accessories8	
Riflescope Guide10	
LPS Riflescopes12	
VX-III Riflescopes14	
VX-II Riflescopes18	
VX-I Riflescopes20	
Rifleman Riflescopes22	
Rimfire & Air Rifle Scopes24	
Shotgun/Muzzleloader	
and Ultralight Scopes26	
FX Riflescopes28	
Competition Riflescopes30	
Handgun Scopes32	
Golden Ring Spotting Scopes34	
RB800 & Spotting Scopes36	
Golden Ring Binoculars38	
Wind River Binoculars40	
Leupold Mark 4 Optics44	
Riflescope Specifications48	
Reticle Configurations50	
Mounting Systems54	
Mount-Fit Charts58	
Tools and Accessories67	
Technical Service71	
Custom Shop72	
Order Information74	

NEW FOR 2005

Leupold[®] Alumina™ Accessories - Page 8

One of Leupold's most exciting, innovative products for 2005 is the new range of Alumina™ accessories. Customize your riflescope with everything from threadable, heavy-duty lens covers for transport, to flip-back lens covers and rubber eyepiece guards. You can even customize your rifle to changing light throughout the day, with threadable optimizers, intensifiers, and RainCote™ covers. Your Leupold riflescope is already optimized to give you the clearest, brightest picture possible...with Alumina, you can adapt with the changing conditions.



Leupold FX[™] Riflescopes - Page 28

For 2005, we've developed another new line of riflescopes: introducing the FX series of fixed power riflescopes for those hunters and shooters who appreciate the ruggedness, accuracy, and purity of a fixed power riflescope. There are FX scopes for nearly every shooting sport, and for nearly every firearm, from rifles to handguns.

Leupold High Definition Spotting Scope and Kit - Page 34

We gave our already immensely popular 12-40x60mm spotting scope new eco-friendly, fluoride-based glass objective lenses as well as the Index Matched Lens System, and digital camera compatibility. The result is lower light dispersion and enhanced light transmission, for high definition clarity, incredible brightness, and absolute color fidelity. It's also available as a kit, which includes the HD spotting scope, Leupold compact tripod, window mount, and digital camera adapter, all in a rugged, hard-side case with

custom molded interior

padding.

Leupold Golden Ring[®] Binoculars - Page 38

We're extremely excited to introduce a line of full-size Golden Ring binoculars. They feature the same Index Matched Lens System™ as our famed VX-III riflescopes and super-high reflection, phase coated prisms for an image that is frankly astonishing in its clarity, brightness, and color fidelity.

Leupold Golden Ring[®] 15-30x50mm Compact Spotting Scope Kit-Page 34

The kit includes the Leupold Golden Ring 15-30x50mm Compact spotting scope, padded belt case, padded strap, hard-shell case, and more.



Capture images of wildlife or any outdoor event using this adapter, your digital camera and the Leupold Golden Ring 12-40x60mm spotting scope. It's simple to use: find your target, connect the camera to the spotting scope, and snap your photo.

Leupold Wind River[®] Cascades[®] with Advantage Timber[®] HD[®] Camo - Page 42

Serious hunters will want to get their hands of these high-performing binoculars. You get the advantage of rugged, waterproof, high-performance optics, as well as the concealment of Advantage

Timber® HD™ camouflage.

BZ40mm

4 0 mm

YL40n

The Facts, From America's Optics Authority™

Leupold builds scopes to last not just for a lifetime...But for Generations. It's why shooters expect performance from their Leupold scope that they just wouldn't ask of lesser brands. It's why we're not afraid to back up our scopes with the strongest guarantee in the business: the Leupold Full Lifetime Guarantee.

The First Lesson We Learned

Ruggedness and waterproofing are the heart and soul of every scope we make. Why? If your scope breaks or the lenses fog, it's absolutely useless. This doesn't mean the optics take a backseat. It's simply that high quality Leupold optics are worth going to extremes to protect. The result is an ideal balance between optical excellence and total durability. Since the production of our very first scope in 1947, we've been the benchmark by which all other riflescopes are judged.

Know What to Look For - You'll Find the Best Of course, we want you to make an educated decision when choosing your next riflescope. So in the midst of the confusion created by lesser brands, Leupold offers you this clear look at the facts surrounding optics and riflescope

Basics of Light Management

construction.

On a basic level, all riflescopes work the same. Light rays enter the objective lens, which magnifies them. This upside-down image travels to the erector lens system, which flips the image right-side up and further magnifies it. The ocular lens magnifies the image a final time, then projects it to your eye. However, all scopes certainly don't perform the same, optically or mechanically.

How to Judge Proper Light Management In a riflescope, getting the maximum amount of pure light to your eye is critical.

At Leupold, we call this light management. The following are critical optical properties to look for in a riflescope, to determine how well it manages light.

Contrast is the best indicator of proper light management. Resolution and light transmission (often mistakenly called light gathering) enhance contrast while glare

Resolution means a crisp, finely detailed image. Without good resolution, the remaining optical elements are useless.

Light transmission is the measure of how much light exits a scope to reach your eye compared to how much entered the objective lens from the image. It's affected by the efficiency of the glass, and the quality

> of anti-reflective Leupold's Index Matched Lens

System used on the VX-III riflescopes provides remarkable light transmission, with virtually no glare.


Glare is stray light reflecting off lenses and other internal parts of a scope. Anti-reflective lens coatings reduce glare. Excessive glare diminishes other optical properties.

Ruggedness is a scope's ability to take physical abuse, such as repeated recoil and the rigors of the field. Reticles can break. Seals can give way. Internal

systems can be blasted apart. Only good design, materials, and manufacturing can prevent these problems.

Waterproofing scopes by filling them with nitrogen and sealing them against moisture is a process Leupold pioneered. Even today, some other brands of riflescopes are not waterproof. The challenge is developing seals that keep the nitrogen in and water out over the life of a scope.

Repeatable accuracy is the ability to shoot a tight group at every power setting on a variable power scope, ideally with a single point of impact. Repeated recoil and physical abuse can limit some scopes' ability to do this.



scope during recoil.



3X MAGNIFICATION

9X MAGNIFICATION

The Mechanics of Shooting Optics


Scopes are precision instruments with both stationary and moving parts in a housing. They must withstand punishment that most optical instruments will never face and couldn't survive. That's why, in addition to critical optical properties, there are key mechanical attributes a good scope must have, such as ruggedness, waterproof integrity, repeatable accuracy, and more.



We continuously take random Leupold scopes and put them through the most rigorous, scientific impact testing in the industry: 5,000 impacts of 975Gs.

IMPACT SHIFT TESTING

Leupold technician David Archerd, placing the scopes on the Frame Grabber after impact testing. This will determine if the point of impact has shifted after the 5,000 impacts the scope has received. "It's pretty boring," David says, "because the point of impact doesn't shift at all."



The Most Advanced Recoil Test Center Worldwide

Shortly after making our first riflescopes, we began testing them for their ability to withstand the forces of nature and of recoil. We're excited to announce our latest advances in impact testing: Leupold's Impact Testing Center with three punishing machines, each of which can be calibrated to replicate the impact of nearly any kind of rifle on earth.

In addition, we can measure the stress on the scope throughout the duration of the impact, which helps us when designing scopes that are rugged, yet lightweight. Our standard impact test for Leupold Golden Ring and Leupold Mark 4 scopes 5,000 impacts at 975 Gs.

Performance We Can PROVE

Broken reticles, loose parts, or shifting adjustments mean failure. Though it's the harshest test in the industry, every Leupold riflescope model from the Rifleman to our Mark 4 riflescopes must pass unscathed. No competitive brand has ever passed Leupold's impact test.

Water Torture

To test our scopes' waterproof seals, every Leupold is placed in a specially manufactured tank full of 120°F water. Once submerged, we generate a vacuum that makes the

pressure inside the scope greater than the pressure outside. The nitrogen filled scopes are already at a greater pressure than ambient air, and the heat increases the internal pressure. If the waterproof seals are flawed, tiny bubbles of gas escape the scope.

These demanding tests not only ensure that shooters can count on their Leupold's reliability in the field, they're invaluable in building better, stronger scopes in the future.

Built to Last Generations

Leupold is an American, family owned, fifth generation company that has been designing, machining, and assembling precision optical products since 1907. Our success is based upon your absolute satisfaction. It's why we design and build our optics to last generations.

Leupold's Full Lifetime Guarantee is based on the Golden Ring promise, BUILT FOR PERFORMANCE, GUARANTEED FOR LIFE.



Ask many of our customers what they like best about the Leupold Full Lifetime Guarantee, and in so many words, you get the same response: "I've never had to use it."

That's the secret behind the famous Leupold Full Lifetime Guarantee. It's given to Golden Ring optics that are designed, built, and tested so well that our outstanding guarantee is hardly ever needed. When we say that we build scopes that will last for generations, it's not a slogan, and it's more than our philosophy. It's the truth. There are plenty of hunters walking the woods with scopes their fathers mounted on rifles back in the 1950s. Someday, their sons and daughters will hunt and shoot with those

same scopes that we built so long ago. And nothing could make us more proud.

At Leupold, we are committed to your complete satisfaction. We'll go the distance to earn it, crafting high-quality sports optics worthy of a Full Lifetime Guarantee

THE LEUPOLD FULL LIFETIME GUARANTEE

Leupold and Stevens, Inc. is an American, family owned, fifth generation company that has been designing, machining, and assembling precision optical equipment in the U.S. for nearly 100 years. Our success is built on our commitment to your absolute satisfaction, and our commitment to the shooting sports. It's for these reasons that we proudly offer our customers the Leupold Full Lifetime Guarantee.

If any Leupold Golden Ring product is found to have defects in materials or workmanship, we will, at our option, repair or replace it. FREE. Even if you are not the original owner. No warranty card is needed. No time limit applies.

There is only one way you can void the Leupold Full Lifetime Guarantee. Unfortunately, we cannot honor the guarantee of scopes that have been disassembled, modified, or worked on by anyone not authorized by Leupold. To ensure this doesn't happen to you, please contact Leupold Technical Service before having any work or repairs done to your valuable Leupold optics. We'll be happy to answer any questions you have about your Leupold product. Call 503-526-1400, or visit our Web site at www.leupold.com.



During our grueling Thermal Shock Test, we rapidly heat and freeze the scopes to determine if they will fog internally in real-world conditions. In the Thermal Exposure Test, we bake the scopes, then check all moving parts to ensure they move properly, and that their lubricants have kept the proper viscosity. We perform the same checks after freezing the scope.

Low-Light Performance — Leupold's Perspective

Even novice hunters can tell you that it's in the low light of early morning and late evening when some of the best hunting occurs. It's also the most challenging time for your optics. They have to manage light extremely efficiently and effectively to give you the kind of clear, bright sight picture you need to get your game. And nobody knows light management like Leupold does.

Choosing a Scope for Low-Light Duty

At Leupold, we pride ourselves on building optics that will excel in any conditions, in any light. In low light, some of our scopes stand above the rest. The FX-III 6x42mm riflescope, for example, has the dual advantage of both a large, 7mm exit pupil and the Index Matched Lens System. All our VX-III and FX-III riflescopes feature the Index Matched Lens System, for outstanding light transmission.

Shining Some Light on Light Transmission

Chances are, you've heard that scopes "gather light" or "scopes with large objectives gather more light." First of all, riflescopes and other optics do not "gather" light...they transmit it. The lenses focus the light into a beam, and what makes one riflescope brighter than another is how much useable light it transmits through the scope to the shooter's eye.

Three things determine how well this is done: the glass used in the lenses, anti-reflective lens coatings, and the use of the lenses in the scope. Leupold optical engineers must choose the right type of glass for each lens in the scope to allow the most light to pass through without reflecting or absorbing too much of it. Next are lens coatings. Any time light passes through a lens, some doesn't make it out the other side. We choose high-quality, anti-reflective lens coatings to ensure that as much light passes through as possible. The Leupold Index Matched Lens System (see page 16) takes this a step further.

Finally, there is the use of the lenses in the scope.

Some magnify while others clarify and correct the image.

Leupold engineers determine the minimum number of lenses necessary to ensure a bright and clear image.

What is an Exit Pupil?

The exit pupil of a scope is the circle of light containing the image of the object being viewed as it leaves the scope through the eyepiece. To find the diameter of the exit pupil (in millimeters) divide the objective diameter of the scope (in millimeters) by its magnification level. A 50mm objective scope set at 10x would offer an exit pupil of 5mm in diameter. Place your eye the proper distance from the eyepiece (the optimal eye relief) and the exit pupil will fill the eyepiece lens and the full field of view of the scope will be seen. Exit pupil has an effect on how "bright" an image appears, as you'll see next.

Large Objective Lenses Vs Smaller Objectives

The apparent brightness differences from one scope to another within a line such as the VX-III is mainly due to the exit pupil of the scope. The human eye has a pupil dilation range from about 2mm in bright sunlight to 7mm in darkness. In order to get the full potential from a scope the exit pupil needs to match the pupil dilation of the eye. A 40mm objective on 10x will have a 4mm exit pupil...well suited for early morning or evening shooting. A 50mm

objective would increase the exit pupil to 5mm.
On some optics, such as a fixed power 4x33mm,
the exit pupil is more than 8mm...your eye is
awash in light and the image is incredibly bright.
The advantage of a large objective then, is that it
increases the exit pupil size at higher magnifications.

New FX and Large Objective Scopes from Leupold


The new FX line of riflescopes from Leupold are exceptionally well-suited to low-light hunting and shooting, thanks to their large exit pupils. Leupold has also introduced three new large 50mm objective riflescopes this year: the Rifleman 3-9x50mm, VX-I 3-9x50mm, and VX-II 4-12x50mm; excellent choices for use in low-light conditions. The 50mm lens increases the size of the exit pupil across all magnifications, for the brightest sight picture possible at the highest magnification.

FLEMAN VX-I 3-9X50MM OX50MM

In Low Light, Look to Leupold

We want to dispel the myths surrounding optics and light transmission. In our experience, an educated shooter is also a Leupold shooter. If you have questions, contact our technical support personnel at 503-526-1400.

People Who Put it All on the Line Choose Leupold.



Independent research now confirms: People whose lives and livelihoods may depend on their choice of optics, choose and recommend Leupold scopes over any other brand. Researchers spoke to more than 100 outdoor writers, North American guides and outfitters, and custom gunmakers to ask which brand of riflescope they most preferred for hunting, would recommend to clients, or would mount on a custom rifle. The top choice was Leupold. Finally look at the list of top finishers in the Firearms Industry Super Shoot, and you'll see Leupold is the near unanimous choice for optics.

- DOUG KOENIG top action pistol shooter
- 2 DAVID TUBB top silhouette and high power shooter
- 3 JERRY FISHER master gunmaker
- 4 JIM SHOCKEY writer/outfitter and gui
- 5 TONY AND FAYE BOYER top benchrest shooters



THE OPTICS THAT SET THE STANDARD FOR EXCELLENCE, RUGGEDNESS

AND RELIABILITY, NOW SET THE STANDARD FOR ADAPTABILITY.

Leupold is excited to introduce Alumina[™]: a thread-on optical accessory system that will help you use the light available to your advantage, protect your optics from dirt, dust, rough handling during transport, and even help them shed water when it's raining.

LEUPOLD

the way you look at the world. Are the conditions hazy, with the blue light that scatters off dust and pollen in the air? Thread on an Alumina Intensifier™ YL™. Need to tone down sunny spots on a bright, partlycloudy day? Thread on your Alumina Intensifier BZ™ Is it raining? Thread on your RainCote[™] lens protector. Create your own combinations as well to achieve the effect you need for the conditions. Finally, thread on an Alumina rubber eyepiece guard, protective lens covers or flipback lens covers for transport. See page 70

for ordering

and fit

information.

The concept is simple: when the ambient

appropriate Alumina accessory and change

light isn't what you need, thread on the

predominant in dusty, hazy conditions. You'll see sharper details and brighter, better defined images. It also brightens a dull image on a cloudy day and darkens soft gray shadows for better contrast. The Intensifier YL also eliminates the violet and blue light rays seen in a halo at the edge of black areas of a target You'll see a crisp black edge of both target outlines and bullet holes in paper. It even makes game animals easier to spot from cover on bright and hazy days.





Alumina Optimizer™ OP™ works great alone or when stacked with Intensifier YL, BZ, or OG™ to magnify their effects. It optimizes the image by cutting out contributors to muddy coloring, so the red tone so common in game coat colors stands out with greater contrast to the surroundings. Even timber looks sharper, making it easy to identify animal shapes. In addition, the Alumina Optimizer is ideal for increasing contrast of black targets against a natural

background.



alters coloration contrast and cut haze, reducing blues and greens to lift reds and yellows out of a scene. Coupled with the Optimizer, this enhancer provides the most significant game contrast improvement in late morning through early afternoon lighting, especially on bright, cloudy days.















BEFORE ALUMINA BZ



Alumina Intensifier™ Kit

This kit includes several different intensifiers for various conditions, each helping to enhance the visibility of game animals and targets. Included in the kit are the Alumina Intensifier BZ (bronze), the Intensifier OG (orange), the Optimizer, and the IS-Stacker (protective cover). The IS-Stacker provides a compact, durable storage device for the Alumina Intensifier Kit components. Thread your intensifiers and optimizer together with the IS-Stacker front and rear covers to form a durable, protective capsule that can be tossed into a pack or pocket and retrieved as needed. The component of the stacker marked with the circle-"L" Leupold medallion can double as a protective lens cover for your riflescope as well.

Leupold Alumina 50-foot Focus Adapter is excellent for gallery shooting, and fits post-2004 40mm adjustable objective scopes.



Lens Covers feature powerful neodymium nagnets to hold them securely closed and triple O-ring seals for maximum

Alumina Flip-Back

protection from the elements. Their machinedluminum precision construction, quick and easy operation, and a low-profile position when

flip-back lens covers stand above the rest.

open make our

ALUMINA FLIP-BACK LENS COVERS (ABOVE) ARE AVAILABLE

Alumina Threaded Lens Covers are machined

aluminum, low-profile, thread-in, knurled disks that protect your valuable optics from scratches and debris.



Alumina Rubber Eyepiece Guard – Adds a soft. finishing touch to the eyepiece of your scope to protect you from recoil during extreme uphill shooting angles and from heavy recoiling firearms. They also shade the eyepiece to improve viewing comfort. Two

Alumina Lens Shades (2.5" and 4" lengths) can be threaded together to create custom lengths. Models to fit post-2004 scopes are available.





Alumina RainCote™ Kit

The idea is simple—you wear a rain coat when it's raining, not when it's sunny. When the conditions are wet and the traveling is going to be rough, take along the Alumina RainCote Kit. RainCote water shedding lens protectors are specially coated, so that water instantly sheds off the lens surface, reducing the glare from water droplets. Water spot staining is reduced too, minimizing repeated cleanings that can damage the lens. Finally RainCote lens covers are replaceable, so after years of wear and tear, a new cover will give your Leupold riflescope a fresh layer of protection.

RainCote water shedding lens protectors are included for both objective lenses and eyepieces. Also included is the Alumina RS Stacker, a compact, protective storage device for the Alumina RainCote Kit components that you can carry in a pocket or pack.

> RAINCOTE HELPS QUICKLY ELIMINATE FOG FROM EXTERIOR LENSES. IN ADDITION, VISION OBSTRUCTING WATER DROPLETS ARE QUICKLY SHED WITH RAINCOTE (RIGHT)









enjoying the results of our efforts.



VX-III FX-III







Leupold Riflescope Overview

New for 2005 in red

IR - Illuminated Reticle

LPS[®] Variable Power

LPS 2.5-10x45mm

LPS 3.5-14x50mm Side Focus

Leupold Premier Scopes were created with the highest standards in mind, and thanks to the work of our optical and design engineers, they outperform anything in their class. Now, hunters across the globe are

VX°-III/FX-III Variable Power Fixed Power

VX-III with features such as the Index Matched Lens System for up to 98 percent total light transmission and our Ballistic Aiming System[™], is proving to be one of the most effective, versatile Leupold riflescopes ever made.

New! FX-III is our new line of fixed power riflescopes with the same features and Index Matched Lens System as our high-performance VX-III.

VX-III 1.5-5x20mm

VX-III 1.5-5x20mm IR

VX-III 1.75-6x32mm

VX-III 3.5-10x40mm

VX-III 3.5-10x50mm

VX-III 2.5-8x36mm



VX-III 6.5-20x40mm Long Range

VX-III 6.5-20x50mm Long Range Target

FX-III 6x42mm Adj. Obj. Competition Hunter

VX-II / FX-II Variable Power Fixed Power

VX-II with a Multicoat 4 lens system for increased brightness, clarity and contrast in low light; a lockable, fast-focus eyepiece; and a tactile magnification indicator, is making its mark in nearly every shooting sport.

New! FX-II is the fixed power companion to the VX-II line featuring the same versatile Multicoat 4 lens systems and other features.

VX-II 3-9x50mm

VX-II 2-7x28mm Ultralight VX-II 2-7x33mm VX-II 4-12x50mm VX-II 3-9x33mm Ultralight VX-II 3-9x33mm Ultralight EFR VX-II 6-18x40mm Adj. Obj. Target FX-II 4x33mm VX-II 3-9x33mm Rimfire EFR VX-II 3-9x40mm

VX-II 1-4x20mm

Multicoat 4® lens system

VX-II 4-12x40mm Adj. Obj. VX-II 6-18x40mm Adj. Obj.

FX-II 2x20mm Handgun FX-II 2.5x20mm Ultralight FX-II 2.5x28mm Scout FX-II 4x28mm Handgun FX-II 6x36mm

FX-I 4x28mm Rimfire

VX-I 3-9x40mm

VX-I / FX-I

Variable Power Fixed Power

3x Erector

Standard

VX-I 1-4x20mm Shotgun/Muzzleloader VX-I 2-7x28mm Rimfire

VX-I riflescopes have a standard multicoat lens system for

enhanced clarity and brightness, Micro-friction windage

and elevation adjustments for extreme precision,

and both gloss and matte finish models.

New! FX-I has the ruggedness of

a fixed power scope with all the

features and performance

VX-I 2-7x33mm VX-I 2-7x33mm Shotgun/Muzzleloader

Standard multicoat lens system

VX-I 3-9x50mm VX-I 4-12x40mm

of the VX-I.

RIFLEMAN Variable Power

Rifleman[™] riflescopes are everything you expect from a Leupold Golden Ring® scope, at a price that's startlingly affordable. There are four popular magnification level models to choose from, all available with the Wide Duplex reticle and a durable, attractive matte black finish.

Rifleman 2-7x33mm Rifleman 3-9x40mm Rifleman 3-9x50mm Rifleman 4-12x40mm

Fully coated lens system

WINDAGE & ELEVATION
ADJUSTMENT DIALS
RETICLES OPTIONS
Listed reticle

LENS COATINGS

AVAILABLE MODELS

Duplex German #1 Target Dot German #4

adjustment dials can be reset to zero.

Leupold's highest level of scratch-resistant protection

Side focus parallax adjustment and adjustable objective on selected models

One-inch and 30mm, manufactured from 6061-T6 aircraft quality aluminum alloy

VX-III 3.5-10x50mm IR

VX-III 4.5-14x40mm

VX-III 4.5-14x50mm

VX-III 2.5-8x32mm Handgun VX-III 4.5-14x50mm Long Range FX-III 6x42mm

Index Matched Lens System (up to 98% light transmission)

FX-III 6x42 Adj. Obj. Competition Hunter

VX-III 6.5-20x40mm EFR Target

15 Styles Duplex Target Dot Illum. Duplex German #4 Heavy Duplex Fine Duplex Illum. Circle Dot Illum. German #4 Dot Boone and Crockett™ Big Game Wide Duplex Leupold Dot Illum. Fine Duplex 1/2-MOA Target Dot Target Crosshair

Varmint Hunter's

Wide Duplex German #1 Fine Duplex Leupold Dot German #4 Heavy Duplex Target Dot Post & Duplex

■ ☐ Gloss black, matte black, and silver available on selected models

Duplex Fine Duplex

Wide Duplex

Wide Duplex

Matte black on all models

Friction dials marked in 1/2-MOA increments

les styles are available on selected models

EYEPIECE FOCUS DESIGN

MAGNIFICATION SYSTEM

POWER SELECTOR STYLE

USER PARALLAX CORRECTION CONTROL

MAINTUBE DIAMETER AND MATERIAL

EXTERIOR FINISHES

Satin on all models

Armored fast-focus with soft rubber eyequard Side focus parallax adjustment on 3.5-14x50mm model

4x Erector

Tactile Power Indicator

30mm, manufactured from 6061-T6 aircraft quality aluminum alloy

DiamondCoat™ lens system optimizes brightness and clarity, and gives you

1/4-MOA finger "click" pop-up resettable dial. Once sighted in, pull-up/push-down

BALLISTIC AIMING SYSTEM"

CUSTOM SHOP SERVICEABLE LEUPOLD FULL LIFETIME GUARANTEE No Yes

3x Erector

Yes (available on select models)

Tactile Power Indicator with range estimating feature on the power selector ring (variable models only)

Finger-adjustable 1/4-MOA clicks with resettable pointer dials or target style; 1/8-MOA adjustments in the

■ ☐ Gloss black, matte black, and silver available on selected models

VX-III 4.5-14x40mm Long Range VX-III 8.5-25x50mm Long Range Target

VX-III 4.5-14x50mm Long Range IR FX-III 12x40mm Adj. Obj. Target

Lockable, fast-focus (non-illuminated reticle models), special illuminated reticle fast-focus (illuminated reticle models)

Lockable, fast-focus Adjustable Objective on selected models

3x Erector One-inch, manufactured from 6061-T6 aircraft quality aluminum alloy

Tactile Power Indicator (variable models only)

1/4-MOA click adjustments; 1/2-MOA adjustments in the FX-II Handgun models Micro-friction dials marked in 1/4-MOA increments

Heavy Duplex

■ Gloss black, and matte black available on selected models Classic lockable eyepiece

Standard eyepiece design

3x Erector

One-inch, manufactured from 6061-T6 aircraft quality aluminum alloy


One-inch, manufactured from 6061-T6 aircraft quality aluminum alloy

Standard

LPS







The Leupold Premier Scope line is designed and built to be the highest performing, hardest working group of hunting riflescopes coating on outer lens in the world. In the LPS®, the world's most demanding hunters and shooters have found reflection internal systems a scope that completely embodies the passion for optimized light management and they feel for big game hunting. Rugged and unparalleled scratch resistance. ergonomic, with incredible brightness and clarity, as well as the lowest tested glare of any scope in the world, the LPS may just be the perfect hunting partner.

Optical quality of the LPS® is unparalleled in a hunting riflescope.

Incredibly high (up to 99.65%) light transmission per lens surface.

LPS MODELS AVAILABLE FINISHES & RETICLES 2.5-10X45MM DUPLEX, GERMAN #1, GERMAN #4 3.5-14X50MM Duplex, German #1, GERMAN #4, TARGET DOT, MIL DOT

SATIN

SEE CHART ON PAGE 74 FOR ORDERING INFORMATION.

DiamondCoat[™] lens system provides an ion-assist lens surfaces and extreme low

Easy-to-grip rubber power selector with angled markings for easy reading from any shooting position.

Finger-adjustable, low-profile, 1/4-MOA "click" adjustments are tactile and audible for extreme precision.

Armored fast-focus eyepiece offers -2 to +1 diopters of adjustment.


Generous windage and elevation travel in the 30mm maintube.

Rugged, one-piece 30mm maintube, and absolute waterproof and fog proof integrity, in all conditions.

Pull-up/push-down dials can be easily reset to zero.

Lowest glare levels of all scopes tested, including competitive brands.

Side focus parallax adjustment on the LPS 3.5-14x50mm.





Fair Chase and Conservation LEUPOLD° AMERICA'S OPTICS AUTHORITY™

VX-III RIFLESCOPES

It's the sum total of everything we've learned in nearly 100 years of working with optics. It's the Leupold Golden Ring VX-III, and simply put, it will outshine and outperform nearly any riflescope on earth. New materials, new techniques, and new technology all went into its design and construction. Look for innovations such as the Index Matched Lens System for unmatched brightness and clarity, and the Ballistic Aiming System, for accurate long range shooting of both big game and varmints. We pushed the envelope everywhere we could, from the optics to the main body, and hunters and shooters worldwide are telling us the results were and are well worth it.

A UNIQUE PARTNERSHIP BRINGS YOU THE FIRST OPTICAL PRODUCT TO BEAR THE BOONE & CROCKETT NAME...

One of the most popular features of the VX-III is the Ballistic Aiming System, comprised of two unique reticles designed to help big game and varmint hunters shoot accurately at long distance for clean kills. In the spirit of fair chase, Leupold worked with the Boone and Crockett Club® in the development of one of the reticles in the system... a singular relationship that resulted in the first optical product ever to bear the Club's name: the Boone and Crockett™ Big Game reticle.

We are pleased to not only offer you the Ballistic Aiming System, but that we are able to join the Boone and Crockett Club in their efforts to promote ethical, fair chase hunting. We also look forward to the continuation of our relationship with the Club and the development of other exciting new tools for hunters, in the tradition of the VX-III and the Ballistic Aiming System.

VX-III



VX-III AVAILABLE VX-III AVAILABLE FINISHES & RETICLES FINISHES & RETICLES MODELS MODELS 4.5-14X50MM 1.5-5X2OMM DUPLEX, HEAVY DUPLEX, DUPLEX, BOONE AND WIDE DUPLEX [GERMAN #4] CROCKETT, HEAVY DUPLEX. WIDE DUPLEX, VARMINT 1.5-5X2OMM HUNTER'S ILLUM. RETICLE ILLUM. DUPLEX, ILLUM. CIRCLE DOT (M), 4.5-14X50MM ILLUM. GERMAN #4 DOT (M) LONG RANGE DUPLEX, WIDE DUPLEX, VARMINT HUNTER'S, 1.75-6X32MM BOONE AND CROCKETT DUPLEX, HEAVY DUPLEX, WIDE DUPLEX 4.5-14X50MM LONG RANGE ILLUM. FINE DUPLEX, 2.5-8х36мм ILLUM. RETICLE ILLUM. GERMAN #4 DOT (M) DUPLEX, WIDE DUPLEX, [BOONE AND CROCKETT] 6.5-20X40MM LONG RANGE FINE DUPLEX, WIDE DUPLEX, 3.5-10X40MM [LEUPOLD DOT, DUPLEX, WIDE DUPLEX, VARMINT HUNTER'S [BOONE AND CROCKETT] 6.5-20X40MM 3.5-10X50MM EFR TARGET FINE DUPLEX, TARGET DOT DUPLEX, HEAVY DUPLEX, WIDE DUPLEX, BOONE AND 6.5-20X50MM CROCKETT] LONG RANGE FINE DUPLEX, WIDE DUPLEX, TARGET DOT, 3.5-10X50MM

> 8.5-25X50MM LONG RANGE

RETICLES IN BRACKETS ARE AVAILABLE WITH SELECT FINISHES ONLY. (M) = AVAILABLE WITH METRIC ADJUSTMENTS ONLY.

SEE CHART ON PAGE 74 FOR ORDERING INFORMATION.

TARGET

[VARMINT HUNTER'S] FINE DUPLEX, WIDE DUPLEX, TARGET DOT, VARMINT HUNTER'S ■ GLOSS BLACK ■ MATTE BLACK □ SILVER

1.5-5X2OMM

ILLUM. RETICLE

inger-adjustable windage and levation dials with resettable pointer dials, marking the zero point.



Three illuminated nodels provide the reticle-to-target contrast you need when hunting in low light.



Fast-focus eyepiece on all models. Models without the illuminated reticle have a lockable, fast-focus eyepiece so you can securely lock the eyepiece once you've set your reticle focus.

Side focus parallax adjustment is standard on many models, so you can easily focus from any shooting position.

All side focus models have 30mm maintube with increased elevation and windage adjustments (up to 80 minutes of range on some models).

Index Matched Lens System on VX-III riflescopes. Leupold users know that for a bright, crisp sight picture with good contrast in all light conditions, proper light management and maximum light transmission is absolutely critical. Leupold's VX-III riflescopes feature the Index Matched Lens System,

3.5-10X50MM

ILLUM, RETICLE



greatly improving upon what was already impeccable light management.

Here's how the Leupold Index Matched Lens System works: Leupold engineers specified very low reflection of light at several key points across the range of colors that the human eye can see.

Light that doesn't reflect off the lens surfaces transmits through and contributes to a crisp, true-colored and brilliant image. The light that to minimize reflections and maximize is transmitted does not bounce around inside

VX-III 4.5-14x40mm fixed objective model for hunters that need the power in a compact, 1-inch maintube package.

4.5-14X40MM

LONG RANGE

The VX-III 6.5-20x40mm EFR Target

can focus as close as 10 meters, ideal

for airguns or competitive shooting

4.5-14X40MM

the scope, causing glare that can degrade the contrast you want.

Since dozens of different glass types are available to create a lens system that gives you the optical performance you need, the lens technicians had to pick just the right coating material for each individual lens surface, in order to meet the stringent specifications established by our technical team. They also matched the ideal coating materials to each lens' glass

type and layered these different substances performance. The result? You'll get brightness and clarity like you've never

4.5-14X50MM

4.5-14X50MM

LONG RANGE ILLUM. RETICLE LONG RANGE

6.5-20X40MM

seen before.

Boone and Crockett™ **Big Game and Varmint** Hunter's Reticles

> Make long-range accuracy and range estimating easy to master.

Each reticle features multiple aiming points for long ranges

6.5-20X40MM

EFR TARGET

and windy conditions. BOONE AND CROCKETT CLUB

VARMINT HUNTER'S

feature is available on select models of VX-III. See page 52 for details.

for details.

your ballistics. See page 50

The Duplex Range Estimating

Legendary Leupold ruggedness and absolute waterproof and fog proof integrity.

Two power selector settings provide an

easy way to set the aiming points to match

Leupold Full Lifetime Guarantee.



6.5-20X50MM LONG RANGE TARGET

8.5-25X50MM

LONG RANGE TARGET

ILLUM. RETICLE ILLUM. DUPLEX,

LONG RANGE DUPLEX, FINE DUPLEX,

4.5-14X40MM

4.5-14X40MM

ILLUM. GERMAN #4 DOT (M)

DUPLEX, WIDE DUPLEX,

BOONE AND CROCKETT, VARMINT HUNTER'S

WIDE DUPLEX, HEAVY

BOONE AND CROCKETT

DUPLEX, VARMINT HUNTER'S,

VX-II



RIFLESCOPES

AVAILABLE FINISHES & RETICLES MODELS 1-4X2OMM DUPLEX, WIDE DUPLEX 2-7X33MM DUPLEX, WIDE DUPLEX, LEUPOLD DOT 3-9X40MM DUPLEX, WIDE DUPLEX, [HEAVY DUPLEX, GERMAN #1, GERMAN #4, LEUPOLD DOT] 3-9X50MM DUPLEX, HEAVY DUPLEX, WIDE DUPLEX, [GERMAN #4, LEUPOLD DOT] 4-12X40MM FINE DUPLEX, WIDE DUPLEX, ADJ. OBJ. [LEUPOLD DOT] *4-12X50MM DUPLEX, FINE DUPLEX, WIDE DUPLEX, [HEAVY DUPLEX, GERMAN #4, LEUPOLD DOT] 6-18X40MM ADJ. OBJ. FINE DUPLEX, WIDE DUPLEX, TARGET DOT 6-18х4омм FINE DUPLEX, WIDE DUPLEX, ADJ. OBJ. TARGET DOT TARGET * NEW FOR 2005 ■ GLOSS BLACK ■ MATTE BLACK ■ SILVER

RETICLES IN BRACKETS ARE AVAILABLE WITH SELECT FINISHES ONLY. SEE CHART ON PAGE 74 FOR ORDERING INFORMATION.

SAFE TREESTAND PRACTICES WERE USED IN THIS PHOTOGRAPH.
ALWAYS FOLLOW TREESTAND MANUFACTURER SAFETY GUIDELINES.

The VX-II is one of our most popular lines of riflescopes, and the reasons become clear to anyone who picks one up. Full of useful features like 1/4-minute "click" windage and elevation adjustments for precision; the Multicoat 4[®] lens system for exceptional brightness and clarity; lockable, fast-focus eyepiece; tactile power indicator; and the option of our Wide Duplex® reticle, the VX-II is built to meet the demands of today's serious hunters and shooters.



riflescopes).

your eye from the eyepiece. Multicoat 4 lens system for unparalleled light transmission in all light conditions (formerly available only on Vari-X® III

Absolute waterproof and fog proof **integrity** – Leupold pioneered the waterproofing technology that's now the industry standard.

Lockable, fast-focus eyepiece securely locks your eyepiece once you've set your reticle focus.

1/4-minute "click" adjustments for windage and elevation.

Incredible accuracy, shot after shot, at all magnifications, for the life of the scope.

Ruggedness that has made Leupold a legend.

Eye relief that's generous and non-critical. Leupold Full Lifetime Guarantee.



VX-I



The VX-I is, simply put, the best scope in its class. No other riflescope will give you the performance and features of the VX-I at such a low price. The Leupold VX-I offers hunters Leupold quality and accuracy, affordability, and a lifetime guarantee...for the money, you won't find a better scope, or a better warranty. The VX-I is also available in Leupold's attractive matte black finish, as well as the traditional gloss black finish.

The most popular hunting magnifications: 2-7x33mm, 3-9x40mm, 4-12x40mm, and new

The Duplex reticle, developed by Leupold, 3-9x50mm.

Leupold's standard multicoat lens system for exceptional brightness,

clarity, and contrast. Micro-friction windage

and elevation adjustment dials make it easy to fine tune your rifle's accuracy.

Absolute waterproof and fog proof integrity Leupold Full Lifetime Guarantee. is guaranteed for the life of the scope. Leupold pioneered the waterproofing technology that's now the industry standard.

Eye relief that's generous and non-critical.

which is outstanding in nearly any hunting

Wide Duplex reticle, ideal for picking targets from heavy brush or timber, is also available.

Rugged and totally dependable, the VX-I must pass the same stringent tests for durability as all Leupold optics.







RIFLEMAN



Accurate. Durable. Rugged. Reliable. Affordable. These words are those most often said by hunters and recreational shooters when describing the features they want in a riflescope. These words are also the best description of the Leupold Rifleman riflescopes. We put our nearly 100 years of experience to work creating these scopes, giving them everything you asked for in a hunting riflescope. We even gave it a tough-as-nails, matte black finish, so the Rifleman looks every bit as good as it shoots. Match it up with our Leupold Rifleman mounts and you're set

RIFLEMAN	AVAILABLE
MODELS	FINISHES & RETICLES
2-7X33MM	WIDE DUPLEX
3-9Х4ОММ	WIDE DUPLEX
*3-9х50ММ	WIDE DUPLEX
4-12X4OMM	WIDE DUPLEX
* NEW FOR 2005	
GLOSS BLACK	MATTE BLACK SILVER

SEE CHART ON PAGE 74 FOR ORDERING INFORMATION.

for a lifetime of hunting. The Rifleman is the scope you've been waiting for, and it's only from Leupold.

Value that's second to none.

Repeatable accuracy is guaranteed by the Leupold lens erector system.

Friction dials are marked in 1/2-MOA increments for easy windage and elevation adjustments.

Wide Duplex reticle and a wide field of view for rapid target acquisition.

Fully coated lens system offers a clear, bright sight picture in any hunting condition.

Eye relief is generous and non-critical. Durable matte black finish resists nicks,

scratches, and abrasions. Legendary Leupold ruggedness, ensured

by Leupold's attention to detail in design,

Absolute waterproof and fog proof integrity — Leupold pioneered the waterproofing technology that's now the industry standard.

manufacturing, and assembly.

Leupold Full Lifetime Guarantee.

Affordable, Lightweight Leupold Rifleman Aluminum Mounts

These mounts are extremely affordable and exceptionally well-made. Precision machined from aircraft-grade aluminum, they provide the strength you expect, without adding excess weight. See page 54 for more information, including new see-through Rifleman mounts.









RIMFIRE

AIR RIFLE







RIFLESCOPES

Air Rifle Riflescopes

Here are two ideal choices for either

shooter. The VX-III 6.5-20x40mm EFR

Target can be focused to distances as

outstanding for long distance shooting. It also features our Index Matched Lens

distance. The VX-II 3-9x33mm Ultralight

close as 10 meters, though it's also

System for the brightest, sharpest

possible sight picture at every focus

EFR has our Multicoat 4 lens system: clarity, brightness, and contrast are all

optimized. Its adjustable objective also

1/4-MOA adjustments – the windage

allows for incredibly close focusing.

the air rifle hunter or competitive

RIFLESCOPES

New! Rimfire Riflescopes

With the great variety of new and classic rimfire rifles available to plinkers and small game hunters, it's time for some more rimfire riflescopes. Leupold delivers, with the new FX-I 4x28mm Rimfire, VX-I 2-7x28mm Rimfire, and VX-II 3-9x33mm Rimfire EFR. The VX-I 2-7x28mm is parallax adjusted for 60 yards, while the VX-II 3-9x33mm Rimfire EFR features variable parallax adjustment. All models offer the Leupold Fine Duplex reticle for precision shot placement on small targets.

Incredible ruggedness – tested to the same standards as all Golden Ring riflescopes.

RIMFIRE

Absolute waterproof and fog proof integrity each is ready for a lifetime in the field, in all conditions.



Exceptional clarity and brightness – your sight picture is rich in visual detail and contrast.

Leupold Full Lifetime Guarantee – like all Leupold Golden Ring optics, they're guaranteed for life.

RIMFIRE MODELS	AVAILABLE FINISHES & RETICLES
MODELS	FINISHES & RETICLES
*ғх-і 4х 28мм	FINE DUPLEX
*vx-i 2-7x28mm	Fine Duplex
*VX-II 3-9X33MM EFR	Fine Duplex

* NEW FOR 2005

RIMFIRE EFR

■ GLOSS BLACK ■ MATTE BLACK ■ SILVER

SEE CHART ON PAGE 74 FOR ORDERING INFORMATION. and elevation dials also feature audible, tactile "clicks" for precision.

Leupold ruggedness – each can easily withstand the deceptively punishing double recoil of spring piston air rifles. Adjustable Objective – set your focus as close as 10 meters.

Leupold Full Lifetime Guarantee – the best consumer protection available.

AIR RIFLE MODELS	AVAILABLE FINISHES & RETICLES
*VX-II 3-9X33MM ULTRALIGHT EFR	DUPLEX
vx-iii 6.5-20x40mm efr target	FINE DUPLEX, TARGET DOT
* NEW FOR 2005	

■ GLOSS BLACK ■ MATTE BLACK □ SILVER



ULTRALIGHT EFR





SHOTGUN/ MUZZLELOADER



S C O P E S

New! Shotgun/Muzzleloader Riflescopes

Leupold is excited to offer two new shotgun/muzzleloader riflescopes for 2005.

Both the VX-I 1-4x20mm and VX-I 2-7x33mm are ideally suited for the kind of close-range action found in both these shooting sports.

Standard multicoat lens system – for a crisp, clear, bright sight picture with the contrast needed to pick game from cover.

Pre-set parallax – both riflescopes are parallax adjusted for 75 yards.

VX-I 1-4X2OMM

Incredibly rugged – they're built to last a lifetime.

Absolutely waterproof – they'll excel, no matter what the condition.

Guaranteed for life – covered by the Leupold Full Lifetime Guarantee.



VX-I 2-7X33MM

SHOTGUN/MUZZLELOADER SHOTGUN/MUZZLELOADER

SHOTGUN/

*VX-I 1-4X20MM

* VX-I 2-7 X 33 MM

MUZZLELOADER

* NEW FOR 2005

SHOTGUN/

SHOTGUN/ MUZZLELOADER

MUZZLELOADER

ULTRALIGHT





R I F L E S C O P E S

New! Ultralight Riflescopes

Our Ultralight riflescopes have

AVAILABLE

FINISHES &

HEAVY DUPLEX

HEAVY DUPLEX

■ GLOSS BLACK ■ MATTE BLACK □ SILVER

RETICLES IN BRACKETS ARE AVAILABLE WITH SELECT FINISHES ONLY.

SEE CHART ON PAGE 74 FOR ORDERING INFORMATION.

RETICLES

about 17 percent less weight than their full-size counterparts, yet retain all the features, lens coatings, and systems you want, so they're a great choice for lightening the load on your favorite rifle. They're also every bit as rugged, absolutely waterproof, dependably accurate, and of course, they're all guaranteed for life. The VX-II 3-9x33mm Ultralight EFR also has extreme close focusing capability, making it an ideal scope for your

Lightweight performance – all the features of the full-size models, with 17 percent less weight.

Rugged reliability – tested in our factory, so they'll perform in the field.

Absolutely waterproof – they're ready for the worst conditions.

Guaranteed for life – each Ultralight riflescope is covered by the Leupold Full Lifetime Guarantee.

AVAILABLE ULTRALIGHT FINISHES & MODELS RETICLES *FX-II 2.5X2OMM ULTRALIGHT HEAVY DUPLEX. WIDE DUPLEX *VX-II 2-7X28MM ULTRALIGHT DUPLEX *VX-II 3-9 X 33 MM ULTRALIGHT EFR *VX-II 3-9 X 33 MM ULTRALIGHT DUPLEX (SILVER ONLY), WIDE DUPLEX (MATTE ONLY)

* NEW FOR 2005

■ GLOSS BLACK ■ MATTE BLACK □ SILVER

RETICLES IN BRACKETS ARE AVAILABLE WITH SELECT FINISHES ONLY.
SEE CHART ON PAGE 74 FOR ORDERING INFORMATION.





FX



FIXED POWER AVAILABLE MODELS FINISHES & RETICLES *FX-III 6X42MM DUPLEX (GLOSS ONLY); HEAVY DUPLEX, WIDE Duplex, German #4 (MATTE ONLY) *FX-III 12 X 4 OMM ADJ. OBJ. TARGET FINE DUPLEX, LEUPOLD DOT *FX-II 2.5 X 28MM SCOUT DUPLEX *FX-II 4X33MM DUPLEX (GLOSS ONLY); WIDE DUPLEX (MATTE ONLY) *****FX-II 6Х36ММ WIDE DUPLEX, LEUPOLD DOT, POST & DUPLEX (MATTE ONLY)

GLOSS BLACK MATTE BLACK SIL-

RETICLES IN BRACKETS ARE AVAILABLE WITH SELECT FINISHES ONLY.

For 2005, we've created another new line: introducing FX riflescopes, a series of fixed power scopes for those hunters and shooters who appreciate the ruggedness, accuracy, and purity of a fixed power riflescope. There are FX scopes for nearly every shooting sport, and for nearly every firearm, from rifles to handguns.

The Index Matched Lens System – FX-III riflescopes feature the same Index Matched Lens System as our VX-III riflescopes, for maximum light transmission, crystal clarity, and optimal contrast.

Multicoat 4 lens system – FX-II riflescopes feature this lens system, optimizing brightness, clarity, and contrast.

Legendary Leupold ruggedness – ready for a lifetime of hunting, shooting, and rough use.

Absolute waterproof integrity – tested and ready for the worst field conditions.

Guaranteed for life – like all Golden Ring optics, FX riflescopes are covered by the Leupold Full Lifetime Guarantee.

fx-III 6х42мм

New! FX-III 6x42mm and FX-II 6x36mm

These two scopes are a great choice for intermediate to long range shooting, and both give you ample magnification and a generous field of view at 100 yards.

New! FX-II 4x33mm

A classic among classics, it has plenty of non-critical eye relief, and at just 10" in length, it's short for a 4x scope. Ideal for a wide variety of shooting sports.

New! FX-III 12x40mm Adj. Obj. Target

Powerful magnification and the Index Matched Lens System combine to make the FX-III 12x40mm Adjustable Objective Target riflescope a real winner on the firing line.

New! FX-II 2.5x28mm Scout

An outstanding choice for your lever action rifle or scout rifle. With 9 to 17 inches of generous, non-critical eye relief, it mounts on the barrel, in front of the receiver.





* NEW FOR 2005



oura Peter is a Hunting/Shooting market specialist at Leupold...she's also one of Team Leupold's most successful shooters. In 2004 alone, she captured the women's Highpower Silhouette World Championship; a team silver in the Smallbore and Highpower Silhouette World Championships in Bloemfontein, South Africa; a team championship at the US National Smallbore Silhouette competition in Raton, New Mexico; and was the Montage Regional Smallbore Champion



COMPETITION

am Leupold's Doug Koenig (right) is one of the most dominating mpetitive shooters of all time, with 10 Masters International nampionships, 8 Bianchi Cups, and the 2003 rifle competition nner at the ESPN Great Outdoor Games. "I shot Leupolds even fore I became involved with them," Doug says. "My livelihood pends on it. I can't afford products I can't rely on."



RIFLESCOPES

AVAILABLE COMPETITION MODELS FINISHES & RETICLES COMPETITION SERIES TGT. CROSSHAIR, 1/8 MIN. TGT. DOT 35X45MM COMPETITION SERIES TGT. CROSSHAIR. 1/8 MIN. TGT. DOT 40X45MM COMPETITION TGT. CROSSHAIR, SERIES 1/8 MIN. TGT. DOT 45X45MM VX-III FINE DUPLEX, TARGET DOT 6.5-20X40MM EFR TARGET VX-III 6.5-20X50MM FINE DUPLEX, WIDE DUPLEX, TARGET DOT, LONG RANGE [VARMINT HUNTER'S] TARGET VX-III 8.5-25X50MM FINE DUPLEX, WIDE DUPLEX, LONG RANGE TARGET DOT, VARMINT TARGET HUNTER'S *FX-III TGT. CROSSHAIR, 6x42mm adj. obj. 1/2-Moa Tgt. Dot COMPETITION HUNTER VX-II 6-18x40MM FINE DUPLEX, WIDE Duplex, Target Dot ADJ. OBJ. TARGET * NEW FOR 2005 GLOSS BLACK MATTE BLACK SIL-RETICLES IN BRACKETS ARE AVAILABLE WITH SELECT FINISHES ONLY.

When it comes to competitive shooting, Leupold is the near unanimous choice of the world's best, people who set records of group sizes under a tenth of an inch at 100 yards. The reason why we're your choice is because when you speak, Leupold listens.

Leupold Competition Series Riflescopes

The Leupold Competition Series 35x45mm, 40x45mm, and 45x45mm riflescopes have everything the world's most demanding shooters have ever asked for, combining legendary Leupold accuracy with unequaled clarity. These riflescopes give competitors an edge where championships are won or lost by a thousandth of an inch.

Multicoat 4 lens system provides outstanding brightness, clarity, and contrast, all at extremely high magnification.

Superior accuracy and repeatability that's truly remarkable.

1/8-MOA target-style "click" adjustment dials.

Ocular adjustment range of -2.0 to +1.0.

30mm maintube gives you 38-MOA minimum of both windage adjustment and elevation adjustment.

Side focus parallax adjustment, so you can adjust your scope to be parallax free at distances from 50 feet to infinity, all from your

Target Crosshair and 1/8-MOA
Target Dot.

shooting position.

Threaded lens covers to protect both the objective and ocular lenses of the scope.

Side focus adjustment cover lets you protect that perfect focus once it's set.

Leupold Full Lifetime Guarantee.

Target/Long Range Target Riflescopes

The VX-III 6.5-20x50mm Long Range Target and VX-III 8.5-25x50mm Long Range Target have three key features:

Target adjustment knobs with rotation indicator for windage and elevation.

Low-profile, side focus parallax adjustment you can operate from any shooting position.

30mm maintubes for a generous range of windage and elevation adjustment: more than 65-MOA each.

New! FX-III 6x42mm Adj. Obj. Competition Hunter Riflescope

The ideal scope for hunter benchrest shooting.

Index Matched Lens System – unbeatable brightness and outstanding contrast for a clear distinction between black and white on targets.

Two reticle choices – a fine crosshair or .5" dot reticle for precise shot placement.

1/8-MOA "click" adjustments – with tall, target-style adjustment knobs.

VX-II 6-18x40mm Adj. Obj. Target Riflescope

The VX-II 6-18x40mm Adj. Obj. Target is the most affordable option for target shooters.

Multicoat 4 lens system for increased light transmission in all light conditions.

Target style windage and elevation adjustments for extreme precision.

Tactile power indicator makes it easy to tell your scope's magnification with just a touch.

Lockable, fast-focus eyepiece securely locks your eyepiece once you've set your reticle focus.







HANDGUN MODELS AVAILABLE FINISHES & RETICLES *FX-II 2 X 2 O M M *FX-II 4X28MM *VX-III 2.5-8X32MM * NEW FOR 2005

■ GLOSS BLACK ■ MATTE BLACK SILVER

SEE CHART ON PAGE 74 FOR ORDERING INFORMATION.

New! Leupold FX and VX Handgun Models

The FX-II 2x20mm Handgun, FX-II 4x28mm Handgun, and VX-III 2.5-8x32mm Handgun feature the extended, non-critical eye-relief and bright, crystal-clear optics you need to shoot accurately with today's modern handguns. They're also extensively tested, so they're ready to withstand the crushing recoil these hard-kicking guns dish out. Don't settle for less...these are rugged, absolutely waterproof, and guaranteed for life.

Rugged and durable – today's high-powered handguns have crushing recoil and Leupold handgun scopes are built to

Absolutely Waterproof – each scope is tested and ready to withstand the worst

Extended eye relief – the long, non-critical eye relief you need to acquire targets quickly.

Exceptional sight picture – Multicoat 4 lens systems on the FX-II scopes and the Index Matched Lens System on the VX-III ensure outstanding brightness, clarity, and contrast.

Guaranteed for Life – each scope is covered by the famous Leupold Full Lifetime Guarantee.



VX-III 2.5-8X32MM HANDGUN

SPOTTING SCOPES

GOLDEN





Absolute ruggedness, waterproofing, lightweight construction, and impeccable optical quality. These are the four key features you'll find in all of our Leupold Golden Ring spotting scopes. The result is flawless performance in all conditions. All give you legendary Leupold optical quality, absolute waterproof integrity, and finally, all Leupold Golden Ring optics are covered by the Leupold Full Lifetime Guarantee.



New! Leupold Golden Ring 12-40x60mm HD Spotting Scope

The new Leupold Golden Ring 12-40x60mm HD spotting scope takes the performance of the standard model to a new level.

New HD lens system – this fluoride-based objective lens system is eco-friendly and offers substantially enhanced resolution, color, and contrast, especially at 40x for sharper, better defined images of game in cover.

New soft-side, form-fitting case – in desert tan, it comes with the scope to provide extra protection and can remain on the scope during use.

Index Matched Lens System – along with folded light path technology, it minimizes light dispersion and gives you maximum light transmission.

New! Digital Camera Adapter

Attaches most digital cameras to any of our 12-40x60mm spotting scopes. See page 68.



New! Leupold Golden Ring 12-40x60mm HD Spotting Scope Kit

The new Golden Ring 12-40x60mm HD spotting scope is also available as a kit, which includes the HD spotting scope, Leupold compact tripod, our new window mount, and our digital camera adapter,

12-40X60MM HD

all in a rugged, hard-side case with custom molded interior padding.

Leupold Golden Ring 12-40x60mm Spotting Scope

The spotting scope one famous outdoors writer called a "landmark of optical design."

Powerful, clear, bright optics with up to 40x magnification for judging the rack on your next trophy from extreme distances.

Soft-side, form-fitting case is included. Operate the scope without ever removing the case.

A mere 37 ounces and 12.4 inches long, it's lightweight and compact.

Multicoat 4 lens system for superior light transmission capability and anti-glare interior work together to give you a crisp, vivid sight

Leupold Golden Ring 15-30x50mm Compact Spotting Scope

LEUPOLD

This Golden Ring spotting scope is the perfect spotting scope for judging trophy game at long ranges in rough terrain. It can close the distance with optical power rather than leg and lung power.

Just 21.5 ounces and 11 inches long, it's compact and lightweight enough to take anywhere.

Use handheld, or mount on most standard tripods, monopods, or window mounts.

10-20X40MM COMPACT

New! Leupold Golden Ring 15-30x50mm Compact Spotting Scope Kit

With this kit, you get the Leupold Golden Ring 15-30x50mm Compact spotting scope, along with its custom padded belt case, padded

strap, mounting adapter, and

lens covers, plus a sturdy table top tripod, all in a durable, hard-shell case with custom-molded padding to keep everything in place.

Leupold Golden Ring 10-20x40mm Compact Spotting Scope

When the hunt is long and space is tight, this is the optic to carry.

Amazingly stable when handheld, or mount on most standard tripods, monopods, or window mounts.

Just 7.5 inches and 15.8 ounces, you can carry it anywhere, even around your neck.

Standard multicoat lens system offers exceptional brightness, clarity, and contrast, while reducing glare.



15-30X50MM COMPACT

12-40Х60ММ



RB800

SPOTTING SCOPES

I N D

W

Leupold® Wind River® RB800 Laser Range Finding

Never settle for a "quesstimate" of the range to your target again! The Leupold Wind River RB800 Range Finding binocular combines the outstanding optics of a high-quality binocular with laser-precise measuring capability to create a single—and surprisingly affordable—new tool for hunters everywhere.

Find your target, push a button and you'll get precise measurements — accurate to within 1 yard—to deer-sized game and other animals more than 550 yards away. You can determine the exact distance to objects such as trees, rocks, signs, or other landmarks out to nearly 900 yards! Hold down the button for Scan Mode, to get continuous, precise range updates as you track an animal or glass an area. And like all Wind River products the RB800 Range Finding binocular is rugged and waterproof—100 percent wilderness ready—to go wherever the hunt takes you. It's one hunting optic that takes the place of two.

Built from the ground up for hunters, lightweight and compact.

Precise measurements to targets from 10 to nearly 900 yards away.

Scan mode works at the push of a button to give you continuous range updates to a moving target, or distances to different objects as you scan across them.

Digital display in your choice of yards or meters is highly visible in low light.

Digital compass in the RB800C lets you mark the distance and direction to game once it's down, so it's easy to find, even in dense cover or over long distances.

Multi-coated lenses for the brightness, clarity, and contrast you expect from Leupold.

Automatic battery-saving shut-off gives you longer battery life in the field.

Lightweight, waterproof, and rugged, they're ready to go where the hunt takes you.

Leupold Wind River Sequoia™ Spotting Scopes

Our Sequoia™ 15-45x60mm spotting scope gives you a huge range of magnification, combined with an impeccably clear, sharp image with the contrast you demand. Choose between two models: one with a straight eyepiece or a 45° angled eyepiece (a very popular choice for use at the shooting range). Either one is equally at home on the firing line or in the field, and each is rugged and waterproof enough to take anywhere.

Fully multi-coated optics deliver maximum amounts of pure light to the eye, for superb brightness, clarity, and color.

SEQUOIA™ 15-45X60MM

Versatile magnification gives you excellent detail at all practical distances, so you can easily pick game from cover, even heavy timber.

LEUPOLD

Long eye relief and a twist-up eyecup make both models comfortable to use for long periods, even with glasses.

The 45° angled eyepiece offers you versatility and easy viewing from a variety of positions, including prone.

Rugged and 100 percent waterproof, they feature the same durable rubber armor as our binoculars for added protection.

Covered by the Leupold Wind River Limited Lifetime Warranty.

SEQUOIA™ 15-45X60MM

Leupold Wind River Sequoia Spotting Scope Kit

The Seguoia Spotting Scope Kit has everything you need for a hunting trip or a day at the range. The kit includes:

RIVER

The Leupold Wind River Sequoia 15-45x60mm Spotting Scope, either straight or angled eyepiece.

Lightweight, adjustable compact tripod with a multi-directional, tilting head for easy movement and flexibility, and multi-section, adjustable legs with non-slip rubber feet.

Protective Case with a black matte diamond plate body, reinforced edges, heavy foam protection inside, and a handle for easy carrying.



EYEPIECE MODEL KIT #55888

STANDARD MODEL KIT #55886


A NEW BENCHMARK FOR HUNTING BINOCULAR PERFORMANCE...

Introducing Leupold Golden Ring Binoculars

The old standards of performance no longer apply: Leupold Golden Ring binoculars are here. We put everything we know about optics into them. They feature the same Index Matched Lens System as our VX-III riflescopes, as well as phase coated super-high reflection prisms, for brightness, resolution, contrast, and color fidelity that is simply astonishing. You'll see details like never before, picking out the points on a whitetail rack, the hide of a coyote in brush, or an elk in dark timber, even in the poorest light and most miserable conditions. At 8x and 10x, the optimal hunting magnifications, you can close the distance on game with optical power, rather than leg power.


With the innovative Interpupillary Distance Lock (IPD), you can use your Golden Ring binocular one-handed: they're ready to use the instant you put them to your eyes. The ergonomic body fits all sizes of hands, and is easy to grip in any conditions. Twist-up, retractable eyecups and generous eye relief make for comfortable extended viewing

Finally, they're everything a hunter would expect of binoculars good enough to wear the Leupold Golden Ring. They're assembled in Oregon by the same people who've crafted Leupold optics for nearly a century. They're built to take the kind of abuse only hunters can dish out. They're filled with bone-dry nitrogen and sealed against moisture for absolute fog proof/waterproof integrity. And of course, they're covered by the Leupold Full Lifetime Guarantee, the best consumer protection in the business.




Ergonomic design makes these binoculars fit extremely well in your hand, easy to grip, and actually feel more comfortable the longer you hold them.


Index Matched Lens System uses lens coatings specifically matched to each lens surface and glass type. The coatings are layered to minimize reflections and maximize the amount of usable light that reaches your eye. The result is a standard of brightness, clarity, and color fidelity like you've never seen before.



Wider perspective – with a field of view of up to 386 feet at 1,000 yards, for quick acquisition of targets, even in heavy cover.

up to 386 ft field of view at 1.000 vds





New unique coloring – these binoculars even look different, with a deep brown protective exterior finish.

The Leupold Golden Ring — this is your assurance that your optic is incredibly rugged and reliable, absolutely waterproof/fog proof, and is covered by the Leupold Full Lifetime Guarantee.

Interpupillary Distance Lock (IPD) lets you set the eyepieces to match the distance between your eyes, then lock them in place. No adjustments are necessary during use...you can easily use them one-handed.



Nearly 100 years of craftsmanship — Leupold Golden Ring binoculars are assembled in our Beaverton, Oregon, facility, where rugged, dependable, high-performance sports optics have been designed, machined, and assembled for nearly a century.

Golden Ring Binocular Alumina Accessory Kit – sold separately this kit will protect your investment and help you get the most from your time afield. The kit includes a custom case with detachable field accessory pack and unique Leupold Alumina™ flip-open adapters which accept all Leupold Alumina accessories, sku# 58420









BINOCULARS











LEUPOLD

W I N D

Olympic[™] Series Binoculars

Both the Pinnacles™ 8x42mm and 10x42mm binoculars are tough and waterproof, as well as slim, lightweight, and ergonomic.

Pinnacles™ Series Binoculars

Fully multi-coated lenses and phase coated, silver enhanced prisms for brightness, superb resolution, and image fidelity in all light conditions.

Slim, ergonomic design fits well in any size of hand.

Interchangeable eyecups lets you switch between vented, retractable contoured eyecups and twist-up eyecups especially suited for

These premium quality 8x42mm, 10x50mm, and 12x50mm center focus, phase coated, roof prism binoculars deliver the kind of performance you wouldn't think possible in a binocular that's both affordable and lightweight.

Color fidelity, brightness, and clarity are all enhanced by the Olympic™ Series' phase coated, aluminum enhanced prisms and fully multi-coated lenses.

Ergonomic design gives them excellent fit and balance in any size hand.

make extended viewing a pleasure, even

Twist-up eyecups and ample eye relief

Olympic Compact Series Binoculars

The Olympic Compact 8x25mm and 10x25mm models are center focus, phase coated, roof prism binoculars. They give you outstanding performance with many of the same features, such as twist-up eyecups, as their full-size counterparts, in an even slimmer, lighter-weight package.







OLYMPIC COMPACT SERIES

BINOCULARS



Katmai™ Series Binoculars

All the performance of a full-size binocular in a compact package that's lightweight, and easy to carry or pack. The Katmai's™ 32mm objective lens transmits a greater amount of light to your eye than traditional compacts.

32mm objective lenses give you the light transmission of full-size binoculars.

L-coated prisms and fully multi-coated lenses -L-coat™ is Leupold's own 64 layer, anti-reflective coating. Applied to the prisms, it's incredibly effective in improving light transmission. Multiple lens coatings also work to enhance light transmission and brightness.

Ergonomic, compact design makes the Katmai's easy to carry or stow in a cargo pocket.

Clear, bright sight picture with excellent image fidelity.

Twist-up eyecups and generous eye relief for comfort and ease of use, even with glasses.



BLACK & CAMO BLACK & CAMO

Cascades™ Series Binoculars

The in-line design of the Leupold Wind River Cascades™ 8x42mm and 10x42mm binoculars makes these models trim, lightweight, and a real pleasure to use.

Outstanding low-light performance for excellent early morning or late evening

Long eye relief and twist-up eyecups make the Cascades Series easy to use with glasses.

Center focus dial mounted lockable diopter adjustment keeps your diopter setting secure against accidental bumps.

Mesa™ Series Binoculars

The Leupold Wind River Mesa™ 8x42mm and 10x50mm center focus, porro prism binoculars have classic binocular styling with the same advanced features and outstanding optics you'd give them if you designed them yourself.

Multi-coated lenses optimize light transmission for enhanced brightness, clarity, contrast, and color fidelity.

Tough rubber armor adds protection, and improves your grip in wet weather.

Twist-up eyecups and generous eye relief make the Mesas comfortable to use for long periods, even with glasses.



Mesa™ Compact Series Binoculars


Mesa Compact Series binoculars give you many of the same features in an inverted porro prism design that's unusually compact. Aspheric lenses in the compact binoculars provide an enhanced image without increasing the size of the binoculars, and roll-down eyecups offer versatility for those with glasses. Available in 8x23mm and 10x23mm models.



Leupold Wind River Binoculars with Advantage Timber HD Camouflage

Now you can get famous Advantage Timber HD camo on a pair of rugged, waterproof Leupold Wind River binoculars. Our Olympic 10x50mm, Mesa 8x42mm and 10x50mm, and new for 2005, our Cascades 8x42mm and 10x42mm full-size binoculars are available with the realistic Advantage Timber HD camouflage pattern. If you're a traditional or modern firearms hunter, bowhunter or a serious outdoors enthusiast, you won't want to head into the field without one





Leupold Mark 4°—Answering The Call

When the United States military needed a new riflescope that would not only function, but excel in combat, the harshest environment on earth, Leupold answered the call with the ULTRA scopes specifically designed to fit that purpose. With the ULTRA, we set the standard in tactical optics, and we continue to do so today, after 18 years serving the needs of the tactical market. The Leupold Mark 4 series, which evolved from that first call by our armed forces, has become the benchmark for all tactical riflescopes to follow.



LEUPOLD MARK 4



I F L E S C O P E S



"Mission Specific" has become the driving force behind the creation of Leupold Mark 4 optics. What that means is that we don't simply build products for military operators or law enforcement officers without fully understanding their mission requirements. The results are products that meet specific user requirements and as many mission contingencies as possible.

Today, Leupold Mark 4 riflescopes are used by police SWAT teams as well as police who patrol the streets daily. They're being used on frigid mountaintops in Afghanistan, in the searing desert heat of Iraq, and in the wet, steaming jungles of the Philippines. Leupold's philosophy helped create the riflescopes that have come to define tactical optics. For rugged dependability and absolute waterproof integrity in the most extreme conditions imaginable, for sheer optical excellence and flexibility, and finally, for fail-safe accuracy every shot, the Leupold Mark 4 line of riflescopes has no equal.

You'll find optics designed for your specific mission's needs in Leupold's newly expanded Mark 4 line-up. At Leupold, we feel we're helping keep our communities safe, as well as helping to defend the nation.

So whether you need the extreme long-range riflescope, the ultimate fast entry/close quarter combat optic, or something in


between, we're ready with Leupold Mark 4 scopes that are specifically matched to both the mission and your unique conditions.

Mark 4 Optics for Every Mission Profile

Leupold Mark 4 optics are grouped by mission profile, help you find what you need to accomplish your mission. New for 2005, you'll find two new Mark 4 riflescopes, as well as two exciting new reticles. The new Mark 4 1.5-5x20mm MR/T™ M2 riflescope has bullet drop compensation markings to assist in mid-range engagements, as well as our new Special Purpose Reticle. The new Mark 4 1.5-5x20mm PR riflescope is a new addition to our durable, dependable, and affordable Precision Rifle line.

The new Tactical Milling Reticle (TMR–see page 52) expands on existing Mil Dot reticles by using various sized and spaced hash marks on the stadia for increased range estimating precision, accuracy, and quick 1-meter range-estimating reference points. All Mil Dot calculations are TMR compatible. With the new Special Purpose Reticle (SPR), you can effectively engage targets at close quarters/low magnification, yet also shoot with incredible precision at longer ranges than generally possible with other closerange reticle styles. It also features several methods of range estimation, using the height or width of the target as a guide.

16



The Leupold Mark 4° 1-3x14mm CQ/T° is ready and able to handle the variety of close-contact situations common to both law enforcement and the military.

True 1x setting, so it functions as your non-magnifying, illuminated sight at extremely close range.

2x or 3x settings give you the additional power to accurately engage targets at medium ranges.

Leupold Circle Dot reticle is a bold aiming point and also provides range estimation.

Large field of view for fast target acquisition and tracking of moving targets.

Ten reticle illumination settings to match any light conditions without affecting your low-light vision.



Attach accessories using the integrated MIL-STD-1913 rail mount cross-slots.

1/2-MOA "click" adjustments for windage and elevation.

One AA battery powers the Mark 4 CQ/T for up to 600 plus hours at medium setting.



LEUPOLD MARK 4



MARK 4 MODELS	AVAILABLE FINISHES & RETICLES
10X40MM LR/T M1 (ALSO AVAILABLE AS M3)	DUPLEX, MIL DOT, TMR
16x40mm lr/t m1	Duplex, Target Dot, Mil Dot, TMR
3.5-10X40MM LR/T M1 (ALSO AVAILABLE AS M3)	DUPLEX, MIL DOT, ILLUM. DUPLEX, ILLUM. MIL DOT, TMR, ILLUM. TMR
*3.5-10X40MM LR/T M1 FF (ALSO AVAILABLE AS M3)	MIL DOT, TMR
4.5-14X50MM LR/T M1	DUPLEX, MIL DOT, ILLUM. DUPLEX, ILLUM. MIL DOT, TMR, ILLUM. TMR, ILLUM. MIL DOT (M)
6.5-20X50MM LR/T M1	MIL DOT, ILLUM. MIL DOT, TMR, ILLUM. TMR
8.5-25X50MM LR/T M1	MIL DOT, ILLUM. MIL DOT, TMR, ILLUM. TMR
*1.5-5X20MM MR/T M2	ILLUM. SPECIAL PURPOSE
3-9X36MM MR/T M1	MIL DOT, ILLUM. MIL DOT, TMR, ILLUM. TMR, [DUPLEX, ILLUM. DUPLEX]
	[DUPLEA, ILLUM. DUPLEA]

SPECIAL PURPOSE

DUPLEX, MIL DOT

DUPLEX, MIL DOT

(M) = AVAILABLE ON METRIC RETICLES ONLY. SEE CHART ON PAGE 74 FOR

ORDERING INFORMATION.

PR LONG RANGE DUPLEX, FINE DUPLEX, MIL DOT

LR/T™

Leupold Mark 4 Long Range/Tactical

Leupold Long Range/Tactical riflescopes give you as much control as possible over this extreme type of shooting. We'll give you the tools to do the job, the rest is up to you. Our LR/T[™] scopes feature:

Finger-adjustable, knurled windage and elevation adjustment dials in two styles: the tall M1 dials or bullet drop compensation marked M3 dials.

Audible, tactile "clicks" let you adjust with extreme precision.

M1 dials have 1/4-MOA "click" adjustments.

M3 dials have 1/2-MOA windage dials and 1-MOA elevation dials.

30mm maintubes for increased windage and elevation adjustment.

Fully Illuminated Mil Dot reticles available in some

New! Front Focal models – increase magnification and the reticle increases too, so

Butler Creek® Flip-Open™ lens covers come standard with all Leupold Mark 4 LR/T riflescopes.

These three models the Mark 4 10x40mm LR/T

M1, Mark 4 16x40mm LR/T M1, and Mark 4 10x40mm LR/T M3—are arguably among the toughest, highest-performing riflescopes you'll find anywhere. It's no surprise that the Mark 4 10x40mm LR/T M3 was chosen as the primary day optic of the U.S. Army M-24 Sniper System. The reasons why are clear.

Superior edge-to-edge sharpness across visual field and outstanding low-light capability.

Adjust for parallax for specific ranges from 50 yards to infinity using the turret mounted focus knob, without taking your eyes off the target.

Maintubes milled from one solid piece of 6061-T6 aircraft-grade aluminum.

Adjustment knobs can be zeroed once sighted-in.

MR/T[™]

Leupold Mark 4 Mid Range/Tactical

Not all targets are engaged at 1,000 plus meters or at arm's length, yet giving a threat room to exist is not an option. Leupold has vou covered with the Mark 4 3-9x36mm MR/T and new 1.5-5x20mm MR/T M2 riflescopes.

Eye relief – optimized for AR-style systems to compensate for stock size.

Ample accessory space – upper receiver has room for additional accessories.

Click adjustments – finger-adjustable, knurled windage and elevation adjustments with audible, tactile "clicks" for precision.

30mm maintube – the 3-9x36mm MR/T has increased windage and elevation adjustment.

Illuminated Reticles – choose Illuminated Mil Dot or Duplex reticles.

Rugged and waterproof – each scope is ready for all conditions.



1/4-MOA 1/4-MOA NO


M2 Dials - are exclusive to the Mark 4 1.5-5x20mm MR/T.

Bullet Drop

LR/T M1

(ALSO AVAILABLE WITH

and M3 dials marked for bullet drop compensation.



ELEV WIND BDC 1/2-MOA 1/2-MOA YES

ELEV WIND BDC

1-MOA 1/2-MOA YES

M1 and M3 Dials available on the Mark 4 3-9x36mm MR/T.

Compensation – M2

LR/T M1

MR/T M2

ILLUM. RETICLE

PR

The Mark 4 Precision Rifle line-up was created so that even a force with a tight budget could outfit its officers with the most rugged, dependable tactical optics.

Four models: the Mark 4 3-9x40mm PR and the Mark 4 3.5-10x40mm PR with target knob adjustments, Mark 4 4.5-14x40mm PR with side focus adjustment, and new Mark 4 1.5-5x20mm PR.

1/4-MOA "click" windage and elevation adjustments with 15-MOA of adjustment for each revolution.

Legendary Leupold ruggedness and absolute waterproof integrity.

Variety of reticles available.

New! Leupold Mark 4 Aluminum Rings

In the field, you count every ounce of weight, because you've got to carry it. Mark 4 Aluminum mounts are machined from a single piece of aircraft-grade aluminum, so they're incredibly strong, yet lightweight.

Tactical Mounts

If you're making an investment in the world's most dependable tactical optics, go all the way. Mount your Leupold riflescope with specially designed Leupold Tactical Mounting System. For more information. see page 57.

Leupold Mark 4 12-40x60mm Tactical Spotting Scope

The scope most ideally suited for use as part of a sniper team. The Leupold Mark 4 12-40x60mm Tactical spotting scope features either a Leupold Mil Dot "round dot" reticle or our new Tactical Milling Reticle (TMR), for tactical cooperation and range estimation. These same proven reticles are available in Leupold Mark 4 riflescopes.

Includes soft-side case.

Universal 1/4-20 thread tripod attachment.

Folded light path technology gives you greater magnification in a lightweight, compact design (12.4" long, 37 oz).

Estimate range at any power setting.

Multicoat 4 lens coatings ensure maximum light transmission. brightness, clarity, and contrast.



4.5-14X40MM PR



(ALSO AVAILABLE AS M3)

(ALSO AVAILABLE AS M3)



MR/T M1

ILLUM, RETICLE

(ALSO AVAILABLE AS M3

MR/T M1

*1.5-5X2OMM PR

3.5-10X40MM PR

3-9X40MM PR

4.5-14X40MM

* NEW FOR 2005

MATTE BLACK

BINOCULARS &	LEUD	OLD GOLDE	EN PING M	APK A AN	ID WINI	DIVE	RINO	TIII ADC	AND SPOT	TING SCC	DEC EEA	TUDES AND	DIMENSION	NS.	
SPOTTING SCOPES	Actual Magnification		eld of View	Angular Field of View		ight		ngth	Objective Aperture	Twilight Factor	Exit Pupil	Eye Relief	Interpupillary Distance	Clo: Foc Dista	us
NEW PRODUCTS ARE SHOWN IN RED		ft at 100 yd	m at 100 m	degrees	ounce	gram	inches	cm	mm		mm	mm	mm	ft	m
Leupold Golden Ring Binoculars															
8x42mm	8x	38.1	12.7	7.3	29.5	836	6.0	15.2	42	18.3	5.3	16.5	56 - 72	7.0	2.1
10x42mm	10x	34.0	11.3	6.5	29.5	836	6.0	15.2	42	20.5	4.2	16.0	56 - 72	7.0	2.1
Leupold Golden Ring Spotting Scopes															
10-20x40mm Compact	10.0x - 19.9x	19.9 - 13.6	6.6 - 4.5	3.8 - 2.6	15.8	447	7.5	19.1	40	20.0 - 28.3	4.0 - 2.0	18.5 - 17.2	NA	5.5	1.7
15-30x50mm Compact	15.2x - 30.4x	13.6 - 8.9	4.5 - 3.0	2.6 - 1.7	21.5	610	11.0	27.9	50	27.6 - 39.0	3.3 - 1.6	17.5 - 17.1	NA	13.5	4.1
12-40x60mm	12.7x - 38.1x	16.8 - 5.2	5.6 - 1.8	3.2 - 1.0	37.0	1049	12.4	31.5	60	26.8 - 48.9	4.8 - 1.5	30.0 - 30.0	NA	36.0	11.0
12-40x60mm HD	12.7x - 38.1x	16.8 - 5.2	5.6 - 1.8	3.2 - 1.0	37.0	1049	12.4	31.5	60	26.8 - 48.9	4.8 - 1.5	30.0 - 30.0	NA	36.0	11.0
Leupold Mark 4 Spotting Scope															
12-40x60mm Tactical w/ Mil Dot	12.7x - 38.1x	16.8 - 5.2	5.6 - 1.8	3.2 - 1.0	37.0	1049	12.4	31.5	60	26.8 - 48.9	4.8 - 1.5	30.0 - 30.0	NA	36.0	11.0
12-40x60mm Tactical w/ TMR	12.7x - 38.1x	16.8 - 5.2	5.6 - 1.8	3.2 - 1.0	37.0	1049	12.4	31.5	60	26.8 - 48.9	4.8 - 1.5	30.0 - 30.0	NA	36.0	11.0
Leupold Wind River Pinnacles Series Binoculars															
8x42mm	8x	34.1	11.4	6.5	23.0	652	5.5	13.8	42	18.3	5.3	17.8	60 - 70	6.6	2.0
10x42mm	10x	26.7	8.9	5.1	25.0	708	5.5	13.8	42	20.5	4.3	16.5	60 - 70	6.6	2.0
Leupold Wind River Olympic Series Binoculars															
8x25mm Compact	8x	27.3	9.1	5.2	14.8	420	4.9	12.4	25	14.1	3.1	16.5	60 - 70	8.2	2.5
10x25mm Compact	10x	26.2	8.7	5.0	14.8	420	4.9	12.4	25	15.8	2.5	15.5	60 - 70	9.8	3.0
8x42mm	8x	32.5	10.8	6.2	21.8	619	5.7	14.6	42	18.3	5.3	18.0	60 - 70	7.5	2.3
10x50mm	10x	26.2	8.7	5.0	25.7	728	6.7	17.0	50	22.4	5.0	18.0	60 - 70	10.5	3.2
12x50mm	12x	25.2	8.4	4.8	25.7	730	6.6	16.7	50	22.5	4.0	15.5	60 - 70	13.1	4.0
Leupold Wind River Katmai Series Binoculars															
6x32mm	6x	42.5	14.2	8.1	18.2	515	4.1	10.5	32	13.9	5.3	16.6	57 - 72	4.9	1.5
8x32mm	8x	33.5	11.2	6.4	18.9	535	4.1	10.5	32	16.0	4.0	16.0	57 - 72	4.9	1.5
10x32mm	10x	27.2	9.1	5.2	18.2	515	4.1	10.5	32	17.9	3.2	7.6	57 - 72	4.9	1.5
Leupold Wind River Cascades Series Binoculars															
8x42mm	8x	34.1	11.4	6.5	22.9	650	5.5	14.0	42	18.3	5.0	18.0	58 - 72	9.9	3.0
10x42mm	10x	26.7	8.9	5.1	23.1	656	5.5	14.0	42	20.5	4.0	16.0	58 - 72	9.9	3.0
Leupold Wind River Mesa Series Binoculars															
8x23mm Compact	8x	33.6	11.2	6.4	13.2	375	4.2	10.7	23	13.5	2.5	9.0	60 - 70	9.8	
10x23mm Compact	10x	26.2	8.7	5.0	13.2	375	4.2	10.7	23	15.2	2.0	9.0	60 - 70	9.8	3.0
8x42mm	8x	34.1	11.4	6.5	26.5	750	5.2	13.2	42	18.3	5.0	18.0	60 - 70	16.4	
10x50mm	10x	28.8	9.6	5.5	32.3	917	6.5	16.6	50	22.4	4.9	18.0	60 - 70	29.5	9.0
Leupold Wind River Range Finding Binoculars															
RB800 8x32mm	8x	31.4	10.5	6.0	23.0	652	5.4	13.8	32	16.0	4.0	16.0	58 - 72	19.7	
RB800C 8x32mm w/ compass	8x	31.4	10.5	6.0	23.0	652	5.4	13.8	32	16.0	4.0	16.0	58 - 72	19.7	6.0
Leupold Wind River Sequoia Spotting Scopes															
15-45x60mm	15x - 45x	13.1 - 6.3	4.4 - 2.1	2.5 - 1.2	35.1	995	13.0	33.1	60	30.0 - 52.0	3.9 - 1.3	16.5 - 13.0	NA	29.9	9.1
15-45x60mm Angled	15x - 45x	13.1 - 6.3	4.4 - 2.1	2.5 - 1.2	35.1	995	12.5	31.7	60	30.0 - 52.0	3.9 - 1.3	16.5 - 13.0	NA	29.9	9.1

															1	ACTIC	AL RIF	LESCO	PES F	EATUR	ES				
TACTICAL SCOPE	ES F	EA	TU	JRE	ES						tual fication		Field o	of View		0	ptimum	Eye Reli	ef		ctive operture	We	ight	Elevation Adjustment Range**	Windag Adjustm Range
NEW PRODUCTS ARE SHOWN IN RED	A ⁴	Din B ⁶	nension		s unless	otherv	vise sta	ted)	16		High		100 yd High	m at	100 m High	-	ch High		ım High	inch				MOA	MOA
Leupold Mark 4 Long Range / Tactical (LR/T		B _o	·	D	E.v.	F	G	н	Iº.	Low	High	Low	High	Low	High	Low	High	Low	High	inch	mm	ounce	gram	MUA	MUA
10x40mm LR/T M1	13.1	6.1	2.3	2.2	2.7	4.3	2.0	1.7	30mm	10.0		11.1	_	3.7	_	3.4		86		1.6	40	21.0	595	90	60
10x40mm LR/T M3*	13.1	6.1	2.3	2.2	2.7	4.3	2.0	1.7	30mm	10.0		11.1	_	3.7	_	3.4	_	86		1.6	40	21.0	595	75	52
16x40mm LR/T M1	13.1	6.0	3.1	1.4	2.7	4.3	2.0	1.7	30mm	15.6	_	6.8	_	2.3	_	4.0	_	101		1.6	40	22.5	638	140	45
3.5-10x40mm LR/T M1	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9,5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
3.5-10x40mm LR/T M1 III. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.7	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	21.0	595	65	65
3.5-10x40mm LR/T M1 Front Focal	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
3.5-10x40mm LR/T M3*	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
3.5-10x40mm LR/T M3* III. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.7	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	21.0	595	65	65
3.5-10x40mm LR/T M3* Front Focal	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65
4.5-14x50mm LR/T M1	12.5	5.5	1.6	2.4	3.2	3.7	2.3	1.6	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100
4.5-14x50mm LR/T M1 III. Ret.	12.8	5.5	1.6	2.4	3.2	3.7	2.3	1.7	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100
4.5-14x50mm LR/T M1 III. Ret. (metric)	12.8	5.5	1.6	2.4	3.2	3.7	2.3	1.7	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100
6.5-20x50mm LR/T M1	14.5	6.5	2.6	2.4	3.2	4.9	2.3	1.6	30mm	6.5	19.5	14.3	5.5	4.8	1.8	4.4	3.6	111	93	2.0	50	22.0	624	70	70
6.5-20x50mm LR/T M1 III. Ret.	14.4	6.5	2.6	2.4	3.2	4.9	2.3	1.7	30mm	6.5	19.5	14.3	5.5	4.8	1.8	4.4	3.6	111	93	2.0	50	22.0	624	70	70
8.5-25x50mm LR/T M1	14.5	6.5	2.6	2.4	3.2	4.9	2.3	1.6	30mm	8.2	25.1	11.2	4.4	3.7	1.4	5.3	3.7	134	94	2.0	50	22.5	638	75	70
8.5-25x50mm LR/T M1 III. Ret.	14.4	6.5	2.6	2.4	3.2	4.9	2.3	1.7	30mm	8.2	25.1	11.2	4.4	3.7	1.4	5.3	3.7	134	94	2.0	50	22.5	638	75	70
Leupold Mark 4 Mid Range/Tactical (MR/T)																									
1.5-5x20mm MR/T M2	9.3	5.8	2.1	2.5	3.1	_	1.2	1.7	30mm	1.5	4.5	65.7	23.7	7.9	21.9	4.4	3.6	112	91	0.8	20	15.0	425	80	80
3-9x36mm MR/T M1	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90
3-9x36mm MR/T M1 III. Ret.	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90
3-9x36mm MR/T M3*	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90
3-9x36mm MR/T M3 III. Ret.*	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90
eupold Mark 4 Precision Rifle (PR)																									
1.5-5x20mm PR	9.3	5.5	2.0	3.3	3.1	_	1.0	1.6	1.0	1.5	4.5	65.7	23.9	21.9	7.9	4.4	3.6	113	93	0.8	20	9.7	275	120	120
3-9x40mm PR	12.3	5.6	2.3	2.2	3.1	3.5	1.8	1.6	1.0	3.3	8.6	32.9	13.0	11.0	4.4	4.3	3.2	108	82	1.6	40	13.0	369	56	56
3.5-10x40mm PR	12.6	5.8	2.3	2.4	3.2	3.5	1.8	1.6	1.0	3.3	9.6	29.6	11.0	9.9	3.6	4.4	3.7	113	93	1.6	40	13.5	383	57	57
4.5-14x40mm PR Long Range	12.6	5.4	1.8	2.3	3.2	4.0	2.0	1.6	30mm	4.9	14.6	18.6	7.3	6.2	2.4	4.4	3.7	113	93	1.6	40	16.0	454	100	100
Leupold Mark 4 Close Quarter/Tactical (CQ	T)																								
1-3x14mm CQT	8.8	1.6	_	_	3.0	_	1.2	1.5	2.9	1.0	2.9	112.0	41.0	37.5	13.9	2.8	2.0	71	51	0.6	14	17.5	496	90	90

FOUR FINISHES FOR LEUPOLD SCOPES



The classic gloss black finish which has long been a standard in

The perfect finish for stainless rifles and handguns, now available the Leupold line. on multiple Leupold models.




MATTE BLACK The flat black option for those who prefer a less reflective finish.




A non-reflective finish that is exclusive to LPS.

To determine which finishes are available for a given scope, please refer to the ordering information on pages 74-75.

SCOPE SPECIFICATIONS





SCOPE FEATURES

											tual fication		Field o	f View		0	ptimum	Eye Reli	ef	Obje Clear A		We	ight	Adjustment Range**	Adjustm Range*
		Din	nension	s (inche	s unless	otherv	vise sta	ited)				ft at 1	100 yd	m at	100 m	in	ch	m	ım						
IEW PRODUCTS ARE SHOWN IN RED	A ⁴	B6	C3	D	E1,4	F	G ²	Н	16	Low	High	Low	High	Low	High	Low	High	Low	High	inch	mm	ounce	gram	MOA	MOA
LPS	44.0											0.00													
2.5-10x45mm 3.5-14x50mm Side Focus	11.8	5.6 6.5	2.1	2.2	3.0	3.2	2.0	1.6	30mm 30mm	2.6 3.6	9.8	37.2 27.2	9.9 7.1	12.4 9.1	3.3 2.4	4.5	3.8	114	97 97	1.8 2.0	45 50	17.2	487.6 552.8	60	60 60
VX-III	15.5	0.5	2.7	2.0	3.0	3.0	2.3	1.0	30111111	5.0	13.0	21.2	7.1	9.1	2.4	4.3	5.0	114	97	2.0	30	19.5	332.0	00	00
1.5-5x20mm	9.3	5.5	2.0	3.3	3.1		1.0	1.6	1.0	1.5	4.5	66.0	23.0	22.0	7.7	5.3	3.7	135	94	0.8	20	9.5	269.3	120	120
1.5-5x20mm Illuminated Reticle	9.3	5.8	2.0	2.5	3.1	Η=	1.0	1.7	30mm	1.5	4.5	65.8	23.0	21.9	7.7	4.4	3.7	111	93	0.8	20	13.6	385.6	120	120
1.75-6x32mm	11.1	5.4	1.8	2.4	3.1	2.6	1.6	1.6	1.0	1.9	5.6	47.0	18.0	15.7	6.0	4.4	3.7	122	93	1.3	32	11.3	320.4	50	50
2.5-8x36mm	11.3	5.1	1.6	2.4	3.1	3.0	1.7	1.6	1.0	2.6	7.8	37.0	13.5	12.3	4.5	4.0	3.7	119	94	1.4	36	11.5	326.0	65	65
3.5-10x40mm	12.5	5.8	2.3	2.4	3.1	3.5	1.8	1.6	1.0	3.3	9.7	29.5	10.7	9.8	3.6	4.7	3.6	117	91	1.6	40	13.0	368.6	57	57
3.5-10x50mm	12.3	5.1	1.6	2.4	3.1	3.9	2.3	1.6	1.0	3.3	9.7	29.5	10.7	9.8	3.6	4.6	3.6	117	91	2.0	50	14.9	422.4	57	57
3.5-10x50mm Illuminated Reticle	12.1	5.6	2.0	2.5	3.1	3.6	2.3	1.7	30mm	3.3	9.7	29.3	10.7	9.8	3.6	4.6	3.6	111	91	2.0	50	19.0	538.6	57	57
4.5-14x40mm	12.5	5.8	2.3	2.3	2.9	3.6	1.8	1.6	1.0	4.8	12.2	19.9	7.4	6.6	2.5	4.4	3.6	112	93	1.6	40	15.4	453.6	70	70
	12.6	5.8	2.3	2.5	2.9	3.6	1.8	1.6	30mm	4.8	14.6	18.7	7.4	6.2	2.5	4.4	3.6	112	93	1.6	40	15.4	436.6	100	100
4.5-14x40mm Long Range 4.5-14x50mm	12.6	5.1	_	2.3	3.2	3.9	2.3	_	1.0	4.9	14.4	19.1	7.4	6.4	2.4	4.4	3.6	112	93	2.0	50	16.0	450.6	70	70
	_	_	1.6		_	3.9		1.6		4.9	14.4					4.4	3.6	112				17.0	482.0		100
4.5-14x50mm Long Range	12.6	5.5	1.7	2.5	3.2		2.3	1.6	30mm			19.1	7.4	6.4	2.5	-			92	2.0	50			100	
4.5-14x50mm Long Range III. Reticle	12.8	5.5	1.7	2.5	3.2	3.7	2.3	1.6	30mm	4.9	14.4	19.1	7.4	6.4	2.5	4.4	3.6	112	92	2.0	50	21.5	609.5	100	100
6.5-20x40mm Long Range	14.3	6.8	3.0	2.5	3.2	4.7	1.8	1.6	30mm	6.5	19.2	14.3	5.6	4.8	1.9	5.0	3.6	128	93	1.6	40	16.0	453.6	90	90
6.5-20x40mm EFR Target	14.4	6.5	2.9	2.3	3.2	4.7	2.0	1.6	1.0	6.5	19.2	14.0	5.5	4.7	1.8	5.0	3.6	127	93	1.6	40	17.0	482.0	50	50
6.5-20x50mm Long Range Target	14.4	6.5	2.8	2.5	3.2	4.8	2.3	1.6	30mm	6.8	19.2	14.3	5.5	4.8	1.8	4.4	3.6	113	93	2.0	50	21.0	595.4	90	90
8.5-25x50mm Long Range Target	14.4	6.5	2.8	2.5	3.2	4.8	2.3	1.6	30mm	8.3	24.3	11.3	4.3	3.8	1.4	5.2	3.7	133	94	2.0	50	21.0	595.4	90	90
VX-II			2.	2.0	2.		4.0		4.5		10	75.0	20.5	25.0	0.5		2.0	160	07		2.0	0.0	255.1		
1-4x20mm	9.2	5.5	2.1	2.2	3.1		1.0	1.6	1.0	1.6	4.2	75.0	28.5	25.0	9.5	4.3	3.8	109	97	0.8	20	9.0	255.1	67	67
2-7x33mm	11.0	5.2	1.9	2.2	3.2	2.6	1.6	1.6	1.0	2.5	6.6	42.5	17.8	14.2	5.9	4.9	3.8	124	97	1.3	33	10.5	297.7	75	75
3-9x40mm	12.4	5.6	2.3	2.2	3.2	3.5	1.8	1.6	1.0	3.3	8.6	32.3	14.0	10.8	4.7	4.7	3.7	119	94	1.6	40	12.0	340.2	56	56
3-9x50mm	12.1	5.0	1.7	2.2	3.2	3.8	2.3	1.6	1.0	3.3	8.6	32.3	14.0	10.8	4.7	4.7	3.7	119	94	2.0	50	13.7	388.4	56	56
4-12x40mm Adj. Obj.	12.4	5.3	2.0	2.2	3.1	4.0	2.1	1.6	1.0	4.3	11.2	22.8	11.0	7.6	3.7	4.7	3.7	119	95	1.6	40	14.0	396.9	55	55
4-12x50mm	12.2	5.3	1.5	2.2	3.2	3.8	2.3	1.6	1.0	4.3	11.2	33.0	13.1	11.0	4.4	4.2	3.8	107	97	2.0	50	14.5	411.1	55	55
6-18x40mm Adj. Obj.	13.5	6.1	2.7	2.2	3.2	4.2	2.1	1.6	1.0	6.7	17.1	14.5	6.6	4.8	2.2	4.7	3.7	119	94	1.6	40	14.0	396.9	56	56
6-18x40mm Adj. Obj. Target	13.5	6.1	2.7	2.2	3.2	4.2	2.1	1.6	1.0	6.7	17.1	14.5	6.6	4.8	2.2	4.7	3.7	119	94	1.6	40	15.8	447.9	56	56
VX-I																									
1-4x20mm Shotgun/Muzzleloader	9.2	5.5	2.1	2.2	3.1		1.0	1.6	1.0	1.6	4.2	75.0	28.5	25.0	9.5	4.3	3.8	109	97	0.8	20	9.0	255.1	67	67
2-7x33mm (including Shotgun/Muzzleloader)	10.8	5.2	1.9	2.2	3.1	2.6	1.6	1.6	1.0	2.5	6.5	43.2	17.3	14.4	5.8	4.2	3.7	106	94	1.3	33	10.5	297.7	65	65
3-9x40mm	12.2	5.6	2.3	2.2	3.1	3.5	1.8	1.6	1.0	3.3	8.5	32.9	13.1	11.0	4.4	4.2	3.7	107	94	1.6	40	12.0	340.2	56	52
3-9x50mm	12.4	5.0	1.7	2.2	3.2	3.8	2.3	1.6	1.0	3.3	8.4	33.0	13.1	11.0	4.4	4.2	3.7	107	94	2.0	50	14.1	399.7	59	59
4-12x40mm	12.3	5.6	2.3	2.2	3.1	3.5	1.8	1.6	1.0	4.5	11.4	19.9	9.4	6.6	3.1	4.9	3.7	125	95	1.6	40	13.0	368.6	50	50
Rifleman																									
2-7x33mm	11.0	5.2	1.9	2.1	3.2	2.6	1.6	1.6	1.0	2.5	6.5	43.2	17.3	14.4	5.8	4.2	3.7	106	94	1.3	33	11.1	314.7	65	65
3-9x40mm	12.3	5.6	2.3	2.1	3.2	3.5	1.8	1.6	1.0	3.3	8.5	32.9	13.1	11.0	4.4	4.2	3.7	107	94	1.6	40	12.6	357.2	56	52
3-9x50mm	12.4	4.8	1.6	2.1	3.2	4.1	2.3	1.6	1.0	3.3	8.4	33.0	13.1	11.0	4.4	4.2	3.7	106	94	2.0	50	14.5	411.1	59	59
4-12x40mm	12.3	5.6	2.3	2.1	3.2	3.5	1.8	1.6	1.0	4.5	11.4	19.9	9.4	6.6	3.1	4.9	3.7	125	95	1.6	40	13.1	371.4	50	50
FX-III																									
6x42mm	11.9	5.4	2.0	2.2	2.5	4.0	1.9	1.6	1.0	6.0	_	17.0	_	5.7	_	4.5	_	114	_	1.7	42	11.3	320.4	64	64
12x40mm Adj. Obj. Target	13.0	5.8	2.5	2.2	2.5	4.7	2.0	1.6	1.0	11.6	_	9.1	_	3.0	_	4.2	_	107	_	1.6	40	13.5	382.7	52	52
FX-II																									
2.5x28mm Scout	10.1	5.6	2.1	2.3	2.3	2.2	1.4	1.4	1.0	2.3	_	22.0	_	7.3	_	9.3	_	236	_	1.1	28	7.5	212.6	110	110
4x33mm	10.5	5.5	2.2	2.2	2.3	2.6	1.6	1.6	1.0	4.0	_	24.0	_	8.0	_	4.0	_	102	_	1.3	33	9.3	263.7	80	80
6x36mm	11.4	5.9	2.1	2.7	2.4	3.0	1.7	1.6	1.0	5.9	_	17.7	_	5.9	_	4.3	_	109	_	1.4	36	10.0	283.5	64	64
Competition Series																									
FX-III 6x42mm Adj. Obj. Competition Hunter	12.2	5.3	1.9	2.2	2.3	4.4	2.1	1.6	1.0	6.0	_	17.0	_	5.7	_	4.5	_	114	_	1.7	42	15.0	425.0	64	64
Competition Series 35x45mm	15.9	7.1	3.2	2.5	2.4	6.1	2.2	1.6	30mm	35.0	_	3.3	_	1.1	_	3.2		81		1.8	45	20.37	576.0°	38	38
Competition Series 40x45mm	15.9	7.1	3.2	2.5	2.4	6.1	2.2	1.6	30mm	40.0	_	2.7	_	0.9	_	3.2	_	81	_	1.8	45	20.37	576.0°	38	38
Competition Series 45x45mm	15.9	7.1	3.2	2.5	2.4	6.1	2.2	1.6	30mm	45.0	_	2.5	_	0.8	_	3.2	_	81	_	1.8	45	20.37	576.0°	38	38
Ultralight																									
FX-II 2.5x20mm Ultralight	8.0	5.8	1.8	2.2	2.1	_	1.0	1.4	1.0	2.3	-	39.5	_	13.2	_	4.9	_	124		0.8	20	6.5	184.3	147	147
FX-I 4x28mm Rimfire	9.2	4.8	1.4	2.2	2.3	2.2	1.4	1.4	1.0	3.6	_	25.5	_	8.5	_	4.5		114	_	1.1	28	7.5	212.6	80	80
VX-I 2-7x28mm Rimfire	9.9	4.8	1.5	2.2	2.9	2.2	1.4	1.4	1.0	2.5	6.6	41.7	16.5	13.9	5.5	3.8	3.0	97	76	1.1	28	8.2	231.3	80	80
VX-II 2-7x28mm Ultralight	9.9	4.8	1.5	2.2	2.9	2.2	1.4	1.4	1.0	2.5	6.6	41.7	16.5	13.9	5.5	3.8	3.0	97	76	1.1	28	8.2	231.3	80	80
VX-II 3-9x33mm Ultralight	11.0	5.5	2.1	2.2	2.9	2.6	1.5	1.4	1.0	3.2	8.6	34.0	13.5	11.3	4.5	4.0	3.0	102	76	1.3	33	8.8	249.5	64	64
VX-II 3-9x33mm Ultralight EFR (including Rimfire)	11.3	5.0	1.7	2.2	2.9	3.4	1.8	1.4	1.0	3.2	8.6	34.0	13.5	11.3	4.5	4.0	3.0	102	76	1.3	33	11.0	311.9	64	64
	11.3	5.0	1.7	2.2	2.5	3.4	1.0	1.77	1.0	3.2	0.0	34.0	15.5	11.5	7.5	7.0	5.0	102	70	1.5	- 55	11.0	511.5		04
Handgun Scopes FX-II 2x20mm	8.0	5.1	2.6	1.4	2.3		1.0	1.4	1.0	1.7		21.2		7.1		18.0		457		0.8	20	6.0	170.1	86	86
FX-II 2X2Umm FX-II 4x28mm	8.0	4.0	1.4	1.4	2.3	2.2	1.0	1.4	1.0	3.7		9.0	_	3.0	_	18.0		457		1.1	28	7.0	170.1	60	60
	_	_	_	_	_	_		_	_		-		4.2		-		15.0		201	_					
VX-III 2.5-8x32mm ⁵	9.7	4.1	1.4	1.5	3.0	2.5	1.7	1.7	1.0	2.6	8.0	13.0	4.3	4.3	1.4	15.0	15.0	381	381	1.3	32	10.9	309.0	100	100

¹On all fixed power scopes, dimension "E" is measured from the back of the eyepiece to the beginning of the eyepiece tube threads.

BULLET DROP COMPENSATOR

The Mark 4 LR/T 3.5-10x40mm M3 has an elevation adjustment that also compensates for bullet drop. The elevation dial is calibrated for bullet drop in increments from 100 to 1,000 yards, requiring less than a full revolution of adjustment. Compensating for bullet drop is only possible for certain calibers with specific bullet weights and muzzle velocities:

- .308 M 168gr at 2,650 ft/sec
- .300 Winchester Magnum 190gr at 2,900 ft/sec
- .30-06 Springfield 180gr at 2,700 ft/sec
- 5.56mm (.223 Rem.) 55gr at 3,200 ft/sec

ADJUSTABLE PARALLAX CORRECTION DI LPS 3.5-14x50mm Side Focus	T_	50	100	200	_	400	Infin
Mark 4 4.5-14x40mm PR Long Range	N.				vards	to Infi	_
Mark 4 10x40mm I R/T M1	_					to Infi	
Mark 4 10x40mm LR/T M3	_					to Infi	
Mark 4 16x40mm I R/T M1	_					to Infi	
Mark 4 3.5-10x40mm I R/T M1	_					to Infi	
Mark 4 3.5-10x40mm R/T M1 III. Ret.	_					to Infi	
Mark 4 3.5-10x40mm LR/T M1 Front Focal	_					to Infi	
Mark 4 3.5-10x40mm R/T M3	_					to Infi	
Mark 4 3.5-10x40mm R/T M3 III. Ret.	_					to Infi	
Mark 4 3.5-10x40mm LR/T M3 Front Focal	_					to Infi	
Mark 4 4.5-14x50mm LR/T M1	_					to Infi	
Mark 4 4.5-14x50mm LR/T M1 III. Ret.	_					to Infi	
Mark 4 6.5-20x50mm LR/T M1	N	Aultiple	Settir	nas: 75	vards	to Infi	nity
Mark 4 6.5-20x50mm LR/T M1 III. Ret.	_					to Infi	
Mark 4 8.5-25x50mm LR/T M1	N	/ultiple	Settir	ngs: 75	yards	to Infi	nity
Mark 4 8.5-25x50mm LR/T M1 III. Ret.	N	/ultiple	Settir	ngs: 75	yards	to Infi	nity
VX-III 4.5-14x40mm Long Range	N	/ultiple	Settir	ngs: 75	yards	to Infi	nity
VX-III 4.5-14x50mm Long Range	N	/ultiple	Settir	ngs: 75	yards	to Infi	nity
VX-III 4.5-14x50mm Long Range III. Ret.	N	/ultiple	Settir	ngs: 75	yards	to Infi	nity
VX-III 6.5-20x40mm Long Range	N	/ultiple	Settir	ngs: 75	yards	to Infi	nity
VX-III 6.5-20x40mm Adj. Obj. Target	M	ultiple	Settin	gs: 10	meters	to Inf	inity
VX-III 6.5-20x50mm Long Range Target	N	/ultiple	Settir	ngs: 75	yards	to Infi	nity
VX-III 8.5-25x50mm Long Range Target	N	/ultiple	Settir	ngs: 75	yards	to Infi	nity
VX-II 3-9x33mm Ultralight Adj. Obj.	M	ultiple	Settin	gs: 10	meters	s to Inf	inity
VX-II 3-9x33mm Rimfire Adj. Obj.	M	ultiple	Settin	gs: 10	meters	s to Inf	ìnity
VX-II 4-12x40mm Adj. Obj.	25	50	100	200	300	400	Infi
VX-II 6-18x40mm Adj. Obj.	_	50	100	200	300	400	Infi
VX-II 6-18x40mm Adj. Obj. Target	-	50	100	200	300	400	Infi
FX-III 6x42mm Adj. Obj. Competition Hunter	-	50	100	200	300	_	Infi
FX-III 12x40mm Adj. Obj. Target	_	50	100	200	_	400	Infi
Competition 35x45mm		Multipl	e Setti	ngs: 5	0 feet 1	to Infir	iity
Competition 40x45mm		Multipl	e Setti	ngs: 5	0 feet 1	to Infir	iity
Competition 45x45mm	1 7	Multipl	e Setti	nas: 5	0 feet 1	to Infir	nity _

² On all scopes with adjustable objectives, dimension "G" is measured over the knurled ring. ³ On the 1.5-5, 1-4, 2.5x Compact, and the 2x EER, dimension "C" is measured from the forward edge of the turret housing to the gold ring.

Dimensions "A" and "E" may vary according to the focusing position of the eyepiece.

⁵Actual eye relief on the 2.5-8 EER is between 12 and 27 inches on 2.5x and between 14 and 17 inches on 8x.

⁶On CQ/T, dimension is measured from where mounting foot rests on the base. on copy, unlimited in shade. Other configuration weights are:
w/o adj. covers, w/o lens shade. Other configuration weights are:
w/o adj. covers or lens shade: 19.5 oz; w/o adj. covers, w/ lens shade: 21.4 oz;
w/ adj. covers & lens shade: 22.2 oz.

^{*}w/ adj. covers, w/o lens shade. Other configuration weights are: w/o adj. covers or lens shade: 553 g; w/o adj. covers, w/ lens shade: 607 g; w/ adj. covers & lens shade: 629 g

^{*} BDC (Bullet Drop Compensation) Dial

** Elevation and windage adjustment ranges are the distance from one
extreme of the adjustment to the other.



Master Long Range Shooting with the Leupold Ballistic Aiming System

Leupold began development of the Ballistic

Aiming System because we believe so strongly

n the Boone and Crockett Club's® philosophy

of wildlife conservation and ethical fair chase

nunting. We worked closely with the Club to

develop one of the system's reticles – the

Boone and Crockett Big Game reticle – and

we're extremely proud that it's the first optical

product ever to bear the Club's name

LEUPOLD BALLISTIC AIMING SYSTEM

The Ballistic Aiming System, available exclusively in the VX-III riflescopes, is comprised of two specialized reticles – the Boone and Crockett Big Game reticle and the Varmint Hunter's reticle – which take into account all the variables crucial to accurate long range shots. With practice, it will teach you how to gauge the distance to your target, where to place your reticle for that distance, and even how to compensate for wind deflection. With the Ballistic Aiming System and some practice, you'll consistently make shots you wouldn't have attempted in the past.

Accurate, long-range shooting is probably one of the most difficult hunting skills to master. For many hunters, it remains a combination of hard-won experience, intuition and a little luck. Together, the reticles of the Ballistic Aiming System give the hunter two very useful tools for successful hunts with clean and efficient harvests. By practicing with the Ballistic Aiming System, all hunters can add science to the art of long range shooting, and master this important skill.

One System, Two Unique Reticles

The Boone and Crockett Big Game reticle and the Varmint Hunter's reticle use the same principles to help you hone your long-range shooting skills, though each has been tailored to meet the needs of big game or varmint hunters. With practice, using each will become a natural part of your shooting. Unlike other range estimating reticles, the calculations made here are incredibly simple, and take the guesswork out of long-range shooting.

Each reticle provides a series of aiming points. The first aiming point, the intersection of the Duplex reticle, is to be used at 200 yards with most common cartridges, and 300 yards with



THE LEUPOLD BOONE AND CROCKETT"
BIG GAME RETICLE

several flatter shooting, longer-range loads. The Leupold Ballistic Aiming System also provides you with two different power selector ring settings, indicated by large and small triangles on the power selector. These allow you to select the hold points best suited to the cartridge

you are using. In some cases, the smaller triangle setting can be used with your slower, heavier bullet load, and the large triangle setting with your faster loads in the same rifle. The reticle assumes bullets of similar spitzer shape will be used throughout.

remember: practice, practice, practice!

For example, a 30-06 with a 180gr spitzer bullet and 2700 fps muzzle velocity would use the smaller triangle setting. In the same rifle, a 150gr spitzer bullet with 3000 fps muzzle velocity would use the larger triangle. We have designated three sets of cartridges to be used in conjunction with the large and small triangle settings, and sight-in distances of either 200 or 300 yards, described as Group A (large triangle, 200 yard zero), Group B (large triangle, 300 yard zero), or Group C (small triangle, 200 yard zero). Verify the aiming points by shooting at the actual distances at which the hold points in the reticle are intended to work. And




THE LEUPOLD
VARMINT HUNTER'S RETICLE

Leupold Boone and Crockett Big Game Reticle


Available exclusively in the VX-III models, Leupold worked closely with the Boone and Crockett Club to create the first optical product to bear the Club's name. With practice it will hone your long range shooting skills, providing precise aiming points for easy-to-remember range increments as well as wind deflection.

The Boone and Crockett Big Game reticle offers:

- A Duplex central aiming point (sighted-in at 200 or 300 yards) as well as CPC-style hold points calibrated to 300 and 400 yards, and additional aiming features for targets at 450 and 500 yards
- A 10 mph windage hold point at both the left and right ends of the 300 and 400 vard CPC-style hold points
- The traditional VX-III range estimating feature between the Duplex central aiming point and the top vertical heavy post (consult the Leupold Riflescope Owner's Handbook)



10 mph shift



THE LEUPOLD
BOONE AND CROCKETT"
BIG GAME RETICLE
POWER SELECTOR


RANGE	POWER SE	LECTOR VALUES	10 MPH DRIFT
KANGE	LARGE BULLET DROP	10 IVIPH DRIFT	
200 yd MOA	_	_	_
200 yd inches	_	_	_
300 yd MOA	2.19	2.74	2.16
300 yd inches	6.88	8.61	6.79
400 yd MOA	4.80	6.00	3.03
400 yd inches	20.11	25.13	12.69
450 yd MOA	6.26	7.83	_
450 yd inches	29.50	36.87	_
500 yd MOA	7.82	9.78	_
500 yd inches	40.95	51.18	_

Leupold Varmint Hunter's Reticle

Available exclusively in the VX-III riflescope models, this reticle system will help you hit small targets at longer ranges than ever, by helping you determine the range to the target, then providing precise aiming points for easy-to-remember range increments, as well as wind deflection. Aiming points are fine lines, which won't obscure small targets at long range.

The Varmint Hunter's reticle offers:

- A fine lined German #4-style central aiming point (sighted-in at 200 yards in most cases) as well as cross-wire hold points calibrated to 300, 400, and 500 yards for most cartridges
- 10 and 20 mph windage hold points at both the left and right ends of the 300, 400, and 500 yard cross-wire hold points
- 10, 20, and 30 mph windage hold points along the German #4-style central aiming point line
- A prairie dog range estimator between the 500 yard and bottom vertical heavy post





	POWER SELEC	TOR VALUES	10 MPH	20 MPH	30 MPH
ANGE	LARGE BULLET DROP	SMALL ▼ BULLET DROP	DRIFT	DRIFT	DRIFT
00 yd MOA	_	_	1.77	3.54	5.31
00 yd inches	_	_	3.71	7.41	11.12
00 yd MOA	1.81	2.26	2.86	5.72	_
00 yd inches	5.69	7.10	8.98	17.97	_
00 yd MOA	4.13	5.16	4.09	8.17	_
00 yd inches	17.30	21.61	17.13	34.22	_
00 yd MOA	7.02	8.78	5.49	10.99	_
00 yd inches	36.76	45.97	28.75	57.54	_

RETICLE CONFIGURATIONS

Wide Duplex® Reticle

Leupold designed the Wide Duplex reticle with a larger center gate for lightning fast target acquisition, even on a moving target.



Leupold Dot

A Leupold exclusive, this reticle still has a prominent dot like the so-called "floating dot." But the thinning portion of the crosshair makes locating the dot much easier.

Fine Duplex

Thinner posts and crosshairs allow for less target coverage, making precision shots on small targets easy.



Duplex

Heavy posts stand out against cov and in twiligh conditions, pointing boldly to the intersection. Centering is a snap. The thin crosshairs obscure little.

VX-III models use the Duplex reticle for range estimating as well. If you bracket a deer, you can read the range on the power selector ring.



Heavy Duplex

With its heavy posts, the Heavy Duplex reticle is especially useful in low-light conditions.



Wide Duplex RE

Place game of approximately 16" in height in the ranging bracket on the lower picket, and turn the power selector until it fits into this space, then read the



numbers on the rear of the power selector ring to get an estimate of the range ("3" for 300 yards, etc).

The CPC reticle is a steady taper down to a fine intersection. This gives a faster reference than a conventional crosshair by leading your eye to the center.

Post & Duplex

Offering the benefits of both the Duplex and the German #4, the Post & Duplex is the favorite of many hunters.

Target Dot

This is a conventional shooter's dot, which seems to "float." The crosshairs are extremely thin.



Illuminated Circle Dot




Circle Dot Circle Dot illuminated) illuminated)

(when not

Illuminated Circle Dot illuminated)

Designed for fast target acquisition in any environment, the Illuminated Circle Dot reticle can also be used to estimate range. Available in the VX-III1.5-5x20mm Illuminated reticle model and Leupold Mark 4 CQ/T scopes.


Mil Dot Several Leupold riflescopes are available



with the Mil Dot reticle, which was designed to help the U.S. Marine Corps estimate distances. It's now standard for all military branches.

Range Estimating with the Mil Dot Reticle With practice, it's a simple system to use.

Dots are spaced in one mil (milliradian) increments on the crosshair. Using the mil formula, a table can be created that is based on the size of the object being targeted. Just look through the scope, bracket the object between dots, and refer to the table



German #1, #4, and Illuminated #4 Dot



These typical European-style reticles are bold and easy to see, especially against tangled backgrounds and shadows.

Crosshair

The conventional crosshair is still a popular choice because of its simplicity and versatility.



New! Tactical Milling Reticle (TMR)

The Tactical Milling Reticle (TMR) expands on existing Mil Dot reticles by using various sized and spaced tic marks on the vertical and horizontal stadia for increased ranging precision, accuracy, and quick 1-meter range estimating reference points. All Mil Dot calculations are TMR compatible.

New! Special Purpose Reticle

With the Special Purpose Reticle, you can engage targets with greater precision Special Purpose at longer ranges than generally possible with other reticle styles, yet also use it for instinctive, close-range/low-magnification engagements.

RETICLE CONFIGURATIONS

																			DU	PLEX	STY	LE R	ETIC	LE SI	JBTE		NS																						
Scope			L	LF	_								VX				_		_							(-II							٧X						Rifle				FX:			FX-II		-	Scope
Scope			_	-10	3.5		_	5-5	1.7	_	2.5		3.5		_	-14		-20		-25	1	-4	-	-7	-	-9	-	12	-	-18	-	2-7	3-	_	4-1		2-	\rightarrow	3-	_	4-	_	6	_	-	4	-		Scope
Power	_		_	10	3.5	14	1.5	5	1.75	6	2.5	8	3.5	10	_	-	_	_	_	25	1	4	2	7	3	9	4	12	6	-	2	7	3	9	4	12	2	7	3	9	4	12	6	12	2.5	4	6	-	Powe
Fine	Heavy		1-			_	_	_	_	_	_	_			-		_			0.2	ᄂ	<u> </u>	_	_	_	_	-	0.3			-	<u> </u>		_	-	_	_	_		_	_			0.4	_				Fine
Duplex	_	Citi	-	_	_	_	_	-	_	_	_	_	_	_	_	_				0.5	-	-	_	-	_	_	_	0.9	_	_	-	-		-	-	-	-	-	-	-	_			1.1	_			<u> </u>	Duplex
	Thin	inch	1-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	0.1	느	-	_	_	_	_	_	0.1	_	_	_	<u> -</u>	-	-	-	_	_	-	_	_	_	\vdash	لطر	0.1	_	_	إلـــا		
	Sectio	Citi	1-	_	_	_	_	_	_	_	_	_	_	_	_	_	0.6	_	_	_	1-	-	_	_	_	_		0.3		_	_	<u> </u>	<u> </u>	-	-	_	-	-	_	-	_		لت	0.3	_	_			
	Thin	inch	1-		_	_	_	_	<u> -</u>	_	_	_		_		-	8.5	-	-	2.2	느	<u> -</u>	_	_	<u> </u>	_	-	4.7	8.5	-	<u> -</u>	<u> -</u>	_	_	-	_	_	-		_	_			4.8	_				
_	Openir		-	_	_	_	_	_	<u> </u>	_	_	_	_	_	_	_	23.6	7.9	18.3	6.1	-	_	_	_	_	_	33.5	13.1	23.6	8.9	_	-	_	_	-	_	_	-	_	_	_			13.0	_	_		ŀ	
Duplex	Heavy		2.6	0.7	1.9	0.5	4.6	1.5		1.2	2.7	0.9		0.7	1.5	_	_	_	_	-	4.7	1.8	2.8	1.1	2.2	0.8	-	-	-	-	2.8	1112	_	8.0	_	0.6	_	-	_	-	_	_	1.2		2.2	1.9	-		Duplex
	Sectio	Citi	1		5.3		12.9		10.3							1.4	_	_	_	_	13.1	_	7.9		_	2.3	_	_	_	_	-	_	6.1	_	_	1.6	_	-	_	-	_		3.3		_	5.3	_		
	Thin		0.8														_	_	<u> </u>	<u> -</u>	_	-	_	_	0.7	-	_	-	_	<u> </u>	-	-	0.7	_	_	$\overline{}$	_	-		-	_		0.4		_	0.6	_		
	Sectio	CIII	2.3				_	_	_			_	1.9	_	_	_	_	_	_	_	4.4	_	_	_	2.0	_	_	_	_	_	2.5	_	1.9	_	-	_	-	-	-	-	-		1.1		_	1.7	_		
	Thin		18.8	_	_	_	_	_	-	_	_	_	-	-	-	-	_	_	_	_	-	_	21.3	_	-	_	_	-	_	_	-	-	16.3		_	-	-	-	-	-	_		9.0	_	-	14.7	-		
_	_	ng _{cm}	-	14.5	43.6	14.1	_	_	_	_	44.1	14.7	_	-	_	-	_	_	_	_	-	_	_	_	45.4	_	_	_	_	_	59.1	22.4	45.4	17.2	32.2 1	12.2	_	-	_	_	_		25.0	ᆜ	59.0	40.8	25.0	-	
Heavy	Heavy		1-	_		_	_	_	8.5	_	_	_		1.6	_	_	_	_	_	-	-	-		-	4.9	-	_	-	_	-	-	<u> -</u>		-	-	_	_	-		-	_		2.7		_				Heavy
Duplex	Sectio	CIII	-	_	_	_			23.7		_	_	13.5	_	_	_	_	_	_	_	_				13.7		_	_	_	_	-	-	_	-	-	-	-	-	-	-	-		7.5		_			<u> </u>	Duplex
	Thin	inch	1-	_	_	_	3.8	_	3.0		_	_	_	0.6	_	_	_	_	_	_	-	-	-	_	1.8	0.6	_	_	_	_	_	_	<u> </u>	-	_	_	_	-	_	_	_		1.0		_				
	Sectio	CIII	<u> </u>	_	_	_	_	-	_		_	_		1.6	_	_	_	_	_	_	_	_	17.9		-	1.7	_	_	_	_	_	_	<u> </u>	-	-	_	_	-	_	-	_	-	2.8		_	-			
	Thin	inch	1-	_		_	_	_	16.1	_	_	_		5.4		-	_	_	_	<u> -</u>	-	_		_	26.3		_	<u> </u>	_	<u> </u>	-	<u> -</u>	<u> </u>	-	-	_	_	-	_	-	_		14.5		_	-			
_	_	ng _{cm}	<u> -</u>	_	_	_			44.7		_	_	44.6	_	_		_	_	_	_	_	-	_	_	73.0	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_		40.0					-	
Wide	Heavy		1-	_	_	_	5.8	_	4.6	_	3.3	_	2.7	_	_	_	1.3	_	1.0	0.3		_	3.5		-	-	-	-	1.3	-	3.5	1.4	2.7		_	$\overline{}$	3.5	\rightarrow		_	2.0	\rightarrow	ا_ا		_				Wide
Duplex	Sectio	Citi	<u> -</u>	_	_	_	_		_	4.3	_			2.5	_	_	3.7	_	2.9	_	_	-	9.6	_	7.6	_	_	-	3.7	_	_		-		5.5	\rightarrow	_	_	7.6	_	5.5	-			_	-			Duplex
	Thin	inch	1-			_	_		-	0.5	_					_	0.4	-	-	0.1	-	-	-	_	-	_	_	-	-	0.2	-	_	0.8	_	-	-	1.2	_		0.3	_	_			_				
	Sectio	CIII	<u> -</u>	_	_	_	_	_	_	_		_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	2.3	_	-			_	2.3		1.7	_			_				
	Thin	inch		_	_	_	_	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	42.1	_	_	_	_	$\overline{}$	-	$\overline{}$	_	-	_		_	28.2			
	_	ng _{cm}	-	_	_	_	250.3	83.6	200.9	67.1	144.4	48.2	115.1	38.4	79.1	26.4	58.5	19.5	45.4	15.2	254.:	96.4	151.6	57.6	_	_	_	31.4	58.5	22.2	151.6	57.6	116.9	44.2	82.9	31.4	151.6	57.6	116.9	44.2	82.9	31.4	_		느	106.2			
	Heavy		1-			_	_	_	<u> </u>	_	_	_		_	_	三	<u> </u>	<u> </u>	<u> </u>	<u> </u>	느	느	<u> </u>	_	-	4.2	-	_	_	_	<u> -</u>	<u> -</u>	<u> </u>	_	_	_	_	_		_	_		2.1		느	-	2.1		Target
Duplex	Sectio	CIII	<u> -</u>	_	_	-	_	-	<u> </u>	-	_	_	_	_	_	_	_	_	_	-	-	_	_	-	30.8	11.6	_	<u> </u>	_	<u> </u>	-	<u> - </u>	-	-	-	-	-	-	_	-	_		5.8	<u> </u>	_		5.8	<u> </u>	Dot
	Thin	inch	1 -	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	<u> -</u>	-	_	_	1.8	0.6	_	_	_	_	_	<u> -</u>	<u> </u>	-	-	_	_	_	_	_	_		1.0	-	_	_	1.0		
	Sectio	CIII	1-	_	_	_	_	_	<u> -</u>	_	_	_	_	_	_	_	_	_	_	<u> -</u>	1-	-	<u> -</u>	_	4.9	1.7	_	-	_	-	-	1-	-	_	-	_	_	_	_	_	_		2.7		_	-	2.7		
	Thin	inch	1	_		_	_	-	_	-	_	_	-			_	_	_	_	-	-	-	_	-	17.0	6.4	_	-	-	-	-	-	-	-	-	_	-	-		_	_		9.4	_	_	-	9.4		Crosshai
	Openir	ng _{cm}	<u> -</u>				_	-	-	_	_	_					_	_	_	<u> </u>	<u> </u>		-	-	47.1	17.7	_	-	_	-	<u> </u>	-		-	-	_]	-	-		_		_	26.0	_	_		26.0		

				ULTRA	LIGH	T, RI	MFIF	E, H	AND	GUN,	& C	ОМР	ETIT	ION I	RETI	CLE S	SUBT	ENS	ONS		
	FX-II		Scope 1	Туре			Ultra	alight	and	Rimfi	re Sp	ecial			Hand	dgun			Com	petitio	on
out	4	6	Scope	Model		2.5	4 RF	2-	-7	2-7	RF	3-	.9	2	4	2.5	-8	35	40	45	6
.5	4	6	Power	Setting		2.5	4	2	7	2	7	3	9	2	4	2.5	8	35	40	45	6
=	-			Heavy	inch	-	1.4	_	-	2.0	0.8		-	-	-	-	_	-	_	_	-
	-		Duplex	Section	cm		3.9			5.5	2.1										
_	_	_		Thin	inch	_	0.4	_	_	0.6	0.2	_	_	_	_	_	_	<u> </u>	_	_	
_	_	_		Section	cm	_	1.1	_	_	1.6	0.6	_	_	_	_	_	_	느	_	_	_
_	_	_		Thin	inch		17.3			24.8	9.4						_	느			
_	_	_		Opening	cm		48.1	_		69.0	26.2		_			_	_		_	_	_
.2	1.9	1.2	Duplex	Heavy	inch	_	_	3.2	1.2		_	2.5	0.9	3.5	1.6	2.4	0.8	_	_		믜
.1	5.3	3.3		Section	cm	_	_	8.8	3.3	_	_	6.9	2.5	9.7	4.4	6.7	2.2	_	_	_	
.7	0.6	0.4		Thin	inch			1.0	0.4		-	0.8	0.3	1.2	0.5	0.8	0.3	-	-		
.0	1.7	1.1		Section	cm	_	_	2.8	1.1	_	_	2.2	0.8	3.3	1.4	2.2	0.8	_	_	_	_
_	14.7	9.0		Thin	inch	_	_	24.0	9.1	_	_	18.6	7.1	-	-	15.7	5.3	느	_	_	
9.0	40.8	25.0		Opening	cm	_	_	66.6	25.3	_	_	51.7	19.7	63.3	29.2	43.6	14.7	느	_	_	_
	_		Heavy	Heavy	inch	8.0					_						_	느			
_			Duplex	Section	cm	22.1	_	_	_	_	_		_	_	_	_	_	_	_	_	_
_	_	_		Thin Section	inch	2.8	_	_	_	_	_	_	_	_	_	_	_	느	_	_	
	_	_			cm	7.8	_	_	_	_	_	_	_	_	_	_	_	二	_	_	_
	_			Thin Opening	inch	42.2					_						_	느	_		
	_				cm	117.1	_	_	_	_	_		_		_	_	_	_	_	_	
_	_	_	Wide Duplex	Heavy Section	inch	_	_	_	_	_	_	3.1	1.2	_	_	_	_	느	_	_	픠
	_		publex		cm	_	_	_	_	_	_	8.5	3.0	_	_	_	_	_	_	_	_
				Thin Section	inch						_	1.0	0.4								
	20.2				cm				-			2.8 48.0	1.1								
_	28.2	_		Thin Opening	inch	_	_	_		_	_	-		_		_	_	F	_	_	=
	106.2	2.1	Towns		cm		_	_	_	_	_	133.4	50.6	_	_		_	0.12	0.12	0.12	0.54
		2.1	Target Dot	Heavy Section	inch													_	0.13	_	0.54
		5.8	DOL		cm inch																1.50
_	_	1.0		Thin Section	_	_	_	_	_	_	_		_	_	_	_	_	0.02			0.05
_		2.7 9.4	Crosshair		cm inch	H	_	=	_	=	_	\vdash	_	H	_	=	_	0.05	0.04	0.03	0.13
		26.0	crossnair	vvire		_	_	_	_	_	_		_	_	_		_	0.02		0.01	-
=		20.0			cm						=							0.05	0.04	0.03	0.26
													TICA			E CU					

																	CF	PC, D	OT 8	EUI	ROPE	AN :	STYLE	E RE	TICLI	SU.	BTEN	SIOI	NS																		
Scope	Туре			LP:	S								V	(-											V	(-II							V	(-I					Rifle	eman			FX	(-III		FX-II	
	Model		2.5	10	3.5-	14	1.5	5-5	1.7	75-6	2.	5-8	3.5	-10	4.5	-14	6.5	-20	8.5	-25	- 1	-4	2	-7	3	-9	4-	12	6-	-18	2-	7	3-	9	4-1	12	2	-7	3	-9	4-	-12	6	12	Scout	4	6
	Setting	g	2.5	10	3.5	14	1.5	5	1.75	6	2.5	8	3.5	10	4.5	14	6.5	20	8.5	25	1	4	2	7	3	9	4	12		18	2	7	3	9	4	12	2	7	3	9	4	12	6	12	2.5	4	6
Leupold	Dot	inch		-	-	-	-	-	-	-	-	-	3.5	1.2	-	_	1.0	0.3	_	-	-	-	4.5	1.8	3.6	1.4	1.5	0.5	I-	-	-	-	-	-	-	-	-	-		_			-	0.6	-	3.1	1.9
Dot		cm		-	-	-	_	_	_	-	<u> </u>	-	9.6	3.2	-	_	2.8	1.0	_	_	_	<u> </u>	12.5	4.9	9.9	3.8	4.1	1.5	-	-		-	-	-	_	-		_	_	_	_		-	1.6	_	8.7	5.4
	Dot	inch	_	-	1.5	0.4	_	_	_	-	-	-	-	-	-	_	0.9				_	-	-	_	-	_	-	-	0.5	0.2	-	-	-	-	-	-	_	_	_	_	_	-	_	-	_	-	-
Dot		cm	_	-	4.0	1.1	_	_	-	-	-	-	-	-	-	_	2.4	0.8	1.9	0.6	_	-	-	_	-	_	-	-	1.4	0.5	-	-	-	-	-	-	_	_	_	-	_	-	_	-	_	-	
CPC		inch		-	-	-	=	-	-	-	-	-	-	-	-	_	_	_	_	-	4.7	1.8		_	0.7	0.3	1-	-	<u> </u>	-	-	-	-	-	-	-	-	-		_			-		_	-	-
	Section	cm	目			Ξ		=	-	=	-	E	=	=	-	Ξ	=	Е	Е	=	13.1	4.9		=	2.0	0.9		-		E		=	Ξ					-							-		=
	Thin	inch	-	-1	-	-	-	_	<u> </u>	<u> </u>	-	I-	-	-	I-	_	_	_	_	<u> </u>	1.6	0.6		_	2.2	0.8	<u> - </u>	-	T-	<u> </u>	$\left - \right $	-	-	-	-	-1	-	_	_	_	_	-	_		<u> </u>	-1	=
	Section	cm	-	-[-	-	-	_	<u> </u>	<u> </u>	I –	I-	-	-	I-	_	_	_	_	_	4.4	1.7		_	6.1	2.3	T-	<u> </u>	T-	<u> </u>	$\left - \right $	-	-	-	-	-1	-	_	_	_	_	_	_		_	-1	=
German	Post	inch	12.6	3.4	8.2	2.2		=	-	-	-	-	-	-	-	_	_	=	=	-	-	-		_	10.8	4.1	1-	-	<u> </u>	-		-1	=	=	-	-	-	_		_			-		_	-	
#1		cm	34.9	9.3	22.7	6.1		_	-	-	-		_	-	<u> </u>	=	_	-	=	=	-	-		_	30.0	11.3	3 —	-	1-	-		-		-		_		_		_	-				-		
	Opening	inch	94.4	25.1	95.3	25.1	_	_	_	-	_	-	_	_	_	_	_	_	_	_	-	_		_	66.5	25.2	2 —	_	<u> </u>	_		-	_	-	_	-	_	_	_	_	_		_		_	_	=
		cm	262.1	69.8	264.7	69.8	_	_	-	-	<u> </u>	-	-	-	<u> </u>	_	_	_	_	_	<u> </u>	-		_	184.7	70.1	1 -	_	1-	-	1-1	-1	-	-1	-	-	_	_	_	_	_		_		_	_	=
German	Heavy	inch	18.8	5.0	12.4	3.2	15.0	5.0	_	-	-	-	10.9	3.7	-	_	_	_	_	=	-	-		_	11.1	4.3	7.9	2.9	<u> </u>	-		-		=	_	_	_	_		_			6.0		_		
#4	Section	cm	52.4	14.0	34.3	9.0	41.7	13.9	-	-	-	-	30.4	10.1	<u> </u>	_	_	_	_	-	-	-		_	30.8	11.9	21.8	8.1	1-	-		-	_	-	_	_		_		_	_		16.6		_		
	Thin	inch	2.1	0.5	1.3	20.7	2.5	0.8	_	-	_	-	1.7	0.6	_	_	_	_	_	_	-	_		_	1.8	0.6	1.3	0.5	<u> </u>	_		-	_	-	_	-	_	_	_	_	_		0.7		_	_	=
	Section	cm	5.8	1.5	3.6	57.6	7.0	2.3	-	-	<u> </u>	-	4.8	1.6	<u> </u>	_	_	_	_	_	<u> </u>	-		_	4.9	1.7	3.5	1.5	1-	-	1-1	-1	-	-1	-	-	_	_	_	_	_		1.8		_	_	=
	Thin	inch	95.3	25.1	95.3	25.1	97.8	32.7	_	-	-	-	74.8	25.0	_	_	_	-	-	_	-	-		_	66.5	25.2	47.1	17.9	-	-	_	-	-	-	_	-	-	_		_	-		25.2		_	_	-
	Opening	cm	264.7	69.8	264.7	69.8	271.6	90.7	-	-	-	-	207.9	69.4	-	_	_	=	=	-	-	-		_	184.7	70.1	130.9	49.7	/	1=		-1	=	-1	_					_			70.1		_		
Illum.	Heavy	inch	=	=	-	=	18.4	6.1	_	-	_	-	2.7	0.9	6.0	2.0	_	_	_	_	_	-	\Box	_	_	_	1-	_	1-	_		-	_	=	_	_	_	_	$\overline{}$	_	$\overline{}$			\Box	$\overline{}$	_	=
	Section	cm	_	-	-	-	51.1	17.1	_	-	_	-	7.5	2.5	16.6	5.5	_	_	_	_	-	-	_	_	_	_	1-	_	-	-	1-1	-	-	-	-	-	_	_	_	<u> </u>	_		_		_	_	=
#4 Dot																																															
	Thin	inch	囯	-	-	=	2.4	0.8	-	-	-	-	1.9	0.4	0.8	0.3	_	_	_	-	-	-		_	-	_	1-	-	1-	-		-	=	-	_	=		_		_					_		=
	Section	cm	_	-	_	_	6.6	2.2	_	<u> </u>	-	<u> </u>	3.0	1.0	2.1	0.7	_	_	_	_	<u> </u>	-	=	_	-	_	1-	-	1-	-		_	_	_	_	_	_	_	_	_	_		_	\Box	_		=
	Thin	inch	_	-1	_	_	165.5	55.3	<u> </u>	1-	1-	1-	75.9	25.3	53.8	18.0	_	_	_	-	<u> </u>	<u> </u>		_	-	-	1=	<u> </u>	1-	1-		-1	_	-1	_	-		1	<u> </u>	<u> </u>	<u> </u>	T	_	\Box	_		=
	Opening	cm		_	_	_	459.7	153.6	_	-	_	-	210.8	70.4	149.4	49.9	_	-	-	_	_	-		_	-	_	 	-	 	-	-	_	_	_	_	_	-	_	_	_	_		_		_		
	Dot	inch		=	=		5.9	2.0	_	-	<u> </u>	-	2.7	0.9	6.0	2.0	_		_	_	<u> </u>	-		_	-	_		<u> </u>		-								_							_		
		cm		-	_	_	16.4	5.5	-	-		-	7.5	2.5	16.6	5.5	_	_	_	-	-	-		_	-	_	1-	1-	-	-		=	_	-1	_	=			=	_	=		_				=
Illum.	Circle	inch		=1	_	=	112.9	37.7	<u> </u>	1-	1-	1-	1-	-	1-	_	_	_	_	-	1-	1-		_	1-	-	1-	1-	1-	1-		=	=	=1	_	=1	_	<u></u>	1	<u> </u>	1		<u> </u>	\Box	_		=
Circle	Inside	cm		_	_	_	313.5	104.7	_	<u> </u>	<u> </u>	-	-	_	-	_	_	_	_	_	<u> </u>	-		_	-	_	-	<u> </u>	-	-		_	_	_	_		_	_		_			_		_		
Dot	Circle	inch			_		1.9	_					-	-							-				-	-				-					_								-		-		
	Line	cm		-	_	_	5.2	1.7	_	-	-	-	-	_	-	_	_	_	_	_	-	-		_	-	_	1_	_	-	-		_	_	-	_	_			-	_	-		_				
	Dot	inch		_	_		4.9	_	-	+	-	+	-	-	+	_			_	-	-	1	\vdash	_	1	-	1_	-	+	+		_	_	_	_			\vdash	\vdash	+	\vdash	\vdash	<u> </u>	\Box	_		=
	1200										1		_													_		1															_				

											TAC	TICA	L RE	TICL	E SU	BTE	NSIO	NS										
-	Ī	Scope '	Туре					Р	R				CC	Q/T		M	R/T						LR	/T				Т
П		Scope	Model		1.5	5-5	3-	-9	3.5-	10*	4.5-	14*	- 1	-3	1.5	5-5	3-	9*	3.5-	10*	4.5-	14*	6.5	-20	8.5	-25	10	1
7		Power	Setting		1.5	5	3	9	3.5	10	4.5	14	1	3	1.5	5	3	9	3.5	10	4.5	14	6.5	20	8.5	25	10	1
9		Fine		inch	_	_	_	_	_	_	0.8	0.3	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	Œ
.4		Duplex	Section	cm	_	_	_	_	_	_	2.2	0.7	_	_	_	_	-	-	_	_	-	_	-	_	_	_	_	-
7			Thin	inch		_	_	_	_		0.3	0.1	三			_	_	_			_	_	_		_	_		E
-1				cm	_	_	_	_	_		0.8	0.3		_	_	_	_	_	_	_	_	_	_	_	_	_		-
=			Thin	inch	_	_	_	_	_	_	16.1	5.4	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	Ŀ
7			Opening	cm	느	_	_	_	_	_	44.7	14.9	느	_	느	_	_	_	_	_	_	_	_	_	_	_	_	Ŀ
7				inch	_	_	2.2	0.8	2.1	0.7	1.5	0.5	느	_	_	_	2.2		2.1	0.7	0.4	0.1	_		_	_	0.7	0
7			Section	cm		_	6.1	2.3	5.9	2.0	4.1	1.4		_		_	6.1	2.3	5.9	2.0	1.2	0.4	_	_	_	_	1.9	1
			Thin	inch	_	_	0.7	0.3	0.7	0.2	0.5	0.2	上	_	_	_	0.7	0.3	0.7	0.2	0.1	0.0	_	_	_	_	0.2	0
=				cm	느	_	2.0	0.9	1.9	0.6	1.3	0.4	느	_	느	_	2.0	_	1.9	0.6	_	0.1	_	_	_	_	0.6	0
۲			Thin	inch		_	16.3	6.2	16.1	5.4	16.1	5.4	느			_	16.3	6.2	16.1	5.4	4.7	1.6	_		_	_	14.3	14
\exists			Opening	cm	느	_	45.4	17.2	44.8	15.0	44.8	15.0	드			_	45.4	17.2	44.8	15.0	13.1	4.5	_		_		39.8	40
-		Target	Dot	inch	上	_	_	_	_	_	_	_	느	_	느	_	_	_	_	_	_	_	_	_	_	_	_	0
4	ı,	Dot		cm	느	_	_	_	_	<u> </u>	_	_	느	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1
4	- 1	Illum.	Circle	inch		_	_	_	_		_	_	212.5	72.3		_	_	_		_	_	_	_		_	_		Ŀ
4	- 1	Circic	Inside	cm	_	_	_	_	_	_	_	_	590.4		_	_	_	_	_	_	_	_	_	_	_	_	_	-
_		Dot	Circle	inch	二	_	_	_	_	_	_	_	3.6	1.2	_	_	_	_	_	_	_	_	_	_	_	_	_	Ŀ
_			Width	cm	_	_	_	_	_	_	_	_	9.9	3.3	_	_	_	_	_	_	_	_	_	_	_	_	_	Ŀ
╛			Dot	inch		_	_	_	_		_	_	9.2	3.1	_	_	_	_	_	_	_	_	_		_	_	_	Ŀ
_]				cm	_	_	_	_	_	_	_	_	25.6	8.7	_	_	_	_	_	_	_	_	_		_	_	_	-
-			btension					s at 1	00 y	ards	and e	ither	mm	or cm	at 1	00 m	eters	i.										

* Available in illuminated reticle



MOUNTING SYSTEMS

Why invest in a Leupold riflescope and then attach it to your rifle with a substandard mount? Leupold's mounting systems are as rugged and reliable as the Leupold riflescopes they're intended to secure. No matter which mount you choose, you can count on it for rock-solid dependability and tack-driving repeatable accuracy.

Lightweight, Affordable Leupold Rifleman Mounts

These mounts are extremely affordable and exceptionally well-made. Precision machined from aircraft-grade aluminum, they provide the strength you expect, without adding excess weight.

- Black matte or silver finish
- Bases for many popular rifle models available
- Affordable, just like the Rifleman riflescope
- Vertical split rings
- Detachable see-thru rings



STD Mounts

- Machined steel construction
- Versatile, available for many different rifles
- Forward part of the base accepts a dovetail ring, locking it solidly into position
- Rear ring is secured by windage adjustment screws
- Long Range STD mounts provide 1/4 degree of built-in elevation compensating for bullet drop at extreme ranges
- STD 2-Piece bases offer maximum accessibility to the breech area of your rifle
- STD 2-Piece bases fit right- and left-hand actions, and reversible bases are available for many actions
- STD rings are engineered to match up with STD 1-Piece and STD 2-Piece bases
- Five different ring heights are available for STD bases



Dual Dovetail Mounts

- Machined steel construction
- Leupold's trademarked Dual Dovetail system provides a classic low-profile mount for scopes on a variety of popular actions
- Bases accept all Leupold rotary dovetail rings
- Dovetail connections at both front and rear provide a rock-solid mounting platform




Handgun Mounts

- Designed specifically to withstand the crushing recoil of today's powerful handguns
- Available in models that match up with the most popular handguns

Leupold Ringmounts

- Machined steel construction
- Use as a high-quality alternative to ringmounts sold by firearms manufacturers and as a no-tap mounting method for most .22 rimfire rifles with
- a 11mm, 13mm, or 3/8" dovetail rail
- Superior integrity and tighter tolerances because we machine them from solid stock



Rings for Cross-Slot Bases

- Machined steel construction
- Engineered specifically to match up with cross-slot bases
- Mount these incredibly stable rings on firearms such as tactical shotguns with built-in mounting rails



MOUNTING SYSTEMS

Extension Ring Sets

- Machined steel construction
 Extension rings give you
 5/8" of additional
 ring spacing
 adjustment,
 so you can
 shorten or
 lengthen your
 ring spacing
 on rifles
- Extension rings that mount on the front of STD and QR bases are available for 1-inch, 26mm (QR only), and 30mm maintubes

Leupold PRW Rings Offer Permanent Cross-Slot Stability

- Steel rings that are based on the proven cross-slot design
- Uses the Leupold QRW bases or any other Picatinny-style mounting rails



Detachable Mounting Systems

Why are so many hunters and shooters using Leupold's Detachable Mounts, the mounts you can remove, replace, and return to zero without fail?

- 1) Switch quickly to open sights
- 2) Remove your scope to carry your rifle in a scabbard on horseback hunting trips
- 3) Switch from small to large objective scopes and vice versa, depending on the light conditions
- 4) Have one scope for big game, one for varmints
- 5) Remove your scope during travel or storage
- 6) Better access to the loading port during cleaning
- 7) Switch to a backup scope in case of damage in the field
- 8) Use a higher magnification scope for load development and precise bench work, and a lower magnification scope for hunting

The QRW brings Leupold accuracy to the cross-slot format:

- Steel detachable accuracy mounts that are based on the familiar cross-slot design
- Use the QRW mounts to achieve detachable accuracy



The QR mount promises repeatable accuracy:

- Remove and reattach a scope using our QR mount and still return to within half an inch of the original point-of-impact on the target
- Turn the lever forward and an eccentric on the lever shaft engages the base of the ring, pulling it down and forward on the base, locking it solidly into its "zero" position
- The key is super-close machining tolerances at the heart of the patented lever mechanism
- The strength of machined steel construction
- Proven in extensive testing



New! Leupold Mark 4 Aluminum Rings

In the field, you count every ounce of weight, because you've got to carry it. Mark 4 Aluminum mounts are machined from a single piece of aircraft-grade aluminum, so they're incredibly strong, yet lightweight.

Leupold Mark 4 Tactical Mounts

- System employs a slot and spline design, and comes in 1-Piece and 2-Piece configurations
- Mark 4 bases accept Mark 4 rings, cross-slot rings, and QRW/PRW rings
- AR-15/M16 model specifically designed for use with handle mounting configurations



New! Mark 4 CQ/T Throw Lever Mount

Get a precise and repeatable zero every time with this new quick-detaching mount for the Leupold Mark 4 CQ/T optical sight. With rugged, all-metal construction and a

black, anti-glare matte finish, it's ready to handle any mission. Fits all MIL-STD-1913/Picatinny-style rails.



Leupold Mark 4 CQ/T Flat Top Mounting Bracket

Secure your Mark 4 CQ/T scope to any Picatinny-style mounting rail using this specially designed mounting bracket. Two rugged cross-slot bolts secure the bracket for rock-solid durability.



Leupold Mark 4 AR-15/M16 Handle Mount

Securely attach your scope to any M16 variant with a carrying handle using this rugged mount.

- Delivers rock-solid stability for repeatable accuracy
- Position the scope for proper eye relief using one of three threaded holes, then secure the scope
- Fit it into the sight channel of the carrying handle
- Use with
 Leupold
 ORW Mounts

Bases for Custom Gunmakers

Leupold Gunmaker bases are intended for those who embrace the philosophy of one hundred percent customization. With these unique bases, you get the freedom to tailor your scope mounting system to specific configurations. There are no pre-drilled holes or fluting, which affords you the freedom to custom drill holes, cut to length, cut flutes, and cut a specific radius.



Our Classic Gunmaker base is similar to our STD 2-Piece

bases. The front base accepts a dovetail ring, and the rear base houses the windage adjustment screws.

The QR Gunmaker base was specially engineered to receive Leupold OR Rings.



Leupold Was First With Torx®

We were the first U.S. mount maker to offer the Torx® drive system. Unlike old-fashioned hex-head screws,



the deep-engaging lobe design won't strip screw heads or distort drivers. The Torx system makes more efficient use of your driving force so you can tighten screws far more securely, which translates

Torx is a registered trademark of CamCar, Inc.

into increased confidence.

57

BASE FIT & RING HEIGHT INFORMATION

_		LPS									VX-I	II .											1	VX-II					V	K-I			F)	(-111		FX-II			Comp	etitio	n		Ult	raligh	t		Rimfi	fire
	SCOPE MODEL	LPS 2.5-10x45mm	X-III 1.5-5x20mm	minated Retio	1.5-5x20mn	VX-III 1.75-6x32mm	VX-III 2.5-8x36mm	VX-III 3.5-10x40mm	VX-III 3.5-10x50mm	Illuminated Reticle	4.5-14x40m	To Trontonini Long	<-III 4.5-14x40mm Long Ran	.5-14x50mm	VX-III 4.5-14x50mm Long Range (& Illuminated Reticle)	VX-III 6.5-20x40mm EFR Target	VX-III 6.5-20x40mm Long Range	Range Ta	Long Range Target VX-III 6 5-20x50mm	1-4x20n	V-II 2-7 X35IIIIII	(_III 2_7v33mi	VX-II 3-9x40mm	VX-II 3-9x50mm	VX-II 4-12x40mm Adj. Obj.	VX-II 4-12x50mm	irget)	gun/M	-1 3-9X4	3_9v/10mr	VX-I 3-9x50mm	VX-I 4-12x40mm	FX-III 6x42mm	FX-III 12x40mm Adj. Obj. Target	FX-II 2.5x28mm Scout	FX-II 4x33mm	FX-II 6x36mm	Competition Series 35x45mm	Competition Series 40x45mm	Competition Series 45x45mm	Competition Hunter	(-II 2-7x28mm	VX-II 3-9x33mm Ultralight	-II 3-9x33mm Ultı	-II 2.5x20mm Ultralight	VX-II 3-9x33mm Rimfire EFR	2-7x28mm Rimfire	2 20

		mm	mm Side Focus	m le)mm	3	nm	nm la	mm He	0mm Long Range 0m	eticle) mm	mm EFR Target mm Long Range	mm Long Range	Omm get	mm et			nm Adj. Obj.	mm	n Adj. Obj.	n leloader			im		Adj. Obj. Target	Scout		ries 35x45mm	eries 40x45mm	ies 45x45mm	.dj. Obj. iter	Ultralight	Ultralight	Ultralight EFR	Ultralight	Rimfire FFR	Rimfire
NEW PRODUCTS ARE SHOWN IN	N RED BASE PART NUME	FR 56	6.5	55 5		4 51	5.8	51	56	58 59	51 5	5 61	5 68	65	65 55	5 52	56	50 53	5.0	61	55 1	52 56	150	5.6	54	5.8	56	55 50	a 71	71	71	5.4	18	5.5	50 1	53 5	0 4	18
Base Model	Gloss Matte Sil		0.5	3.5	,.0 5.	.4 5.1	3.0	3.1	5.0	3.0 3.3	3.1 3	.5 0	5 0.0	0.5	0.5 3.5	J.2	5.0	3.5	3.0	0.1	5.5	J.2 J.0	3.0	3.0	3.4	5.0	5.0	5.5	7.1	7.1	7.1	3.4	4.0	5.5	5.0	5.5	.0 4	.0
Antonio Zoli																																						
QR Antonio Zoli	51344	H30	H30	L L	30 I	L MX	M	HX H	HX30	M MX30	HX HX	30 M	1 MX30	H30	H30 L	MX	M	HX M	HX	M	L N	M XN	НХ	M	M	М	NA	L L	H30	H30	H30	M	MX	L	MX I	MX M	1X N	ΛX
Browning 1885 High Wall (not fo	or use with the 1885	BPCR or	Traditio	onal Hunt	er)																																	
STD 1885 HW (2-Piece)	50012	H30	H30	L L	30 I	L L	M	H I	H30	M M30	H H	30 M	1 M30	H30	H30 L	L	M	н м	Н	M	L	L M	Н	M	M	М	NA	L L	H30	H30	H30	M	LX	L	L	LX I	L L	X
Browning 1885 Low Wall (not fo	or use with the 1885 I	BPCR or 1	Traditio	nal Hunt	er)																																	
STD 1885 LW (2-Piece)	51260	H30	H30	L L	30 I	L L	L	H I	H30	M M30	H H	30 M	1 M30	H30	H30 L	L	L	н м	Н	M	L	L L	Н	M	M	М	NA	L L	H30	H30	H30	M	LX	L	L	L I	LL	X
Browning 52																																						
STD 52 (2-Piece)	50038	H30	H30	L L	30 I	L L	L	H I	H30	M M30	H H	30 M	1 M30	H30	H30 L	L	L	н м	Н	M	L	L L	Н	M	M	М	NA	L L	H30	H30	H30	M	L	L	L	L L	L	L
Browning A-Bolt (Long Action)	(also Steyr SBS Safe	Bolt Pro	o Hunte	r & Fore	ster, 2	piece ba	ses on	ly)																														
STD A-Bolt RH-LA (1-Piece)	50011 50010	H30	H30	L L	30 I	LL	L	H I	H30	L M30	H H	30 L	M30	H30	H30 L	L	L	M L	M	L	L	L L	М	L	L	L	NA	L L	M30	M30	M30	L	LX	L	L	L I	L L	LX
STD A-Bolt LR (2-Piece)	50029 50030 50	031 H30	H30		_	LL	L		_	L M30		30 L	M30		H30 L	L	L	M L	M	L	L	L L	М	L	L	L	NA	L L	M30	M30	M30	L	LX	L	L	L L	LL	LX
STD A-Bolt (2-Piece)	50036	H30	H30	L L	30 I	LL	L	H I	H30	L M30	н н	30 L	M30	H30	H30 L	L	L	M L	М	L	L	L L	М	L	L			L L	M30	M30	M30	L	LX	L	L	L I	LL	LX
DD A-Bolt RVF (2-Piece)	50159 57	5 37 H30	H30	L L	30 I	L L	L	H I	H30	L M30	н н	30 L	M30	H30	H30 L	L	L	M L	М	L	L	L L	М	L	L	L	NA	L L	M30	M30	M30	L	L	L	L	L I	L	L
QR A-Bolt (2-Piece)	50057	M30	M30	L L	30 I	L L	L	H I	H30	L M30	н м	30 L	M30	M30	M30 L	L	L	M L	М	L	L	L L	М	L	L	L	NA	L L	M30	M30	M30	L	MX	L	L	L I	L N	ИΧ
QRW / PRW A-Bolt (2-Piece)	49846 49847 49				_	L L	L		_	L M30			M30		H30 L		_	M L	М	L		L L	_	L	L			L L	_		M30	L	NA	L	L	_		VA
Browning A-Bolt (Short Action)																																						
STD A-Bolt RH-SA (1-Piece)	50009 50008	H30	H30	L L	30 I	L L	L	H I	H30	L M30	н н	30 L	M30	H30	H30 L	L	L	M L	М	L	L	L L	М	L	L	L	NA	L SL	. M30	M30	M30	L	LX	L	L	SL L	LL	X
STD A-Bolt LR (2-Piece)	50029 50030 50				_	LL	L		_	L M30		30 L	M30		H30 L	L	L	M L	М	L	L	LL	_	L	L		_	L SL			M30	L	LX	L	_	_		LX
STD A-Bolt (2-Piece)	50036		H30	_	_	LL	L	_	H30	L M30		_	_	H30		_	_	M L	M	1	ī	L L	_	Ť	Ť	_	_	_	_	M30	_	Ť	LX	Ť	_	_	_	LX
DD A-Bolt RVF (2-Piece)	50159 57					1 1	1	_	H30	L M30		30 L	M30		H30 L	ī	_	M L	M	_	ī	1 1	M	1	1	_		1 1			M30	ī	1	1	ī	1 1	_	ı
QR A-Bolt (2-Piece)	50057		H30			LL		_		L M30				H30				M L	M	_	L	LL		L	L			LL) M30		L	MX	i	1	i		ИX
QRW / PRW A-Bolt (2-Piece)	49846 49847 49				30 I		L		_	L M30		30 L	M30		H30 L	1		H L	M	_	i	LL	M	i i	1		_					1	I	-	_	_	_	L
Browning A-Bolt Shotgun	45040 45047 45	1150	1150		50 1	- -			1150	E WISO		,0 L	IVISO	1150	1150 E		-	11 -	141	-	-		ivi		-	-	INA		IVIDO	10150	IVIDO	-	-		-		-	È
																			_					_														
	50037	H30	H30	M M	130 1	л мх	M	ну н	HX3U	M SM	HY S	нІм	1 SM	CH30	CH3U W	MY	M	HY M	HY	1 M I	M I I	AX M	HY	M	M	M	NΔ	1 1 1	H30	H30	H30	M	MX	M	MY	M M	IX N	1X
STD A-Bolt Shotgun (2-Piece)	50037	H30	H30	M N	130 N	И МХ	M	НХ Н	HX30	M SM	HX S	н м	1 SM	SH30	SH30 M	MX	М	HX M	НХ	М	M	M XN	НХ	М	М	М	NA	L L	H30	H30	H30	M	MX	М	MX	ММ	IX N	ΛX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM																																						
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece)	57330 57340 57					MX L L				M SM			1 SM . M30			MX L		M L					M		L	L							LX			M M		
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto	57330 57340 57	350 H30	H30	L L	30 I	L L	L	Н	H30	L M30	н н	30 L	. M30	H30	H30 L	L	L	M L	М	L	L	L L	М	L	L	L	NA	L SL	. M30	M30	M30	L	LX	L	L	SL L	L L	LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece)	57330 57340 573 49985	350 H30	H30	L L	30 I	L L	L	H H	H30	L M30	н н	30 L	. M30	H30	H30 L	L	L	M L	M	L	L	L L	M	L	L	L	NA NA	L SL	. M30	M30 M30	M30	L	LX LX	L	L LX	SL L	L L	LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece)	57330 57340 57. 49985 51249	H30 H30	H30 H30 H30	L L	30 II 30 II 30 I	L L	L	H H	H30 H30	L M30	H H H H H	30 L 30 L	M30 M30	H30 H30	H30 L H30 L	L	L L	M L HX H HX H	M HX HX	L	L L	L L L L	M HX HX	L H H	L L	L L	NA NA NA	L SL L L	M30	M30 M30 M30 M30	M30 M30 M30	L L	LX LX MX	L L	L LX MX	SL L	L L X L IX N	LX LX MX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (2-Piece) QR BAR (2-Piece)	57330 57340 573 49985	H30 H30	H30	L L	30 II 30 II 30 I	L L	L	H H	H30 H30	L M30	H H H H H	30 L 30 L	M30 M30	H30	H30 L H30 L	L	L L	M L	M HX HX	L	L L	L L L L	M	L H H	L	L	NA NA NA	L SL L L	M30	M30 M30	M30 M30 M30	L L	LX LX	L L	L LX MX	SL L	L L	LX LX MX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II	57330 57340 57. 49985 51249 51223	H30 H30 H30 H30	H30 H30 H30 H30 H30	L L L L L	30 II 30 II 30 II 30 I	L L L L	L L	H H H H H H H H H H	H30 H30 H30 H30	L M30 L M30 L M30	H H H H H H H	30 L 30 L 30 L	M30 M30 M30 M30	H30 H30 H30 H30	H30 L H30 L H30 L	L L	L L L	M L HX H HX H HX H	HX HX HX	L L L	L L L	L L L L	M HX HX	H H H	L L L	L L L	NA NA NA	L SL L L L L	M30 M30 M30	M30 M30 M30 M30 M30 M30	M30 M30 M30 M30	L L L	LX LX MX MX	L L L	LX MX MX	SL L L L L M L M	X L IX N IX N	LX LX VIX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Enrobolt II STD BR-European (2-Piece)	57330 57340 57. 49985	H30 H30 H30 H30	H30 H30 H30 H30 H30	L L L L L	30 II 30 II 30 II 30 I	L L L L	L L	H H H H H H H H H H	H30 H30 H30 H30	L M30	H H H H H H H	30 L 30 L 30 L	M30 M30 M30 M30	H30 H30 H30 H30	H30 L H30 L H30 L	L L	L L L	M L HX H HX H HX H	HX HX HX	L L L	L L L	L L L L	M HX HX	H H H	L L L	L L L	NA NA NA	L SL L L L L	M30 M30 M30	M30 M30 M30 M30 M30 M30	M30 M30 M30 M30	L L L	LX LX MX MX	L L L	LX MX MX	SL L L L L M L M	X L IX N IX N	LX LX VIX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus	57330 573400	H30 H30 H30 H30	H30 H30 H30 H30 H30	L L L L L	30 II 30 II 30 II 30 I	L L L L	L L	H H H H H H H H H H	H30 H30 H30 H30	L M30 L M30 L M30	H H H H H H H	30 L 30 L 30 L	M30 M30 M30 M30	H30 H30 H30 H30	H30 L H30 L H30 L	L L	L L L	M L HX H HX H HX H	HX HX HX	L L L	L L L	L L L L	M HX HX	H H H	L L L	L L L	NA NA NA	L SL L L L L	M30 M30 M30	M30 M30 M30 M30 M30 M30	M30 M30 M30 M30	L L L	LX LX MX MX	L L L	LX MX MX	SL L L L L M L M	X L IX N IX N	LX LX VIX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus Browning FN RC Model 81, Pre 19	57330 57340 57 49985 51249 51223 50032 ere FN	H30 H30 H30 H30	H30 H30 H30 H30 H30		30 I 30 I 30 I 30 I	L L L L L L L X	L	H H H H H H H H H H	H30 H30 H30 H30	L M30 L M30 L M30 L M30	H H H H H H H	30 L 30 L 30 L 30 L	M30 M30 M30 M30 M30	H30 H30 H30 H30	H30 L H30 L H30 L H30 L	L L L		M L HX H HX H HX H	M HX HX HX	L L L		L L L L L L L L L L L L L L L L L L L	M HX HX HX	H H H	L L L		NA NA NA NA	L SL L L L L L L	M30 M30 M30 M30	M30 M30 M30 M30 M30 M30 M30	M30 M30 M30 M30 M30	L L L	LX MX MX		LX MX MX LX	SL L L L L M L M	L L X L IX N IX N	LX MX MX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus Browning BLR (Model 81, Pre 19 STD BLR (1-Piece)	57330 57340 57 49985	H30 H30 H30 H30	H30 H30 H30 H30 H30		30 I 30 I 30 I 30 I	L L L L L L L L X	L	H H H H H H H H H H	H30 H30 H30 H30	L M30 L M30 L M30	H H H H H H H	30 L 30 L 30 L 30 L	M30 M30 M30 M30 M30	H30 H30 H30 H30	H30 L H30 L H30 L H30 L	L L		M L HX H HX H HX H	M HX HX HX	L L L	L L L	L L L L L L L L L L L L L L L L L L L	M HX HX	H H H	L L L		NA NA NA	L SL L L L L L L	M30 M30 M30	M30 M30 M30 M30 M30 M30 M30	M30 M30 M30 M30	L L L	LX MX MX	L L L	LX MX MX LX	SL L L L L M L M	L L X L IX N IX N	LX MX MX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (Long A	57330 57340 57 49985 51249 51223 50332 67 50032 67 49986 68 Action)	H30 H30 H30 H30	H30 H30 H30 H30 H30 H30		30 I 30 I 30 I 30 I 30 I	L L L L L L L L L L L L L L L L L L L L	L	H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1	H30 H30 H30 H30 HX30	L M30 L M30 L M30 M MX30 M MX30	H H H H H H H H H H H H H H H H H H H	80 L 80 L 80 L 80 L	. M30 . M30 . M30 . M30 1 MX30	H30 H30 H30 H30 H30	H30 L H30 L H30 L H30 L H30 L	L L L		M L HX H HX H HX H HX H	M HX HX HX HX	L L L		L L L L L L L L L L L L L L L L L L L L	HX HX HX	H H H		L L L	NA NA NA NA NA		M30 M30 M30 M30	M30 M30 M30 M30 M30 M30 M30 H30	M30 M30 M30 M30 M30		LX LX MX MX LX LX		LX MX MX LX LX	SL L L L L M L M L L L L L L L L L L L L	L L X L IX M IX M IX L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BLR (Model 31, Pre 19 STD BLR (1-Piece) STD BLR (1-Piece) STD BLR (1-Piece) STD BLR Lightning (Long A STD BLR Lightning (Long A	57330 57340 57 49985	H30 H30 H30 H30	H30 H30 H30 H30 H30 H30		30 I 30 I 30 I 30 I 30 I	L L L L L L L L L L L L L L L L L L L L	L	H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1	H30 H30 H30 H30 HX30	L M30 L M30 L M30 L M30	H H H H H H H H H H H H H H H H H H H	80 L 80 L 80 L 80 L	. M30 . M30 . M30 . M30 1 MX30	H30 H30 H30 H30 H30	H30 L H30 L H30 L H30 L H30 L	L L L		M L HX H HX H HX H	M HX HX HX HX	L L L		L L L L L L L L L L L L L L L L L L L L	HX HX HX	H H H		L L L	NA NA NA NA NA		M30 M30 M30 M30	M30 M30 M30 M30 M30 M30 M30	M30 M30 M30 M30 M30		LX LX MX MX LX LX		LX MX MX LX LX	SL L L L L M L M L L L L L L L L L L L L	L L X L IX M IX M IX L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus Browning FN Action see Maus Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (L-Piece) Browning BLR Lightning (1-Piece) Browning BLR Lightning (1-Piece) Browning BLR Lightning (1-Piece) Browning BLR Lightning (1-Piece)	57330 57340 57. 49985 51249 51223 5	H30 H30 H30 H30 H30 H30	H30 H30 H30 H30 H30 H30 H30 H30		30 II 30 II 30 II 30 II 30 II	L L L L L L L L L L L L L L L L L L L L	L	H H H H H H H H H H	H30 H30 H30 H30 H30 HX30	L M30 L M30 L M30 L M30 M MX30 M M30	H H H H H H H H H H H H H H H H H H H	30 L 30 L 30 L 30 M	M30	H30 H30 H30 H30 H30 H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX H HX M	M HX HX HX HX	L L L L		L L L L L L L L L L L L L L L L L L L L	HX HX HX HX	L H H H		L L L L	NA NA NA NA NA NA	L SL L L L L L L L L L L	M30 M30 M30 M30 H30	0 M30 0 M30 0 M30 0 M30 0 M30 1 H30	M30 M30 M30 M30 M30 H30		LX LX MX MX LX LX		L LX MX MX LX LX LX	SL L L M L M L L L L L L L L L L L L L L	L L X L IX M IX M IX M X L X L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (Long A STD BLR Lightning (Short	57330 57340 57 49985	H30 H30 H30 H30 H30 H30	H30 H30 H30 H30 H30 H30		30 II 30 II 30 II 30 II 30 II	L L L L L L L L L L L L L L L L L L L L	L	H H H H H H H H H H	H30 H30 H30 H30 H30 HX30	L M30 L M30 L M30 M MX30 M MX30	H H H H H H H H H H H H H H H H H H H	30 L 30 L 30 L 30 M	. M30 . M30 . M30 . M30 1 MX30	H30 H30 H30 H30 H30 H30	H30 L	L L L LX		M L HX H HX H HX H HX H	M HX HX HX HX	L L L L		L L L L L L L L L L L L L L L L L L L L	HX HX HX	L H H H		L L L	NA NA NA NA NA NA	L SL L L L L L L L L L L	M30 M30 M30 M30 H30	M30 M30 M30 M30 M30 M30 M30 H30	M30 M30 M30 M30 M30 H30		LX LX MX MX LX LX		L LX MX MX LX LX LX	SL L L L L M L M L L L L L L L L L L L L	L L X L IX M IX M IX M X L X L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD B-Bar (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR (ightning (Long / STD BLR Lightning (2-Piece) Browning BLR Lightning (3-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning Micro Medallion	57330 57340 57 49985	H30 H30 H30 H30 H30	H30 H30 H30 H30 H30 H30 H30 H30		30 II	L L L L L L L L L L L L L L L L L L L L	L	H H H H H H H H H H	H30 H30 H30 HX30 HX30 HX30	L M30 L M30 L M30 L M30 M MX30 M M30 M M30	H H H H H H H H H H H H H H H H H H H	30 L 30 L 30 L 30 L 30 M	M30	H30 H30 H30 H30 H30 H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX M HX M	HX HX HX HX	L L L L		L L L L L L L L L L L L L L L L L L L L	HX HX HX HX	L H H H		L L L L	NA NA NA NA NA NA		M30 M30 M30 M30 M30 H30	M30 M30 M30 M30 M30 M30 H30 H30	M30 M30 M30 M30 M30 H30		LX LX MX MX LX LX LX		L LX MX MX LX LX LX LX	SL L L L L L L L L L L L L L L L L L L	X L XX L XX L XX L XX L	LX LX MX MX LX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus Browning FN Action see Maus Browning BLR (I-Piece) STD BLR (1-Piece) Browning BLR Lightning (Long A STD BLR Lightning (2-Piece) Browning BLR Lightning (Short STD BLR Lightning (2-Piece) Browning BLR Lightning (Short STD BLR Lightning (2-Piece) Browning BLR Lightning (5-Piece) Browning BLR Lightning (5-Piece) Browning BLR Lightning (5-Piece) Browning BLR Lightning (5-Piece) Browning Micro Medallion STD A-Bolt SA (1-Piece)	57330 57340 57. 49985	H30 H30 H30 H30 H30 H30	H30 H30 H30 H30 H30 H30 H30 H30 H30		30 II	L L L L L L L L L L L L L L L L L L L L		H	H30 H30 H30 HX30 HX30 HX30 HX30	L M30 L M30 L M30 M MX30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	30 L 30 L 30 L 30 L 30 M	M30	H30 H30 H30 H30 H30 H30 H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX M HX M	M HX HX HX HX HX HX	L L L L			HX HX HX HX	L H H H M M M		L L L L M M M L L	NA NA NA NA NA NA	L	M30 M30 M30 M30 M30 H30 H30	M30 M30 M30 M30 M30 M30 H30 H30 H30	M30 M30 M30 M30 M30 H30 H30		LX LX MX MX LX LX LX LX		LX MX MX LX LX LX LX LX	SL L L L L L L L L L L L L L L L L L L	L L L L L X L L X X L X X L L X X L X X L X X L X X L X X L X X L X X L X X X L X X X L X X X L X X X L X X X L X X X L X X X L X X X X L X	LX LX LX LX LX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning FN Action see Maus Browning FN Action see Maus Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (1-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (Short STD BLR Lightning (2-Piece) Browning MILR Lightning (Short STD BLR Lightning (3-Piece) STD A-Bolt A (1-Piece) STD A-Bolt A (1-Piece)	57330 57340 57 49985	H30 H30 H30 H30 H30 H30 H30 H30	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30		30 I		L	H I H I H H H H H H H H H H H H H H H H	H30	L M30 L M30 L M30 L M30 M M30 M M30 M M30 L M30 L M30	H H H H H H H H H H H H H H H H H H H	30 L 30 L 30 L 30 M 30 M 30 M	M30	H30 H30 H30 H30 H30 H30 H30 H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX H HX M HX M	HX HX HX HX HX HX HX HX	L L L L		L L L L L L L L L L L L L L L L L L L	HX HX HX HX HX	H H H H M M M M L L		L L L L M M	NA NA NA NA NA NA NA NA	L SL L L L L L L L L L L L SL L SL L SL	M30 M30 M30 M30 M30 H30 H30 H30 M30	M30 M30 M30 M30 M30 M30 M30 H30 H30 H30 M30 M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30		LX MX MX LX LX LX LX LX LX LX		LX MX MX LX LX LX LX LX LX	SL U L W L W L U SL U SL U SL U	L L L XX L XX N XX N XX L	LX LX MX LX LX LX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM STD A-Bolt WSSM STD A-Bolt WSSM STD B-Bolt WSSM STD B-Bolt WSSM G-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BIR (Model 81, Pre 19 STD BIR (1-Piece) Browning BIR (Model 81, Pre 19 STD BIR Lightning (1-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (2-Piece) Browning Mirco Medallion STD A-Bolt IX (1-Piece) STD A-Bolt IX (1-Piece) STD A-Bolt IX (2-Piece)	57330 57340 57. 49985	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30		330 I			H II HX H II HX H II M M M M M M M	H30	L M30 L M30 L M30 L M30 M MX30 M MX30 M M30 L M30 L M30 L M30 L M30 L M30	H H H H H H H H H H H H H H H H H H H	80 L 80 L 80 L 80 L 80 L 80 M 80 M 80 M	M30	H30 H30 H30 H30 H30 H30 H30 H30 H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX M	HX	L L L M M M L L L L		L L L L L L L L L L L L L L L L L L L	HX HX HX HX HX HX HX HX	H H H H L L L L L L		L L L L M M	NA N	L SL L L L L L L L L L L L L L L L SL L SL L SL L SL	M300 M300 M300 M300 M300 M300 M300 M300	M30 M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30	M30 M30 M30 M30 M30 H30 H30 M30 M30 M30		LX LX MX MX MX LX LX LX		L LX MX MX LX	SL L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	LX LX MX MX LX LX LX LX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BLR Action see Maus Browning BLR Model 31, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (Long A STD BLR Lightning (2-Piece) Browning BLR Lightning (Short STD BLR Lightning (2-Piece) Browning BLR Lightning (Short STD BLR Lightning (Short STD A-Bolt SA (1-Piece) STD A-Bolt L (2-Piece) DD A-Bolt RWF (2-Piece)	57330 57340 57. 49985	H300 H300 H300 H300 H300 H300 H300 H300	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30		330 I			H II H I	H30	L M30 L M30 L M30 L M30 M MX30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	80 L	M30	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX M HX M M L M L M L	HX HX HX HX M M M M	L L L L M M			HX HX HX HX HX M M M M M	H H H H L L L L L L		L L L M M M L L L L L L L L L L L L L L	NA N	L SL L L L L L SL L SL L SL L SL L L L	M30 M30	M30 M30 M30 M30 M30 M30 M30 M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30		LX LX MX MX LX		LX MX MX LX	L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	LX LX LX LX LX LX LX LX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (Long A STD BLR Ightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) STD A-Bolt SA (1-Piece) STD A-Bolt ROPIECE) DA-BORT RUF (2-Piece) DD A-BORT RUF (2-Piece) DD A-BORT RUF (2-Piece) DD A-BORT RUF (2-Piece) QR A-BORT (2-Piece)	57330 57340 57 49985	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	H30		330 I			H	H30	L M30 L M30 L M30 M M30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	300 L	M30	H30	H30 L	LX LX LX LX L LX L LX L L L L L L L L L		M L HX H HX H HX H HX H HX M HX M HX M HX M HX M L M L M L M L	HX HX HX HX M M M M M M	L L L M M L L L L L L L L L L L L L L L			HX HX HX HX M M M M M M	H H H H L L L L L L		L L L L L L L L L L L L L L L L L L L	NA N	L SL L L L L L L L L L L L L L L L L L L	M300 M300 M300 M300 M300 M300 M300 M300	M30	M30 M30 M30 M30 M30 M30 M30 M30 M30 M30		LX LX MX MX LX		LX MX MX LX	L C C C C C C C C C C C C C C C C C C C	L L L XX L XX N XX N XX L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning Auto STD A-Bolt WSSM (2-Piece) GR BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BIR (Model 81, Pre 19 STD BRE (1-Piece) Browning BIR (Model 81, Pre 19 STD BIR Lightning (1-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (2-Piece) Browning Micro Medallion STD A-Bolt IR (2-Piece) STD A-Bolt IR (2-Piece) DD A-Bolt RVF (2-Piece) QR A-Bolt (2-Piece) QR A-Bolt (2-Piece)	\$7330 \$734	H300 H300 H300 H300 H300 H300 H300 H300	H30		330 I			H	H30	L M30 L M30 L M30 L M30 M MX30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	300 L	M30	H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX M HX M M L M L M L	HX HX HX HX M M M M	L L L M M L L L L L L L L L L L L L L L			HX HX HX HX M M M M M M	H H H H L L L L L L		L L L L L L L L L L L L L L L L L L L	NA N	L SL L L L L L SL L SL L SL L SL L L L	M300 M300 M300 M300 M300 M300 M300 M300	M30 M30 M30 M30 M30 M30 M30 M30	M30 M30 M30 M30 M30 M30 M30 M30 M30 M30		LX LX MX MX LX		LX MX MX LX	L C C C C C C C C C C C C C C C C C C C	L L L XX L XX N XX N XX L	LX LX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning Auto STD A-Bolt WSSM (2-Piece) GR BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BLR (Model 31, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (Long / STD BLR Lightning (2-Piece) Browning BLR Lightning (Short STD BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) DD A-Bolt RVF (2-Piece) DD A-Bolt RVF (2-Piece) GRW / PRW A-Bolt (2-Piece) Browning Semi-Auto .22 RF Riffl	57330 57340 57. 49985 51249 51223 50032 67. 49986 6. 50237 50238 6. 5009 5008 50029 50030 50. 50036 50036 50036 50036 6. 50037 50038 6. 50038 5009 5008 5009 5008 5009 5008 6. 50036 50036 6.	H30	H30		30 1 330 1	L L L L L L L L L L L L L L L L L L L		H	H30	L M30 L M30 L M30 M M30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	800 L	M30	H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX M HX M HX M HX M HX M	HX HX HX HX HX M M M M	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	HX H	H H H H H L L L L L L L L		L L L L L L L L L L L L L L L L L L L	NA	L SL L L L L L L SL L SL L L L L L L L	M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30	M30 M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30 M30		LX L		L LX MX MX LX	SSL LL	L L L L X L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BIR Continue See Maus Browning BIR R (Model 81, Pre 19 STD BIR (1-Piece) Browning BIR Lightning (Long A STD BIR Lightning (2-Piece) Browning BIR Lightning (Short STD BIR Lightning (2-Piece) Browning BIR Lightning (2-Piece) Browning BIR Lightning (5-Piece) Browning BIR Lightning (5-Piece) Browning Micro Medallion STD A-Bolt SA (1-Piece) STD A-Bolt XA (1-Piece) STD A-Bolt KR (2-Piece) DA-Bolt RVF (2-Piece) QRA Bolt (2-Piece) QRA Bolt (2-Piece) QRW PWR A-Bolt (2-Piece) BRW PWR A-Bolt (2-Piece) DR BR S-A RF (1-Piece) DD BR S-A RF (1-Piece) DD BR S-A RF (1-Piece)	\$7330 \$7340 \$7. 49985	H300 H300 H300 H300 H300 H300 H300 H300	H30		30 1 300 1 300 1	L L L L L L L L L L L L L L L L L L L		H	H30	L M30 L M30 L M30 M M30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	800 L	M30	H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX H HX M HX M HX M HX M HX M L M L M L M L	HX HX HX HX HX M M M M	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	HX H	H H H H H L L L L L L L L		L L L L L L L L L L L L L L L L L L L	NA	L SL L L L L L L SL L SL L L L L L L L	M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30	M30 M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30 M30		LX L		L LX MX MX LX	SSL LL	L L L L X L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning Auto STD A-Bolt WSSM (2-Piece) Browning Burd (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BR (Model 81, Pre 19 STD BR (1-Piece) Browning BR (Immail 19 STD BR Lightning (2-Piece) Browning BR Lightning (2-Piece) Browning BR Lightning (3-Piece) Browning BR Lightning (3-Piece) Browning BR Lightning (3-Piece) Browning BR Lightning (2-Piece) Browning Micro Medallion STD A-Bolt RC-Piece) STD A-Bolt RC-Piece) STD A-Bolt RC-Piece) DD A-Bolt (2-Piece) DD A-Bolt (2-Piece) QR M-PBW A-Bolt (2-Piece) Browning Semi-Auto-22 RF Rifl DD BR A RF (1-Piece) Browning Semi-Auto-22 RF Rifl DD BR A RF (1-Piece)	\$7330 \$734	H300 H300 H300 H300 H300 H300 H300 H300	H30		30 1 330 1	L L L L L IX L L L L L L L L L L L L L L L L L L L		H	H30	L M30 L M30 L M30 M M30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	800 L	M30	H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX M HX M HX M HX M HX M	HX HX HX HX HX M M M M	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	HX H	H H H H H L L L L L L L L		L L L L L L L L L L L L L L L L L L L	NA	L SL L L L L L L SL L SL L L L L L L L	M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30	M30 M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30 M30		LX L		L LX MX MX LX	SSL LL	L L L L X L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BL Action see Maus Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (Long / STD BLR Lightning (2-Piece) Browning BLR Lightning (1-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) STD A-Bolt SA (1-Piece) STD A-Bolt SA (1-Piece) DD A-Bolt RVF (2-Piece) QR A-Bolt (2-Piece) QR A-Bolt RVF (2-Piece) DD A-Bolt RVF (2-Piece) Browning Semi-Auto -22 RF Rifl DD RS -A RF (1-Piece) Browning Semi-Auto -22 RF Rifl DD RS -A RF (1-Piece) BSA Monarch (Right Hand, Long BSA Monarch (Right Hand, Shor	57330 57340 57. 49985 51249 51223 50032 61. 50032 62. 49986 62. 50237 50238 62. 5009 5008 50029 50030 50. 50036 50056 50. 50057 50057 50057 49846 49847 49. e 50014 54ction) see Reming t	H300 H300 H300 H300 H300 H300 H300 H300	H30 H30	L L L L L L L L L L L L L L L L L L L	30 1 330 1	L L L L L IX L L L L L L L L L L L L L L L L L L L		H	H30	L M30 L M30 L M30 M M30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	800 L	M30	H30	H30 L	L L L L L L L L L L L L L L L L L L L		M L HX H HX H HX H HX M HX M HX M HX M HX M	HX HX HX HX HX MM M M	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	HX H	H H H H H L L L L L L L L		L L L L L L L L L L L L L L L L L L L	NA	L SL L L L L L L SL L SL L L L L L L L	M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30	M30 M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30 M30		LX L		L LX MX MX LX	SSL LL	L L L L X L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L L X L	LX MX MX LX
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning Eur Model 81, Pre 19 STD BLR (1-Piece) Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (Long A- STD BLR Lightning (2-Piece) Browning BLR Lightning (Short STD BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (5-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) DD A-Bolt RVF (2-Piece) DD A-Bolt RVF (2-Piece) QRA JPRW A-Bolt (2-Piece) BSA Monarch (Right Hand, Long BSA Monarch (Right Hand, Long BSA Monarch (Right Hand, Shor Colt ARTS Flat Top (all ARTS sty	\$7330 \$7340 \$7.	H300 H300 H300 H300 H300 H300 H300 H300	H30 H30	L L L L L L L L L L L L L L L L L L L	30 1 330 1	L L L L LX L L L L L L L L L L L L L L		H I I H I I H I I H I I H I I H I I H I I I H I I I H I I I H I	H30	L M30 L M30 L M30 M M30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	800 L	M30	H30	H30 L			M L HX H HX H HX H HX M HX M HX M HX M HX M	HX HX HX HX HX MM M M	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	HX HX HX HX M M M M M M M M M	H H H H H L L L L L L L L		L L L L L L L L L L L L L L L L L L L	NA N		M30 M30 M30 M30 M30 H30 M30 M30 M30 M30 M30 M30 M30 M30	M30 M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30 M30		LX L		L LX MMX MX LX	SSL L L L L L L L L L L L L L L L L L L	L L L L XX L L XX L L XX L L L L L L L	LX L
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) QR BAR (1-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BIR (Model 81, Pre 19 STD BIR (1-Piece) Browning BIR Lightning (Long A STD BIR Ightning (2-Piece) Browning BIR Lightning (STD BIR Lightning (2-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (1-Piece) Browning BIR Lightning (2-Piece) BTD A-Bolt RV (2-Piece) BTD A-Bolt RV (2-Piece) BROWN PIMP A-Bolt (2-Piece) BSA Monarch (Right Hand, Long BSA Monarch (Right Hand, Shor Cott AR15 Flat Top (all AR15 sty) Mark 4 1" Super High	\$7330 \$734	H300 H300 H300 H300 H300 H300 H300 H300	H30	L L L L L L L L L L L L L L L L L L L	30 1 330 1	L L L L L IX L L L L L L L L L L L L L L L L L L L		H	H30	L M30 L M30 L M30 L M30 M M30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	800 L	M30	H30	H30 L			M L HX H HX H HX H HX M HX M HX M HX M HX M	HX HX HX HX HX MM M M	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	HX HX HX HX HX M M M M M M M M H	H H H H H L L L L L L L L		L L L L L L L L L L L L L L L L L L L	NA N	L SL L L L L L L SL L SL L L L L L L L	M30 M30 M30 M30 M30 M30 M30 M30 M30 M30	M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30 M30		LX L		L LX MMX MX LX	SSL L L L L L L L L L L L L L L L L L L	L L L L XX L L XX L L XX L L L L L L L	LX L
STD A-Bolt Shotgun (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning A-Bolt WSSM (2-Piece) Browning Auto STD A-Bolt WSSM (2-Piece) Browning Auto STD BAR (1-Piece) QR BAR (1-Piece) QR BAR (2-Piece) Browning Eurobolt II STD BR-European (2-Piece) Browning BLR (Model 81, Pre 19 STD BLR (1-Piece) Browning BLR (IModel 81, Pre 19 STD BLR (1-Piece) Browning BLR Lightning (Long A STD BLR Lightning (2-Piece) Browning BLR Lightning (3-Piece) Browning BLR Lightning (3-Piece) Browning BLR Lightning (3-Piece) Browning BLR Lightning (3-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) Browning BLR Lightning (2-Piece) DD A-Bolt RV (2-Piece) DD A-Bolt RVF (2-Piece) DD A-Bolt RVF (2-Piece) QR A-Bolt (2-Piece) DD A-Bolt RVF (2-Piece) DD A-Bolt RVF (2-Piece) BSA Monarch (Right Hand, Long BSA Monarch (Right Hand, Long BSA Monarch (Right Hand, Shor Colt AR15 Hat Top (all AR15 sty	\$7330 \$734	H300 H300 H300 H300 H300 H300 H300 H300	H30	L L L L L L L L L L L L L L L L L L L	30 1 330 1	L L L L LX L L L L L L L L L L L L L L		H I I H I I H I I H I I H I I H I I H I I I H I I I H I I I H I	H30	L M30 L M30 L M30 L M30 M M30 M M30 L M30	H H H H H H H H H H H H H H H H H H H	30 L	M30	H30	H30 L			M L HX H HX	HX HX HX HX HX MM M M	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	HX HX HX HX HX M M M M M M M M H	H H H H L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	NA N		M30 M30 M30 M30 M30 H30 M30 M30 M30 M30 M30 M30 M30 M30	M30	M30 M30 M30 M30 M30 M30 H30 H30 M30 M30 M30 M30 M30 M30		LX MX MX LX		L LX MMX MX LX	SSL L L L L L L L L L L L L L L L L L L	L L L L XX L L XX L L XX L L L L L L L	LX L

Abbreviations

LA — Long action	LR	— Long rear base
SA — Short action	RVF	— Reversible front base
RH — Right hand	RVR	— Reversible rear base

SH — Super high 1" M — Medium 1" HX — High 1" extension ♦ Indicates the correct SH30 — Super high 30mm M30 — Medium 30mm MX — Medium 1" extension ring to be used with RH — Right hand RVR — Reversible rear base H — High 1" L — Low 1" LX — Low 1" extension this scope

LH — Left hand RVF/R — Reversible front and rear base H30 — High 30mm SL — Super low 1" NA — Not available

DD — Dual Dovetail

QR — Detachable Accuracy: Quick Release Mount System STD — Dovetail front and windage adjustable rear ring

BASE FIT & RING HEIGHT INFORMATION

	LPS								VX-III											VX-II						VX-I	
LPS 2.5-10x45mm	LPS 3.5-14x50mm Side Focus	VX-III 1.5-5x20mm	VX-III 1.5-5x20mm Illuminated Reticle	VX-III 1.75-6x32mm	VX-III 2.5-8x36mm	VX-III 3.5-10x40mm	VX-III 3.5-10x50mm	VX-III 3.5-10x50mm Illuminated Reticle	VX-III 4.5-14x40m	VX-III 4.5-14x40mm Long Range	VX-III 4.5-14x50mm	VX-III 4.5-14x50mm Long Range (& Illuminated Reticle)	VX-III 6.5-20x40mm EFR Target	VX-III 6.5-20x40mm Long Range	VX-III 6.5-20x50mm Long Range Target	VX-III 8.5-25x50mm Long Range Target	VX-II 1-4x20mm	VX-II 2-7x33mm	VX-II 3-9x40mm	VX-II 3-9x50mm	VX-II 4-12x40mm Adj. Obj.	VX-II 4-12x50mm	VX-II 6-18x40mm Adj. Obj. (& Target)	VX-I 1-4x20mm Shotgun/Muzzleloader	VX-I 2-7x33mm (& Shotgun/Muzzleloader)	VX-I 3-9x40mm	XX 00000000000000000000000000000000000

QR 541 (2-Piece)

NEW PRODUCTS ARE SHOWN IN	RED																																											
FIREARM	BASE	PART NUMBE	R 5.6	6.5	5.5	5.8	5.4	5.1	5.8	5.1	5.6	5.8	5.9	5.1 5	.5 6.	5 6.	8 6.5	6.5	5.5	5.2	5.6	5.0	5.3	5.0	6.1	5.5	5.2	5.6 5	.0 5.0	6 5.4	5.8	5.6	5.5	5.9	7.1	7.1	7.1	5.4	4.8 !	5.5 5	.0 5.	3 5.0	J 4.8	4.8
Base Model	Gloss	Matte Silve	er																																									
Cooper 38 & 21																					4																	رجعا	البلطا			السبط	السبط	4
STD Cooper 38/21 (2-Piece)	53008	52980	H30	H30) L	L30	L	L	L	Н	H30	M	M30	H H	30 L	. M:	30 H30	H30) L	L	L	Н	M	Н	L	L	M	NA H	l L	L	L	NA	L	L	L	L	L	L	L	L /	L L	. L	L	L
CVA & Traditions Pursuit																																												
CVA Eclipse/Apollo		52324	H30	H30) L	L30	L	L	L	Н	H30	M	M30	H H	30 N	1 M3	30 H30	H30) L	L	L	Н	M	Н	L	L	M	NA H	l L	L	M	NA	L	L	L	L	L	L	L	L /	L L	. L	L	L
CZ 527																																												
RM CZ 527 Medium		54360	NA	. NA		NA	•	•	•	NA	NA	•	NA	NA N	A 4	▶ N	A NA	NA	. •	•	•	NA	•	NA	•	•	•	♠ N	A •	•	•	•	•	•	•	•	•	•	•	• 4	• •	, •	•	•
CZ 550																																												
RM CZ 550 Medium		54350	NA	. NA		NA	•	•	•	NA	NA	•	NA	NA N	A 4	▶ N	A NA	NA	. •	•	•	NA	•	NA	•	•	•	♠ N	A •	•	•	•	•	•	•	•	•	•	•	• 4	• •	•	e 🔸	•
Dakota 76																																												
QR 70 Exp Pre 64 (2-Piece)		50062		H30		L30	L	L	L	Н	H30	L	M30	H H			30 H30			L	L	Н	L	Н	L	L	L I	NA I	l L	L	L	NA	L	L	L	LX	LX	L	LX	L E	X L	. LX		
QRW / PRW 70 Exp Pre-64 (2-Piece)		49836	H30	H30) L	L30	L	L	L	Н	H30	L	M30	H H	30 L	. M3	30 H30	H30) L	L	L	Н	L	Н	L	L	LI	NA I	4 L	L	M	NA	L	L	L	NA	NA	L	NA	L N	IA L	. NA	4 NA	NA NA
Harrington & Richardson 300, 30	1, 330, 3	70: Pre-1973	see I	Mauser	r FN																																							
Husqvarna Carl Gustaf & Crown	Grade																																											
STD HC (1-Piece)	49989		SH3	0 SH30	0 L	L30	L	L	L	Н	H30	M	H30	H SH	30 N	4 H3	0 SH3	0 SH3	0 L	L	L	Н	M	Н	L	L	M	NA H	l L	M	M	NA	L	L	LX	L	L	M	L	L /	L D	K L	L	L
Interarms Howa 1500 see Ren	ington 7	'00 (Right Ha	nd, Lor	g Acti	on)																																							
J.C. Higgins Post 1955																																												
STD HC (1-Piece)	49989		H30	H30) L	L30	L	L	L	Н	H30	M	M30	H H	30 N	1 M3	30 H30	H30) L	L	L	Н	M	Н	L	L	M	NA H	l L	L	M	NA	L	L	L	L	L	L	L	L /	L L	. L	L	L
J.C. Higgins Pre-1955 see Mau	er FN																																											
Kimber 84 (2004 models and nev	/er)																																											
STD 84 (2-Piece)		56859	H30	H30) L	L30	L	L	L	Н	H30	M	M30	H H	30 N	1 M3	30 H30	H30) L	L	L	Н	M	Н	L	L	M I	NA H	1 L	L	M	NA	L	L	L	L	L	L	L	L /	L L	. L	L	L
Kimber 8400 (2004 models and n	ewer)																																											
STD 8400 (2-Piece)		56928	H30	H30) L	L30	L	L	L	н	H30	М	M30	H H	30 N	1 M3	30 H30	H30) L	L	L	Н	M	Н	L	L	M I	NA F	4 L	L	M	NA	L	L	L	L	L	L	L	L	L L	. L	L	L

ORW / PRW 541 (2-Piece) Marlin MR 7 & MR 7B (Right Hand, Long Action) see Winchester 70 (Right Hand, Long Action)

Marlin MR 7 (Right Hand, Short Action) see Winchester 70 (Right Hand, Short Action)

Marlin 336, 336T, 35, 36, 36A, 375, 444, 1895, 9, 45, 30AS, & 922M

STD 1895/336 (1-Piece)	49987		H	30 H30	L	L30	L	L	L	M M3	30 L	M3	M	H30	L N	30 H3	0 H3	30 L	. L	L	M	L	M	L	L	L N	IA	М	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L	L
QR 1895/336 (1-Piece)		54229	54227 H	30 H30	L	L30	L	L	L	M M3	80 L	M3	M	H30	L N	30 H3	0 H3	30 L	. L	L	M	L	M	L	L	L N	IA.	M	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L	L
Marlin 455 see Mauser FN																																													
Mauser FN (also Browning FN .264	through	h .458, l	Harringtor	& Rich	rdson	300, 3	01, 330,	370 Pre	-1973	, J.C. Hi	ggins F	Pre-195	5, Mar	lin 455,	Mauser	Mark X	, Park	er Hale	e 100, 1	100, 12	200, Sal	co Rou	nd Rec	eiver,	and We	atherb	y FN)																		
STD FN (1-Piece)	49988		H	30 H30	M	M30	MX	MX	M I	HX HX	30 M)	X MX3	0 HX	MX30	M M	(30 H3	0 H3	30 N	1 M	M	HX	MX	HX	M	M	MX N	IA I	HX	M	M	M	NA	L	M	LX	LX	LX	M	LX						
STD FN (1-Piece) STD FN (2-Piece)	49988 50025	50026	H	30 H30	M	M30	MX	MX	M I	HX HX	30 MX	X MX3	0 HX 0 HX	MX30 MX30	M M	(30 H3	0 H3	30 N	M M	IVI	HX	MX	HX	M	M	MX M	IA I	HX HX	M	M M	M	NA NA	L	M	LX	LX	LX	M	LX						
	49988 50025 50027	50026	H H	30 H30 30 H30	M M	M30 M30	MX MX	MX MX	M H M H	HX HX	30 M) 30 M)	X MX3 X MX3 I MX3	0 HX 0 HX 0 H	_	M M M M	(30 H3 (30 H3	00 H3 00 H3	30 N 30 N	i ivi	IVI	HX HX	MX MX	HX HX	M M	M M	MX M	IA I	HX HX H	M M	M M	M M	NA NA	L L	M M	LX LX	LX LX	LX LX	M M	LX LX						

OR FN (2-Piece)

auser 98 and similar mode	els (Large Ring) (Ri	ing heig	hts are	based	upon	original	config	uration	and ma	y vary a	accord	ding to c	ustom	configu	ration	s; firea	rm ma	y requi	re mo	dificat	tion.)																							
TD M 98 (1-Piece)	49990		NA	NA	SH	SH30 S	H S	SH SH	NA	NA	NA	NA N	IA NA	NA NA	NA	NA	NA	SH	SH	SH	NA	NA	NA	SH	SH	NA N	A N	A SI	l SI	l NA	NA	SH												
TD M 98 (2-Piece)	5237	0	NA	NA	SH	SH30 S	H S	SH SH	NA	NA	NA	NA N	IA NA	NA NA	NA	NA	NA	SH	SH	SH	NA	NA	NA	SH	SH	NA N	A N	A SI	l SI	I NA	NA	SH												

Mauser 96, 38, and similar models (Small Ring) (Ring heights are based upon original configuration and may vary according to custom configurations; firearm may require modification.)

Mossberg 1500/1700 (Right Hand,	Long A	tion) s	ee Remi	ington	700 (F	Right H	land, L	ong A	ction)																																						
Mossberg 1500/1700 (Right Hand,	Short A	ction) s	see Rem	ingtor	n 700 (Right	Hand,	Short	Action)																																					
Parker Hale 1000, 1100, 1200 see	Mause	r FN																																													
Remington Model 4, 6, 7400, & 760	0																																														
STD 7400/7600 (1-Piece)	49993	53056		H30	H30	L	L30	L	L	L	Н	H30	L	M30	H F	130	L	M30	H30	H30	L	L	L	Н	L	Н	L	L	L	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	LL
QR 7400/7600 (1-Piece)	50067			H30	H30	L	L30	L	L	L	Н	H30	L	M30	н Н	130	L	M30	H30	H30	L	L	L	н	L	Н	L	L	L	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	LLL
Remington Model 7 (for use with a	any Rer	ningto	n Model	7)																																											
STD 700 RH-SA (1-Piece)	50005	50006	50161	H30	H30	L	L30	L	L	L	Н	H30	M	M30	H F	130	L	M30	H30	H30	L	L	L	Н	M	Н	L	L	M	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	LL
STD 700 Long Range RH-SA (1-Piece)		51734		H30	H30	L	L30	L	L	L	Н	H30	M	M30	H F	130	L	M30	H30	H30	L	L	L	Н	M	Н	L	L	M	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L L
QR 700 RH-SA (1-Piece)		51247		H30	H30	L	L30	L	L	L	Н	H30	L	M30	H F	130	L	M30	M30	M30	L	L	L	Н	L	Н	L	L	L	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L L
DD XP-100 (1-Piece)		53570		H30		L	L30	L	L	L	Н	H30		M30	H F	130	L	M30	M30	M30	L	L	L	Н	L	Н	L	L	L	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L L
Remington Model 7 (serial number	r highe	r than i	762,800	on sta	inless	model	s or 7	73,800	on blu	ıe fini	shed n	nodels)																																			
STD 700 RH-SA (1-Piece)	50005	50006	50161	H30	H30	L	L30	L	L	L	Н	H30	M	M30	H H	130	L	M30	H30	H30	L	L	L	н	M	Н	L	L	M	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	LLL
STD 700 Long Range RH-SA (1-Piece)		51734		H30	H30	L	L30	L	L	L	Н	H30	M	M30	H I	130	L	M30	H30	H30	L	L	L	Н	M	Н	L	L	M	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L L
STD Model 7 (2-Piece)	51256	57277	51257	H30	H30	L	L30	L	L	L	Н	H30	M	M30	H F	130	L	M30	H30	H30	L	L	L	Н	M	Н	L	L	M	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L L
QR 700 RH-SA (1-Piece)		51247		H30	H30	L	L30	L	L	L	Н	H30	L	M30	H I	130	L	M30	M30	M30	L	L	L	Н	L	Н	L	L	L	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L L
DD XP-100 (1-Piece)		53570		H30	H30	L	L30	L	L	L	Н	H30	L	M30	H I	130	L	M30	M30	M30	L	L	L	Н	L	Н	L	L	L	NA	Н	L	L	L	NA	L	L	L	L	L	L	L	L	L	L	L	L L

Cooper 22, 23, & 16

BASE FIT & RING HEIGHT INFORMATION

	LF	PS								VX-III											VX-I						VX-I			F)	(-III		FX-II			Comp	e titio	n		Ultra	light		R	Rimfire
SCOPE MODEL	LPS 2.5-10x45mm	LPS 3.5-14x50mm Side Focus	VX-III 1.5-5x20mm	VX-III 1.5-5x20mm Illuminated Reticle	VX-III 1.75-6x32mm	VX-III 2.5-8x36mm	VX-III 3.5-10x40mm	VX-III 3.5-10x50mm	VX-III 3.5-10x50mm Illuminated Reticle	4.5-14x	VX-III 4.5-14x40mm Long Range	VX-III 4.5-14x50mm	VX-III 4.5-14x50mm Long Range (& Illuminated Reticle)	VX-III 6.5-20x40mm EFR Target	VX-III 6.5-20x40mm Long Range	VX-III 6.5-20x50mm Long Range Target	VX-III 8.5-25x50mm Long Range Target	1-4x20m	VX-II 2-7x33mm	VX-II 3-9x40mm	VX-II 3-9x50mm	VX-II 4-12x40mm Adj. Obj.	VX-II 4-12x50mm	(& Target)	1-4x20mm gun/Muzzleloader	VX-I 2-7x33mm (& Shotgun/Muzzleloader)	VX-I 3-9x40mm	VX-I 3-9x50mm	VX-I 4-12x40mm	FX-III 6x42mm	FX-III 12x40mm Adj. Obj. Target	FX-II 2.5x28mm Scout	FX-II 4x33mm	FX-II 6x36mm	Competition Series 35x45mm	Competition Series 40x45mm	Competition Series 45x45mm	FX-III 6x42mm Adj. Obj. Competition Hunter	VX-II 2-7x28mm Ultralight	VX-II 3-9x33mm Ultralight	VX-II 3-9x33mm Ultralight EFR	FX-II 2.5x20mm Ultralight	VX-II 3-9x33mm Rimfire EFR	VX-I 2-7x28mm Rimfire

		-		SII								Range		Range	arget	Range													arget				mm	mm	mm				3		丑	
NEW PRODUCTS ARE SHOWN IN R	ED																																						Ш			
FIREARM	RASE	PART NUMBI	R 56	6.5	5.5	5.8	54 5	1 5		51 5	6 5	g 5 q	51	5.5	6.5	6.8	65 6	5 55	5 2	5.6	50 5	3 51	1 61	155	52	56	50 5	6 6	A 58	5.6	155	5 9	7 1	7 1	7 1	5.4	18	5.5	50	53	50 4	8 1
Base Model	Gloss	Matte Silv	er J.O	0.5	5.5	5.0	5.4	.1 3	.0 .	J. 1 J.	0 5.	0 3.3	3.1	3.3	0.5	0.0	0.5 0	.5 5.5	J.2	5.0	5.0	ا.د د.ا	0.1	3.3	3.2	5.0	5.0	.0 -	.4 5.0	5.0	3.3	3.3	7.1	7.1	7.1	3.4	4.0	3.3	5.0	3.5	5.0 4.	.0 4.
Remington 40X (Long Action)															_																											
	50003	50004	SH30	SH30	L	L30	L	L	L	н нз	30 N	1 M30	Н	H30	М	M30	SH30 SH	30 L	L	L	н	м н	L	L	М	NA	L	L	м м	NA	L	L	LX	LX	LX	М	LX	LX	L	LX	L D	ΧЦ
STD 700 (2-Piece)		50016 575			$\overline{}$	L30	ī	ī	_	н нз	_	4 M30	_	H30	M	_	SH30 SH	_	Ť	Ť	_	м н	_	T i	M	NA	L	_	M M	_	_	Ħ	LX	LX	_	M	_	_	T	LX		X D
STD 700 Long Range RH-LA (1-Piece)		51732 517			-	L30	ī	1	ī	н нз	_	M30	_	H30	1	M30	H30 H	_	Ť	ī	НХ	L H)	-	1	1	NA	ī	_	L L	NA	_	Ħ	LX	LX	LX	1	LX	_	LX	_		X D
STD 700 RVF (2-Piece)	50017	50018 500				L30	ī	1	ī	н нз	_	4 M30	_	H30	М	_	SH30 SH	_	ī	i		м н	_	1	M	NA	L	_	M M	_	_	ΤŤ	L	LX	_	М	_	T i	1	1		L D
DD 700 (2-Piece)		50042 517				L30	ī	1	-	Н Н3	_	4 M30	_	H30	_	-	SH30 SH		Ť	ī		м н		Ť	M	NA	_		M M	_	_	ti	NA	NA	NA	_	_	NA	ī	NA		IA N.
DD 700 RVF (2-Piece)		50044		SH30		L30	ī	ī	_	н нз	_	4 M30		H30	M	_	SH30 SH	_	Ť	Ť	_	м н	Ť	T i	M	NA			M M		_	ĦŤ	L	1	L	M		_	T	_		L L
QR 700 (2-Piece)	50049	50050 500			$\overline{}$	L30	L	L	ī	н нз	_	4 M30	_	H30	_	_	SH30 SH	_	L	ī	Н	м н	L	T i	M	NA		_	M M	_	_	Ť	MX	MX	_		_		ī	MX		ΛX M
QRW / PRW 700 (2-Piece)		49841 498		_	$\overline{}$	L30	_	_	_	Н Н3	_	4 M30	_	H30		_	NA N	_	L	L	_	M H	_	_	M	NA			M M	_			NA	NA	NA	_	_	_	L	_		IA N
Mark 4 700 (2-Piece)	15010	50039		SH30			_	_		VA N		_		NA			SH30 SH		_	M	_	м н	_		M	NA		_	M M	_		_	M		NA		_	_	M			IA N
Remington 40X (Short Action)		30033	JIIJO	31130	141	IVIDO	141	vi .	v1 1	17.	A 10	1 147-5	14/5	INA	191	INA	31130 311	30 IVI	IVI	IVI			191		141	IVA	141	VI .	** 141	1474	141	141	141	1973	IVA		14/4					A 10
	50005	50006 501	51 SH30	SH3U		L30				н нз	80 1	M30	Н	H30	М	M30	SH30 SH	30 1		1	н	м Н		1	М	NA	1		и м	NA			SL	SL	1	М				SL		L SI
STD 700 Long Range RH-SA (1-Piece)	30003	51734		H30		L30	-	1	_	M M	_	. M30		_		M30		30 L	Ť	L	_	L M			1	NA	-	_	L L	NA		+÷	L	1	Ť	L	Ť	+-	ī	_		L L
STD 700 (2-Piece)	50015	50016 575		_		L30	L	-	_	H H3	_	4 M30	_	H30	M	_	SH30 SH		1			M H	_	_	M	NA		_	M M	_	_	L	SL	SL	-	M				SL		L SI
STD 700 (2-Piece)		50018 500				L30	L	-	-	H H3	_	4 M30		H30			SH30 SH		1	i	_	M H		1	M	NA			M M	_	_	L	SL	SL	L	M	_	_	-	SL	_	L SI
DD 700 (2-Piece)		50042 517			-	L30	_	ı	_	H H3	_	4 M30	_	H30	M	_	SH30 SH	_	1	i	_	M H	_	1	M	NA		_	M M	_		1	L	I I	L	M	_		+		_	L L
DD 700 RVF (2-Piece)	30041	50042 517		SH30		L30	ı	ı	-	H H3		4 M30		H30		_	SH30 SH		1	L		M H	_	_	M	NA		_	M M	_	_	1	I	1	I	M		_	-	_		LL
QR 700 RH-SA (1-Piece)		51247		SH30		L30	_	ı	_	H H3	_	4 M30	_	H30	_	_	SH30 SH		i i	-		M H	L		M	NA	-	_	M M	_	_	++	L	-	ī	M	_		-	_		LL
			_	_	_	_	-		-	_	_	_	_	_	M	_		_	L	L	_	M H		-	M	NA	L .	_	M M	_	-	-	L	L.	L.	M	_ L	+ -				_
QR 700 (2-Piece) QRW / PRW 700 (2-Piece)		49841 498	59 SH30 12 NA			L30	-	L	-	H H3	_	M30		H30	M	_	SH30 SH	_	L	L	_	M H	L		M	NA	L		M M	_	-	-	L	L	L	M	_ L	-				L L
Mark 4 700 (1-Piece)	49840	50040		SH30	-	_	M I	L	_	_	_	_	_	_	_	_		_	M	M	_	_		M		NA	_	_	M M	_	_	M	M	L M	L NA	M	_	M	M	M		L L
	-										_	1 NA	_	_	M		SH30 SH					M N/			M					_	_			M	M							
Mark 4 700 (2-Piece)	\blacksquare	50039		SH30	$\overline{}$		_	_	_	NA N	_	1 NA					SH30 SH		_			M NA	_	_		NA			M M	_		M	M	M	M	M	_	_	M	_	_	M M
DD XP-100 (1-Piece)		53570	2H30	SH30	L	L30	L	L	L	H H3	30 N	M30	Н	H30	М	IVI30	SH30 SH	30 L	L	L	Н	М Н	L	L	M	NA	L	L	M M	NA	L	L	L	L	L	M	L	L	L	L	L L	L L
Remington 504														110.0																										4		
STD 504 (1-Piece)		55937	M30	M30	IVI	M30	M I	VI I	IVI	M Ha	30 N	/I IVI30	IVI	H30	IVI	IVI	H I	1 M	IVI	IVI	н	M H	IVI	IVI	IVI	IVI	M I	VI I	VI IVI	NA	IVI	M	IVI	М	M	M	M	IVI	M	IVI	M N	/I IVI
Remington 541 (Sporter Barrel)	E0020		CHOO	CHOO		120					0 1	4 1120		cuan		1120	cuao cu	20 14								NI A														4		
STD 541 (2-Piece)	50028			SH30					L								SH30 SH							М			L		M M			L	_	_	_				M		M N	
	52240	52239		SH30			_	_	_	H H3	_	4 H30	_	_			SH30 SH					M H	_	_	M	NA			M M	_	_	_	L	L	_	M	_		_			M L
QRW / PRW 541 (2-Piece)	49866		NA	NA	L	L30	M I	М	L	H H3	30 N	1 NA	Н	NA	M	NA	NA N	A M	M	L	Н	M H	M	M	M	NA	L	L I	M M	NA	L	L	L	L	M	M	М	М	M	L	M N	/ L
Remington 541 (Heavy Barrel)																																										
STD 541 (2-Piece)	50028			SH30	$\overline{}$		_			_	_	_	_	-	_	_	SH30 SH	_	_		_	M H		_	$\overline{}$	NA		_	M M	_		L	L	L	M	M				_	M N	_
	52240				L	L30					30 N															NA	L	LII							M			M	_			M L
		52239		SH30	-			_		H H3	_		_	_	_	_	SH30 SH	_	_			M H			M	_			M M			_	L	L	_						M N	M L
	49866	52239		NA NA	-			_		H H3	_	A NA	_	_	_	NA		_	_			M H	_		M	NA			M M	_		_	L	L	M	M		М	M	L		
Remington 597			NA	NA	M	M30	1 M	M I	М	Н НЗ	80 N	1 NA	Н	NA	M	NA	NA N	A M	M	М	Н	М Н	M	М	M	NA	L	L	M M	NA	L	L	L	L	_							
Remington 597 STD 597 (1-Piece)		53050 530	NA	NA	M	M30		M I	М	_	80 N	1 NA	Н	_	M	NA		A M	_		Н	_	M	М	M	_	L		M M	NA	L	_	_	L	_			M L			L L	L L
Remington 597 STD 597 (1-Piece) Remington 600/660		53050 530	NA 52 H30	NA H30	M L	M30	M I	M I	M L	M M	30 N	M30	H M	M30	M L	M30	NA N	A M	M L	M L	H M	M H	L	L	M L	NA NA	L	L	M M	NA NA	L	L	L	L	M L	L	L	L	L	L		
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece)		53050 530 50006 501	NA 52 H30 51 M30	NA H30 M30	L L	L30	M I	M I	L	H H3	30 L	M NA . M30	H M	M30	L	M30	NA N H30 H:	A M 30 L	M L	M L	M M	M H	L	L	M L L	NA NA	L	L	M M	NA NA NA	L	L	L	_	M L	L	L	L	L	L	L L	L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece)		53050 530 50006 501 51734	NA 52 H30 51 M30 H30	NA H30 M30 H30	L L	L30 L30 L30	M I	M I	L L	M M3 M M3 M M3	30 L 30 L	M NA M30	H M M M	M30 H30	L L	M30 M30 M30	NA N H30 H: M30 M H30 H:	A M 80 L 80 L 80 L	L L	L L	M M M	M H	L	L	M L L	NA NA NA	L L L	L	M L L	NA NA NA	L	L	L L L	L	L L	L M L	L L	L	L L	L L	L L	L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) Mark 4 700 (1-Piece)		53050 530 50006 501 51734 50040	NA 52 H30 51 M30 H30 SH30	H30 H30 H30 H30 SH30	L L L	L30 L30 L30 L30 M30	M I	M I	L L L	M M3 M M3 M M3 M M3	30 L 30 L 30 L	M NA M30 M30 M30 M30 M30	H M M M M	M30 M30 H30	L L	M30 M30 M30 M30	M30 M H30 H: SH30 SH	A M 80 L 80 L 80 L 80 M	M L	M L	M M NA	L M L M M N M	L L L M	L	M L L	NA NA NA NA	L L L	L	M M	NA NA NA NA	L L L	L	L	_	M L	L	L L	L	L	L L	L L L L	L L L L
Remington 597 STD 597 (1-Piece) Remington 600/650 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece)	50005	53050 530 50006 501 51734	NA 52 H30 51 M30 H30 SH30	NA H30 M30 H30	L L L	L30 L30 L30	M I	M I	L L L	M M3 M M3 M M3	30 L 30 L 30 L	M NA M30	H M M M M	M30 H30	L L	M30 M30 M30 M30	NA N H30 H: M30 M H30 H:	A M 80 L 80 L 80 L 80 M	L L	L L	M M M	M H	L L L M	L	M L L	NA NA NA	L L L	L	M L L	NA NA NA	L L L	L	L L L	L	L L	L M L	L L	L	L L	L L	L L L L	L L L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle	50005	53050 530 50006 501 51734 50040 53570	NA 52 H30 51 M30 H30 SH30 H30	M30 H30 H30 SH30 H30	M L L L	L30 L30 L30 M30 L30	M I	M I	L L L M	M M3 M M3 M M3 M M3 H H3	80 N 30 L 30 L 30 L 30 N	M30 . M30 . M30 . M30 . M30	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30	L L L M	M30 M30 M30 M30 M30	M30 M H30 H3 M30 M H30 H3 SH30 SH M30 M	A M 80 L 30 L 80 L 30 M 30 L	L L	L L	M M NA H	L M L M L M NAM NAM	L L L	L	L L L	NA NA NA NA NA	L L L M I	L L L L L L L L L L L L L L L L L L L	M L L L M M L L L	NA NA NA NA NA	L L L	L L L L	L L L	L	L L	L M L	L L	L	L L	L L L M	L L L M M	L L L L M M
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Bemington Model 673 Guide Rifle STD 700 RH-SA (1-Piece)	50005	53050 530 50006 501 51734 50040 53570 50006 501	NA 52 H30 51 M30 51 H30 51 H30	M30 H30 H30 SH30 H30	L L M L	L30 L30 L30 L30 M30 L30	M I	M I	L L L M L	M M3 M M3 M M3 M M3 H H3	30 L 30 L 30 L 30 L 30 N	M30 M30 M30 M30 M30 M30 M30 M30	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30 H30	L L M L L	M30 M30 M30 M30 M30 M30	M30 M H30 H30 H30 SH M30 M	A M 30 L 30 L 30 L 30 L 30 L	L L	L L	M M NA H	L M L M N N N H H H H H H H H H H H H H H H H	L L L	L	L L L M	NA NA NA NA NA	L L L M I	L L L L L L L L L L L L L L L L L L L	M L L	NA NA NA NA NA NA	L L L M	L	L L L	L	L L	L M L	L L	L	L L	L L L M	L L L M M L L	L L M M L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece)	50005	53050 5300 50006 501 51734 50040 53570 50006 501 51734 50040 501	NA 52 H30 51 M30 53 H30 5430 551 H30 551 H30 551 H30	M30 H30 H30 SH30 H30 H30	L L M L	L30 L30 L30 M30 L30	L L L L L L L L L L L L L L L L L L L	M I	L L L M L	M M3 M M3 M M3 M M3 H H3	30 L 30 L 30 L 30 L 30 N	M30 . M30 . M30 . M30 . M30	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30 H30	L L M L L	M30 M30 M30 M30 M30 M30 M30	M30 M H30 H30 H30 SH M30 M	A M 30 L 30 L 30 L 30 L 30 L	L L	L L	M M NA H	L M L M L M NAM NAM	L L L L	L L L L L L L L L L L L L L L L L L L	L L L	NA NA NA NA NA NA	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M L L L M M L L L	NA NA NA NA NA NA NA	L L L M L	L L L M L	L L L	L	L L	L M L	L L L M	L L M L L	L L	L L L M L	L L L L L L L L L L L L L L L L L L L	L L M M L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Bemington Model 673 Guide Rifle STD 700 RH-SA (1-Piece)	50005	53050 530 50006 501 51734 50040 53570 50006 501	NA 52 H30 51 M30 53 H30 5430 551 H30 551 H30 551 H30	M30 H30 H30 SH30 H30	L L M L	L30 L30 L30 L30 M30 L30	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L M L	M M3 M M3 M M3 M M3 H H3	30 L 30 L 30 L 30 L 30 L 80 N	M NA M30 M30 M30 M30 M30 M30 M30 M3	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30 H30	L L M L L	M30 M30 M30 M30 M30 M30	M30 M H30 H30 H30 SH M30 M	A M 30 L	L L L L L L L L L L L L L L L L L L L	L L	M M NA H	L M L M N N N H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L M	NA NA NA NA NA	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M	NA NA NA NA NA NA	L L L M L	L L L M L	L L L M L	L	L L M L	M L M L	L L L M	L L M L L	L L M L	L L L M L	L L L L L L L L L L L L L L L L L L L	L L M M L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) DD XP-100 (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece)	50005	53050 530 50006 501 51734 50040 53570 50006 501 51734 51247 53570	NA 52 H30 51 M30 51 H30 51 H30 51 H30 61 H30 61 H30 61 H30 61 H30	M30 H30 H30 SH30 H30 H30 H30 H30	M L L L L L L L L L L L L L L L L L L L	L30	M ! L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M M3 M M3 M M3 M M3 H H3 H H3 H H3 H H3	80 N 80 L 80 L 80 L 80 L 80 N 80 N 80 L	M NA M30	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30 H30 H30 H30	L L M L	M30 M30 M30 M30 M30 M30 M30 M30 M30	MA N H30 H3 M30 M H30 H3 SH30 SH M30 M H30 H30 H30 H30 H30 H30 H30 M	A M 30 L	M L L L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L	M M M NA H H H H H H	L M L M N H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L M L	NA NA NA NA NA NA		L L L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L L L L L L L L L	NA NA NA NA NA NA NA	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L M L	L	L L M L	M L M L	L L L M	L L M L L	L L M L	L L L M L	L L L L L L L L L L L L L L	L L M M L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) STD 597 (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) Mark 4 700 (1-Piece) DO XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 Long Range RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece)	50005	53050 530 50006 501 51734 50040 53570 50006 501 51734 51247 53570	NA 52 H30 51 M30 51 H30 51 H30 51 H30 61 H30 61 H30 61 H30 61 H30	M30 H30 H30 SH30 H30 H30 H30 H30	M L L L L L L L L L L L L L L L L L L L	L30	M ! L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M M3 M M3 M M3 M M3 H H3 H H3 H H3 H H3	80 N 80 L 80 L 80 L 80 L 80 N 80 N 80 L	M NA M30	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30 H30 H30 H30	L L M L	M30 M30 M30 M30 M30 M30 M30 M30 M30	MA N H30 H3 M30 M H30 H3 SH30 SH M30 M H30 H30 H30 H30 H30 H30 H30 M	A M 30 L	M L L L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L	M M M NA H H H H H H	L M L M N H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L M L	NA		L L L L L L L L L	M M L L L M M L L L L L L L L L L L L L	NA NA NA NA NA NA NA NA NA	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L M L	L	L L M L	M L M L	L L L M	L L M L L	L L M L	L L L M L	L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) STD 597 (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 nop Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) DD XP-100 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) DD XP-100 RH-SA (1-Piece)	50005	53050 530 50006 501 51734 50040 53570 50006 501 51734 51247 53570 Action) (als	NA 52 H30 51 M30 51 H30 51 H30 61 H30	M30 H30 H30 SH30 H30 H30 H30 H30	M L L M L L L L L L L L L L L L L L L L	L30	M ! L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L	M M3 M M3 M M3 M M3 H H3 H H3 H H3 H H3	80 N 80 L 80 L 80 L 80 L 80 L 80 L 11700,	M NA M30	H M M M M M M M M M M M M M M M M M M M	M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	L L L L L L L L L L L L L L L L L L L	M30	MA N H30 H3 M30 M H30 H3 SH30 SH M30 M H30 H30 H30 H30 H30 H30 H30 M	A M 30 L	M L L L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L	M M M NA H H H H H H H H H H H H H H H H H H	L M L M N H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L	L L M L	L L M L	NA	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M M L L L M M L L L L L L L L L L L L L	NA	L L M L		L L L M L	L M L L L L L	L L M L	M L M L L L L L L L	L L M L	L L L L L L L L L L		L L M L L L	L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Bemington Model 673 Guide Rifle STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) Remington 700/721/725 (Right Han	50005 50005	53050 530 50006 501 51734 50040 53570 50006 501 51734 51247 53570 Action) (als	NA 52 H30 51 M30 51 H30 51 H30 61 H30	M30 H30 SH30 H30 H30 H30 H30 H30 H30 H30	M L L L L L L L L L L L L L L L L L L L	L30	M ! L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M M3 M M3 M M3 M M3 H H3 H H3 H H3 H H3	80 N 80 L	M M30	H M M M M M M M M M M M M M M M M M M M	M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	L L L L L L L L L L L L L L L L L L L	M30	M30 M H30 H: M30 M: SH30 SH M30 M H30 H: H30 H: M30 M M30 M M30 M H30 H:	A M 30 L	M L L L L L L L L L L L L L L L L L L L	M L L M L L L L L L L L L R Tar	M M M NA H H H H H H H H H H H H H H H H H H	L M L M L M N L H H H H H H H H H H H H H H H H H H H		L L M L	L L M L	NA	L L L L L L L L L L L L L L L L L L L		M M L L L L L L L L L L L L L L L L L L	NA				L M L L L L L	M L L L L L L L L L L L L L L L L L L L	M L M L L L L L L L L L	L L M L			L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) STD 597 (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 nop Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) DD XP-100 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) DD XP-100 RH-SA (1-Piece)	50005 50005 50005 50003	53050 530 50006 501 51734 50040 53570 50006 501 51734 51247 53570 Action (also	NA 52 H30 51 M30 51 H30 51 H30 51 H30 61 H30	M30 H30 SH30 H30 H30 H30 H30 H30 H30 H30	M L L M L L L L L L L L L L L L L L L L	L30	M ! L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L	M M3 M M3 M M3 M M3 H H3 H H3 H H3 H H3	80 N 30 L 30 L 30 L 30 N 80 L 11700,	M NA M30 M30 M30 M30 M30 M30 M30 M3	H M M M M H H H H H H H H H	M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	L L L L L L L L L L L L L L L L L L L	M30	M30 M H30 H: M30 M: SH30 SH M30 M: H30 H: M30 M M30 M M30 M H30 H: H30 H: H30 H:	A M 30 L 30 L 30 L 30 M 30 L	M L L L L L L L L L L L L L L L L L L L	M L L M L L L L L L L L L R Tar	M M M NA H H H H H H H H H H H H H H H H H H	L M L M L M N L H H H H H H H H H H H H H H H H H H H		L L M L	L L M L	NA	L L L L L L L L L L L L L L L L L L L		M M L L L L L L L L L L L L L L L L L L	NA			L L L M L L L L L L L L L L L L L L L L	L M L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M L M L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) Remington 600/560 STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) Remington 700/72/1725 (Right Han STD 700 RH-LA (1-Piece) STD 700 Long Range RH-LA (1-Piece)	50005 50005 50005 50003	\$3050 \$300 \$0006 \$01 \$1734 \$ \$0040 \$ \$3570 \$ \$0006 \$01 \$1734 \$ \$1247 \$ \$3570 \$ Action) (als \$0004 \$ \$1732 \$1732 \$	NA 52 H30 51 M30 51 H30 51 H30 51 H30 61 H30	H30 H30 H30 SH30 H30 H30 H30 H30 H30 H30 H30	M L L M L L L L L L L L L L L L L L L L	L30	M ! L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M M3 M M3 M M3 M M3 H H3 H H3 H H3 H H3	80	M NA M30 M30 M30 M30 M30 M30 M30 M3	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	L L L L L L L L L L L L L L L L L L L	M30	M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	A M 30 L 30 L 30 L 30 M 30 L	M L L L L L L L L L L L L L L L L L L L	M L L M L L L L L L L L L R Tar	M M NA H H H H H H H H HX	L M L M L M N L H H H H H H H H H H H H H H H H H H H		L L M L	L L M L	NA N	L L L L L L L L L L L L L L L L L L L		M M L L L L L L L L L L L L L L L L L L	NA			L L L L L L L L L L L L L L L L L L L	L M L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M L M L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) STD 597 (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) Mark 4 700 (1-Piece) MD XP-100 (1-Piece) DD XP-100 (1-Piece) STD 700 Long Range RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) DD XP-100 (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) STD 700 (2-Piece) STD 700 (2-Piece)	50005 50005 50005 50003 50015 50017	\$3050 \$300 \$50006 \$011 \$51734 \$50040 \$3570 \$50006 \$011 \$1734 \$1247 \$1247 \$13570 \$4000 \$60004 \$1732 \$1732 \$175 \$50006 \$575	NA 52 H30 51 M30 51 H30 51 H30 61 H30 63 H30 63 H30 64 H30 65 H30	H30 H30 H30 SH30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M L L M L L L L L L L L L L L L L L L L	L30	M ! L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M M3 M M3 M M3 M M3 M M3 H H3 H H3 H H3	N	M NA M30 M30 M30 M30 M30 M30 M30 M3	H M M M M H H H H H H H H H	M30 M30 H30 H30 H30 H30 H30 H30	L L L L L L L L L L L L L L L L L L L	M30	M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	A M 30 L	M L L L L L L L L L L L L L L L L L L L	M L L M L L L L L L L L L R Tar	M M NA H H H H H H H H HX	L M L M L M N L H H H H H H H H H H H H H H H H H H H		L L L L L L L L L L L L L L L L L L L	L L M L	NA N	L L L L L L L L L L L L L L L L L L L		M M L L L L L L L L L L L L L L L L L L	NA			L L L L L L L L L L L L L L L L L L L	L M L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M L M L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) DD XP-100 (1-Piece) Remington 700/7217/725 (Right Han STD 700 RH-SA (1-Piece) STD 700 Long Range RH-LA (1-Piece) STD 700 Long Range RH-LA (1-Piece)	50005 50005 50005 50003 50015 50017	\$3050 \$3000 \$50000 \$50000 \$501734 \$50000 \$50151734 \$50000 \$50151734 \$50000 \$60151734 \$50000 \$60151732 \$5015 \$50016 \$50016 \$50018	NA 52 H30 51 M30 51 H30 51 H30 61 H30 63 H30 63 H30 64 H30 65 H30	H30	M L L M L L L L L L L L L L L L L L L L	L30	L L L L L L L L L L L L L L L L L L L	M	L L L L L L L L L L L L L L L L L L L	M M3 M M3 M M3 M M3 M M3 H H3 H H3 H H3	N	M NA M30 M30 M30 M30 M30 M30 M30 M3	H M M M M H H H H H H H H H	M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	L L L L L L L L L L L L L L L L L L L	M30 M30 M30 M30 M30 M30 M30 M30 M30 M30	MA N H30 H: M30 M H30 H: SH30 SH M30 M H30 H:	A M 30 L	M L L L L L L L L L L L L L L L L L L L	M L L M L L L L L L L L L R Tar	M M M NA H H H H H H H H H H H H H H H H H H	L M L M NA L H H H H H H H L H H H H H H H H H H H		L L L L L L L L L L L L L L L L L L L	M L L L M L L L L L L L L L L L L L L L	NA N			M M L L L L L L L L L L L L L L L L L L	NA				L M L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M L M L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) Mark 4 700 (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 Long Range RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) Remington 700/721/725 (Right Han STD 700 RH-LA (1-Piece) STD 700 Long Range RH-LA (1-Piece) STD 700 Long Range RH-LA (1-Piece) STD 700 RH-LA (1-Piece) STD 700 RH-LA (1-Piece)	50005 50005 50005 50003 50015 50017 50041	53050 530 50006 501 51734 50040 53570 50006 501 51734 51247 53570 61 50004 51732 517 50016 50004 50018 500018 500018 500018 500018 5	NA 52 H30 51 M30 51 H30 51 H30 61 H30 63 H30 63 H30 64 H30 65 H30 66 H30 67 H30 68 H30	H30	L L L L L L L L L L L L L L L L L L L	L30	L L L L L L L L L L L L L L L L L L L	M	L L L L L L L L L L L L L L L L L L L	M M3 M M3 M M3 M M3 H H3 H H3 H H3 H H3	80 M M M M M M M M M M M M M M M M M M M	M NA M30 M30 M30 M30 M30 M30 M30 M3	H	M30 M30 M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	L L L L L L L L L L L L L L L L L L L	M30	MA N H30 H: M30 M H30 H: SH30 SH M30 M H30 H:	A M 30 L	M	M L L M L L L L L L L L L R Tar	M M M M M M M M M M M M M M M M M M M	M H L M L M N L M N N L H H H L H L H L H L H L H L H L H L H	L L L L L L L L L L L L L L L L L L L	M	M L L L L L L L L L L L L L L L L L L L	NA N			M M L L L L L L L L L L L L L L L L L L	NA NA NA NA NA NA NA				L M L L L L L L L L L L L L X L X L X L	L L L L L L L L L L L L L L L L L L L	M L M L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) Remington 600/660 STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) DD XP-100 (1-Piece) Remington Model 673 Guide Rifle STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) DD XP-100 (1-Piece) DD XP-100 (1-Piece) Remington 700/721/725 (Right Han STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-LA (1-Piece) STD 700 RH-LA (1-Piece) STD 700 (2-Piece) DD 700 (2-Piece) DD 700 (2-Piece)	50005 50005 50005 50003 50015 50017 50041 50049	\$3050 \$30 \$50006 \$01 \$51734 \$51247 \$53570 \$50004 \$51734 \$51247 \$50004 \$51734 \$51734 \$50004 \$51732 \$50016 \$5752 \$50016 \$50042 \$1750016 \$50004 \$50000 \$500004 \$50000 \$5000000 \$5000000 \$5000000 \$5000000 \$50000000 \$5000000 \$50000000 \$50000000 \$50000000 \$500000000	NA	H30	L L L L L L L L L L L L L L L L L L L	L30	M ! L L L L L L L L L L L L L L L L L L	M	L L L CONTROLL CONTROL CON	H H3 M M3 M M3 M M4 M M5 H H3 H H	Name	M NAM M30 M30 M30 M30 M30 M30 M30 M30 M30 M3	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	M L L L L L L L L L L L L L L L L L L L	M30	MA N H30 H: M30 M H30 H: SH30 SH M30 M H30 H:	A M 30 L	M	L L L L L L L L L L L L L L L L L L L	M M M M M M M M M M M M M M M M M M M	M H L M M N N N N N N N N N N N N N N N N N	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L	M L L L L L L L L L L L L L L L L L L L	NA			M M L L L L L L L L L L L L L L L L L L	NA N			L L L L L L L L L L L L L L L L L L L	L M L L L L L L L L L L L L L L L L L L	L L L L L L L L LX LX LX LX LX LX LX LX	M L M L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L
Remington 597 STD 597 (1-Piece) STD 597 (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SA (1-Piece) STD 700 Long Range RH-SA (1-Piece) DD XP-100 (1-Piece) DD XP-100 (1-Piece) STD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) STD 700 Long Range RH-LA (1-Piece) DD XP-100 (1-Piece) STD 700 RH-SA (1-Piece) STD 700 RH-SC (1-Piece) STD 700 (2-Piece) DD 700 (2-Piece) DD 700 RVF (2-Piece) QR 700 (2-Piece) QR 700 (2-Piece)	50005 50005 50005 50003 50015 50017 50041 50049 49840	53050 530 50006 501 51734 50006 501 53570 50006 501 51734 51247 53570 61 51734 51732 517 50016 575 50018 505 50042 517 50044	NA H300 H300 H300 H300 H300 H300 H300 H30	H30	L L L L L L L L L L L L L L L L L L L	H30 L30 L30	M	M	L L L CONTROLL CONTROL CON	H H3 M M3 M M3 M M4 M M5 H H3 H H3 H H3 H H4 H H5	Name	M NAM NAM NAM NAM NAM NAM NAM NAM NAM NA	H M M M M M M M M M M M M M M M M M M M	M30 M30 H30 H30 H30 H30 H30 H30 H30 H30 H30 H	L L L L L L L L L L	M30	MA N H30 H: M30 M H30 H: SH30 SH M30 M H30 H:	A M 30 L 30 L	M	L L L L L L L L L L L L L L L L L L L	M M M M M M M M M M M M M M M M M M M	M H L M M N N N N N N N N N N N N N N N N N	L L L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L L L L L L L L L	M L L L L L L L L L L L L L L L L L L L	NA N			M M L L L L L L L L L L L L L L L L L L	NA N			L L L L L L L L L L L L L L L L L L L	L M L L L L L L L L L L L L L L L L L L	L L L L L L L L LX LX LX LX LX LX LX LX	M L M L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L		L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L

Abbreviations

LA — Long action

SA — Short action

SH — Super high 1 " M — Medium 1" M3 — Medium 1" M3 — Medium 1" M3 — Medium 1" extension

SH — Reversible front base

SH — Reversible front and rear base

H — High 1" M3 — Medium 30mm M3 — Med

BASE FIT & RING HEIGHT INFORMATION

LI	PS								VX-III											VX-II						VX-I			FX	-III		FX-II			Compe
LPS 2.5-10x45mm	LPS 3.5-14x50mm Side Focus	VX-III 1.5-5x20mm	VX-III 1.5-5x20mm Illuminated Reticle	1.75-6	VX-III 2.5-8x36mm	VX-III 3.5-10x40mm	VX-III 3.5-10x50mm	VX-III 3.5-10x50mm Illuminated Reticle	VX-III 4.5-14x40m	VX-III 4.5-14x40mm Long Range	VX-III 4.5-14x50mm	VX-III 4.5-14x50mm Long Range (& Illuminated Reticle)	VX-III 6.5-20x40mm EFR Target	VX-III 6.5-20x40mm Long Range	VX-III 6.5-20x50mm Long Range Target	VX-III 8.5-25x50mm Long Range Target	1-4x20r	VX-II 2-7x33mm	VX-II 3-9x40mm	VX-II 3-9x50mm	VX-II 4-12x40mm Adj. Obj.	VX-II 4-12x50mm	VX-II 6-18x40mm Adj. Obj. (& Target)	VX-I 1-4x20mm Shotgun/Muzzleloader	VX-I 2-7x33mm (& Shotgun/Muzzleloader)	VX-I 3-9x40mm	VX-I 3-9x50mm	VX-I 4-12x40mm	FX-III 6x42mm	FX-III 12x40mm Adj. Obj. Target	FX-II 2.5x28mm Scout	FX-II 4x33mm	FX-II 6x36mm	Competition Series 35x45mm	Competition Series 40x45mm

																																		\perp							
NEW PRODUCTS ARE SHOWN IN	RED																																								
FIREARM	BASE	PART NU	UMBER	5.6	6.5	5.5	5.8	5.4	5.1	5.8 5.1	5.6	5.8	5.9	5.1	5.5	5.5	5.8 6.5	6.5	5.5	5.2 5.6	5 5.0	0 5.3	5.0	6.1 5.	.5 5	2 5.6	5.0	5.6	.4 5.	8 5.6	5.5	5.9	7.1	7.1	7.1	5.4 4	1.8 5	.5 5.0	5.3	5.0	4.8 4.8
Base Model		Matte																																							
Remington 700/721/725 (Left Han	d. Lona	Action)																																							
STD 700 LH-LA (1-Piece)	50007			H30	H30	L	130	T	1	т н	H30		M30	н	H30	1 1	130 H30	H30		LL	H	(L	нх	1 1	LL	NA	нх	L	1 1	NA	П	1	ΙX	IX	LX	TIL	IX I	L LX	IX	ΙX	IX D
STD 700 (2-Piece)	50015	50016	57510	_	H30	_	L30	_	ī	I H	H30	Ť	M30		H30	_	130 H30	_	-	LL	H)	_	HX	_	LL	NA	_		L	_	Ħ	ī	LX	_	_		LX I	_	_	_	LX LX
STD 700 RVF (2-Piece)			50019	_	H30	_	L30	-	ī	I H	H30	1	M30	-	H30	_	130 H30	H30	-	1 1	Н.	_	Н	-	1 1	NA	Н		L	_	÷	1		LX	1	++	1 1		1	-	L LX
DD 700 (2-Piece)			51727		H30	L	_	1	-	L H	_	1	M30	_	_	_	430 H30		i	1 1	N/		NA NA	L	ll	_	_		L	_	T.	1	ī		NA	I N	VA I	L LX	i		NA NA
DD 700 (2-Piece) DD 700 RVF (2-Piece)	30041	50042			H30	_	_	-	-	L H	_	-	M30	_	_	_		H30	-	LL	H	_	H	_	1 1	_	_		1 1	_	-	-	-	_	I	LIN	_	I I	1	_	
	F0040			_		_	L30	-	-	_	_	L				_		_	L	L L			_	_		. NA	H	_			L.	L.	L	_	-					_	
QR 700 (2-Piece)			50059		H30	L		L	-	L H	_	L	M30		H30	_	130 H30	_	$\overline{}$	L L	H)		НХ		L L	NA			L L	_	L	$\overline{}$			MX			L MX			MX M
QRW / PRW 700 (2-Piece)	49840	49841		_	H30		L30	L		L H	H30	L	M30	_	H30		130 H30	_	\rightarrow	L L			NA	_	L L	. NA			L L	_	L	$\overline{}$	NA	_			_	L NA			NA NA
Mark 4 700 (2-Piece)		50039		SH30		M				M NA		M					NA SH30	SH30	M	M M	N/	M A	NA	M N	M M	1 NA	NA	M	M N	I NA	M	M	M	NA	NA	M N	N AV	M NA	M	NA	NA NA
Remington 700/721/725 (Right Ha	nd, Shor	t Action	n) (also B	SA M	onarch	n, Moss	berg 1	1500/17	700, Re	mington	700 Mt																														
STD 700 RH-SA (1-Piece)	50005	50006	50161	H30	H30	L	L30	L	L	L H	H30	M	M30	Н	H30	L I	/130 H30	H30	L	L L	H	M	H	L I	L M	1 NA	H	L	L L	NA	L	L	L	L	L	L I	L I	L L	L	L	L L
STD 700 Long Range RH-SA (1-Piece)		51734		H30	H30	L	L30	L	L	L H	H30	M	M30	Н	H30	L 1	/30 H30	H30	L	L L	H	M	H	L L	L M	1 NA	H	L	L L	NA	L	L	L	L	L	L /	L I	L L	L.	L	L L
STD 700 (2-Piece)	50015	50016	57510	H30	H30	L	L30	L	L	L H	H30	M	M30	Н	H30	L I	/30 H30	H30	L	L L	Н	M	Н	L I	L M	1 NA	Н	L	L L	NA	L	L	L	L	L	L	L I	L L	L	L	L L
STD 700 RVF (2-Piece)	50017	50018	50019	H30	H30	L	L30	L	L	L H	H30	M	M30	Н	H30	L I	/30 H30	H30	L	L L	Н	M	н	LI	L M	1 NA	Н	L	LL	NA	L	L	L	L	L	L	LI	LL	T	L	L L
DD 700 (2-Piece)			51727		H30		L30	-	_	L H	_	M	_		H30		130 H30	_		LL	H	_	Н	L	L M	_	Н	L	L	_	1	ī	\top		L	T	L			_	LL
DD 700 RVF (2-Piece)	22011	50042			H30		L30	-	-	L H	H30	M	M30		H30	_	/30 H30	H30	1	i i	Н.	_	Н.	1	I M	_	Н.	-	1 1	NA.	ΙŤ	1	+		+			H	Ť		i
OR 700 RH-SA (1-Piece)		51247			H30		L30	+	_	L H	_	1	M30		_		130 M30	_	1	1 1	Н.	_	Н.	1 1	L IV	. NA	_	1	1 1	_	l î	1	\rightarrow	+	+	-	- '	++	++	1	LL
QR 700 (2-Piece)			50059		H30		L30	+		L H	_	+	M30		_	_	130 M30		-	LL	H		H	-	1 1	NA NA	H	L		_	+	-	-	+	I	++'	- 1		+-		LL
					M30		_	L .	_		_	-	_	-	_	_	_	_	L				_	-	L L	_	_	-		_	-	-	-		+	+			+-	_	
QRW / PRW 700 (2-Piece)	49840		49842				L30	L	_	L M			M30		H30		130 M30			L L	M		M	L L	L L	NA.	M	L	LLL	NA	L	L	L	L	L		L I	- L	+ L		L L
Mark 4 700 (1-Piece)		50040		SH30		M			_	М Н	H30	M					/30 SH30			M M	_		NA		M M		NA		M N		М	M	М				_	M M			M M
Mark 4 700 (2-Piece)		50039		SH30			_	_	_	М Н		M	_				130 SH30	_	M	M M	_	_	NA		M M		NA		M N	_	М	M	M	M		M N	M N	м м	M		M M
DD XP-100 (1-Piece)		53570		H30	H30	L	L30	L	L	L H	H30	L	M30	Н	H30	L I	/30 M30	M30	L	L L	Н	L	Н	L I	L L	. NA	Н	L	L L	NA	L	L	L	L	L	L /	LI	L L	L	L	L L
Remington 700/721/725 (Left Han																																		بصلا	البلطا	البلط		السبط	للسبا		
STD 700 (2-Piece)	50015	50016	57510	H30	H30	L	L30	L	L	L H	H30	M	M30	Н	H30	LI	/130 H30	H30	L	L L	H	M	H	L I	L M	1 NA	Н	L	L L	NA	L	L	L	L	L	L /	L I	L L	L	L	L L
STD 700 RVF (2-Piece)	50017	50018	50019	H30	H30	L	L30	L	L	L H	H30	M	M30	Н	H30	L 1	/30 H30	H30	L	L L	H	M	H	L I	L M	1 NA	Н	L	L L	NA	L	L	L	L	L	L	L I	L L	L	L	L L
DD 700 (2-Piece)	50041	50042	51727	H30	H30	L	L30	L	L	L H	H30	M	M30	Н	H30	L I	130 H30	H30	L	L L	Н	M	Н	L I	L M	1 NA	Н	L	L L	NA	L	L	L	L	L	L f	L I	L L	L	L	L L
DD 700 RVF (2-Piece)		50044		H30	H30	L	L30	L	L	L H	H30	M	M30	Н	H30	L I	/30 H30	H30	L	L L	Н	M	Н	L I	L M	1 NA	Н	L	L L	NA	L	L	L	L	L	L f	L I	L L	L	L	L L
QR 700 (2-Piece)	50049	50050	50059	H30	H30	L	L30	L	L	L H	H30	L	M30	Н	H30	L I	130 M30	M30	L	L L	Н	L	Н	LI	L L	NA	Н	L	L L	NA	L	L	L	L	L	L	L I	L L	1	L	L L
ORW / PRW 700 (2-Piece)	49840	49841	49842	M30	M30	L	L30	1	L	L M	M30	1	M30	М	H30	1 1	130 M30	M30	L	LL	M	L	М	L	LL	NA	М	1	LL	NA	L	1	\Box		1	T	1 1			L	LL
Mark 4 700 (2-Piece)	10010	50039		SH30			_	_	_	M NA	_	M	NA	_	_	_	NA M30	_		M M	_	_	NA	_	M M	_	_		M N	_	M	М	М	M	M	M N	M N	M M	M		M M
Remington 700 Muzzleloader s											1671		1401	147 (1471		11150	11130			140		1471				145 (1471											
Remington 710	ec neiiii	iigtoii 7	oo (iligii	· mane	a, 3110	T Actic	,,																																		
STD 710 (2-Piece)	54100			HZO	HOU		120		1		Han		1420	ш	uzn		/30 H30	Han		1 1	ш	/ 1	uv			NIA	шу			NA			IV	IV	LV		ıv ı	LV	IV	IV	IV IV
Remington 740, 742, & 760	34100			пэи	пэи	L	L30	L	L	ь п	пэо	L	IVIOU	п	пэи	L I	130 130	пэи	L	LL	П/	\ L	пл	L		IVA	пл	L		INA	L	L	LA	LA	LA			. LA	LA	LX	LA LA
	40000			1120	1120		120				1120		1420		1120		120 1120	1120															4.7		-	-			4		
STD 760 (1-Piece)	49992			H30	H30	L	L30	L	L	L H	H30	L	M30	н	H30	L	N30 H30	H30	L	L L	Н	L	Н	L	L L	. NA	Н	L	L L	NA	L	L	L	L	L	L I	L I	L L	L	L	LL
Remington XP-100 (for use with a																																	4						4		
STD 700 RH-SA (1-Piece)			50161	_	_	_	_	_	L		_	_	_	-	_	_	130 M30	_	-		_	_	_	_	_	. NA	_		M L	_	_	L		L	_		_	L L	_	-	L L
STD 700 Long Range RH-SA (1-Piece)		51734		H30	_	_	_	-	_	L M	_	_	_	-	_	_	130 H30	_	-	L L	_	_	M	_	L L	_	_	-	L L	_	_	L	L	_	_	_	_	L L	_	-	L L
QR 700 RH-SA (1-Piece)		51247		M30		L	L30	L	L	L M	M30	L	M30	_		L I	130 M30	M30	L	L L	M	l L	M	L I	L L	. NA	M	L I	M L	NA	L	L	L	L	L	M I	L I	L L	L	L	L L
DD XP-100 (1-Piece)		53570		M30	M30	L	L30	L	L	L M	M30	L	M30	M	M30	LI	130 M30	M30	L	L L	M	l L	М	L I	L L	NA	М	L	M L	NA	L	L	L	L	L	M I	L I	L L	L	L	L L
Remington XP-100 R (new model	with for	ır moun	nting hol	es)																																					
STD 700 RH-SA (1-Piece)	50005	50006	50161	M30	M30	L	L30	L	L	L M	M30	L	M30	M	M30	L I	130 M30	M30	L	L L	M	L	M	L I	L L	NA	М	L	M L	NA	L	L	L	L	L	M I	L I	L L	L	L	L L
STD Model 7 (2-Piece)	51256		51257	M30	M30	L	L30	L	L	L M	M30	L	M30	М	VI30	L I	130 M30	M30	L	L L	M	L	М	L	L L	NA	М	L	M L	NA	L	L	T	L	L	M I	LI	LL	T	L	L L
STD 700 Long Range RH-SA (1-Piece)		51734		_	H30	L		_		L M	_	_	M30	_	_	_	/30 H30			LL	_	_	M	_	LL	_	_		LL	_	ī	ī	Ť		_		L	LL	ī	_	LL
QR 700 RH-SA (1-Piece)		51247			M30		L30	_	_	L M		ΤŤ	M30		_		M30 M30			LL	M		M		LL	NA	M		M L	_	ΙŤ	L				M	L	_	Ħ	_	LL
DD XP-100 (1-Piece)		53570			M30		L30	1	L	L M		1	M30		_		M30 M30		-	ii	M		M		LL	. NA			VI L	_	Ė	1	-	\pm		M I	1 1	++	i	_	LL
Rimfire (for use with 11mm dove		33370		14120	MIDO	-	200	-	-	- IVI	IVIJU		INIDO	IVI	*130	- 1	100 INIO	INIDO	-	- -	IVI		IVI	- '	- -	IVA	IVI	-	** L	IVA	-	L .				.**	- -			-	- -
RM Rimfire 11mm Medium	54231			NA	NIA	+	NIA	+			NA		NIA.		NA.		NA NA	NIA	+		N/		NIA.	*		81.0	NA	•		81.0		•		+			• 4				+
	_		-	_	_	_	_	•	_		_	-	NA	_	NA	_		_	•		_	_	_	7	_	_	_			NA	-	•	-	-		_	* •	_	•	_	*
RM Rimfire 11mm High	54234			NA	NA		NA			* *	NA	+	NA	•	NA	•	NA NA	NA		•	N/	4 +	NA		•	NA	NA		• •	NA NA						•		•		•	
Rimfire (for use with 13mm dove																																									
RM Rimfire 13mm (1/2") Low	49949			NA				•	•	NA				NA		_	NA NA		•	_	N/			* •	_		NA	•		NA	•	•	•	•	•	^	• •	•	•	_	• •
RM Rimfire 13mm (1/2") Medium	49947			NA	NA		NA			◆ NA	NA	•	NA	NA	NA	•	NA NA	NA		•	N/	A .	NA		•	NA.	NA		• •	NA NA						•		•	'	•	
Rimfire (for use with 3/8 inch do	retail rai	1)																																							
RM Rimfire 3/8 inch Medium	54289			NA	NA	•	NA	•	•		NA		NA		NA		NA NA	NA	•	•	N/	Α	NA	*	•	NA	NA	•		NA	•	•	•	•	•	1	• 4	•	•		• •
RM Rimfire 3/8 inch High	54286			NA	NA		NA			* *	NA	•	NA	•	NA	•	NA NA	NA		•	N/	A .	NA		•	NA	NA		• 4	NA NA			\neg			•		•		•	
				_		_	_	_	_		_	-	_		_	_		_			- "	_		_							_		-	_	_	_	_	_	_	_	_

BASE FIT &
RING HEIGHT
INFORMATION

			LPS							W	(-111						_			/X-II				_	/X-I			X-III	T	FX-II			ompe	tition			Ultralio	nht		Rimf	iro
BASE FIT &		10		_	_	_	I _	1 _ 1	_ _			Τ_		_	_ _	_					. _	I	ا ــ ا			. _			1_		_	. [Τ.		_ _		
BASE FII &		SCOPE	LPS 2.5-10x45mm	LPS 3	VX-III 1.5-5x20mm Illuminated Reticle	× =	VX-III 2.5-8x36mm	VX-III 3.5-10x40mm	X-III	× ×	VX-III 4.5-14x40m	×	% = X-=	VX-III 6.5-20x40mm EFR Target	Long Range Target VX-III 6.5-20x40mm Long	X-III	VX-II 1-4x20mm	VX-II 2-7x33mm	VX-II 3-9x40mm	VX-II 3-9x50mm	VX-II 4-12x50mm	% Ta	VX-I 1- Shotgu	% Sh	VX-I 3-9x40mm	VX-I 4-12x40mm	₹.	₽	FX-II 2.5x28mm	FX-II 4x33mm	FX-II 6x36mm	Competition	Comp	Competition	S 폰	VX-II 2-7x28mm	VX-II 3-9x33mm	VX-II 3-9x33mm	FX-II 2.5x20mm	VX-I 2-7x28mm	😤
RING HEIGH	T	R	.5-10	3.5-14x50mm	inated Reticle	1.75-6x32mm	2.5-	υ 	3.5-	1 3.5-10x50m	4 4	4.5	l 4.5-14x50mm l uminated Reticle	6.5	Ranc 6.5-	Rang 6.5-	0 1-4x	2-7×	3-9x	3-9x	4-12	6-18x40mm irget)	1-4x	2-7x331	3-9x	4-12	6x42mm	12x40mm	2.5x	4x33	6x36	petiti:	petition	etiti	etiti A	2-7x	3-9x	3-9x	2.5x.	, 2-X	1x28
INICODNANTIO	NT.	MODEL)x45	1x50	d Re	5-6x	8x36	10 _x	10x5	10%	14 X	14x5	14xt ated	20×	je Ta 20×	ge Ta	20m	33m	40m	50m	×50r	×40	4x20mi in/Muzz	M M	mu ot	40 9	l m	1 m	28mi	m	B.		on S		9 m H	28m	33m	33m	20 mi	28mr	3
INFORMATIO	JIN	Ĕ			mm ticle	82mr	mm	10mr	3.5-10x50mm	0mr	4.5-14x40mm 4.5-14x40m	4.5-14x50mm	Reti	10mr	Target x40mr	je Target 20x50mn	3	3	3				n leloa	-7x33mm otgun/Muzzleloader)	3 5	1 1	-	n Adj				Series	Series	Series 45x45mm	un Adi.	3	3	3 C			1 🖺
				Side		3		3	3	3] E	3	n lo	품	n :	³	3			غ ا		<u>A</u> .	der	doac				j, Obj	Scout			35x45mm	40x45mm	45x	를 윤	Ultralight	Ultralight	Ultralight	Ultralight	Rimfire	l e
				Focus							Long R		Long R e)	R la	ng R					غ ا	-	<u>0bj.</u>		er)								45 m	45 m	45 m		gh '	g '		¥ 5		
				Z							Range		Range	rget	Range													Target				3	3	3				뜊	1	'	
											"				.																										
NEW PRODUCTS ARE SHOWN IN	RED																																								
FIREARM	BASE PART N	IIMDED	E C G	l .		E 4	l = 1	= 0	e 1 1	E C E		. = 1	1 1	6 5	60 61	.	Lee	ادعا	E C	e 0 e	2 E0	61		E 2	c	0 50	. _ /	1	1 5 6		E 0	71	7.1	71	E A	40 1	ee 6	en e	-	ماء	140
Base Model	Gloss Matte	Silver	5.0	0.0 0	3.8	5.4	5.1	5.8	5.1	D.0 D	0.8 0.8	5.1	5.5	0.0	0.8 0.3	0.0	5.5	5.2	5.0	5.0 5	3 5.0	0.1	5.5	5.2	O.C O.C	0 5.0	5.4	5.8	0.0	5.5	5.9	7.1	7.1	7.1	5.4	4.8	5.5	5.0 5	5.5 5.	0 4.8	4.8
Ruger Number 1, 77/22, 96/44																																									
RM Ruger No. 1 - 1" Low	49950			- 1	•	•	•	-									•	•				_	•		NA	•				•	•		•	•	-	•	•	•	4	• •	•
RM Ruger No. 1 - 1" High	50216 50217							•	•	- 1	•	•		•					•	• (•				NA 4	•	•	•							•						_
RM Ruger No. 1 Ext 1" Medium RM Ruger No. 1 Ext 1" High	52306 52307			_											_	_									NA NA				NA NA			•	_	_				-+'	•		+-
RM Ruger No. 1 Ext 1" Super High	52308			_	_	+				_		+				+	_							-	NA		+	+	NA			_		\rightarrow	_		_	_	_	+	+
RM Ruger No. 1 - 30mm Medium	51038															\top								-	NA				NA								\neg	\neg		\top	\top
RM Ruger No. 1 - 30mm High	51039									•	•		+		* *	•									NA				NA												
RM Ruger No. 1 - 30mm Super High	51040		•	*																					NA				NA												
Ruger 10/22	40004 54722	F4724	1120 11	120	1 120				M	420	1 142	0 M	1420		M20 112	0 1120				M					NIA .				NIA												
STD 10/22 (1-Piece) Ruger M77 (Round Receiver, Righ	49994 51723								M N	VI30	L M3	U IVI	IVI30	L I	M30 H3	0 H30	L	L	L	M	. M	L	L	L	NA I	1 L	L	L	NA	L	L	L	L	L	L	L	L	L	L	- L	_ L
Ruger M77 (Dovetail Receiver, Lo			e itellin	igton .	roo (iligi	iic mana	i, Long	Action	<u>'</u>			-														-					_		_								
RM Ruger M77 - 1" High	49951 49952	49953		٠ .	•	+	+										+	+				+	•		NA	+			NA	•	•	+	+	+		•	•	• •	• •	•	•
RM Ruger M77 - 1" Super High	49954 49944	50166						•	•	4	•	•		•					•	• (•			•	NA 4	•	•	•							•						
RM Ruger M77 Ext 1" High	52301																							_	NA				NA												
RM Ruger M77 Ext 1" Super High	52302 51041																							-	NA				NA NA												+
RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm High	51041			-	_	+	-		_	_	•	+-			•	+					_				NA NA	_	+	-	NA			-	-	-	-	_	-	_		+	+
RM Ruger M77 - 30mm Super High	51042		•	*	_	+			_	•		+	•		_						_				NA	_	+		NA			-+	\rightarrow	\rightarrow	\rightarrow		+	_		+	+
RM Ruger M77 Ext 30mm High	52304			_	•					-			-				_		_	_	_	_				_			NA		_	_	_	_							
																									NA				1474												
RM Ruger M77 Ext 30mm Super High	52305																								NA NA				NA												
Ruger M77 (Dovetail Receiver, Sh	52305 ort Action)																								NA				NA												
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High	52305 ort Action) 49951 49952			•	•	+	•										•	•	•	_		_	•	•	NA NA	_	•	•	NA NA	•	•	•	•	•	•	•	•	•	• •	•	•
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High	52305 ort Action) 49951 49952 49954 49944						•	•	•		•	•		•			•	+	_	•	•	_	•	•	NA NA	_	•	•	NA NA NA	•	•	•	•	•	•	•	•	•	• •	•	•
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High	52305 ort Action) 49951 49952			4			•	•	•		•	•		•			*	+	_	_	_	_	•	•	NA NA	_	•	•	NA NA	•	•	•	•	•	•	•	•	•	• •	•	•
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium	52305 ort Action) 49951 49952 49954 49944 52301 52302 51041			4			•	•	•		•	•		*			*	*	_	_	_	_	•	*	NA NA NA NA	_	•	•	NA NA NA NA NA	•	•	*	*	*	•	•	•	•	• •	•	•
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm High	52305 ort Action) 49951 49952 49954 49944 52301 52302 51041 51042					•	*	*			•				•		*	•	_	_	_	_	•	•	NA NA NA NA NA	_	•	•	NA NA NA NA NA NA	•	•	*	•	*	•	•	•	• •	•	•	•
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High	52305 ort Action) 49951 49952 49954 49944 52301 52302 51041 51042 51043		•	•	•	•	•	*		•			•		_	•	•	*	_	_	_	_	•	*	NA NA NA NA NA NA NA NA	_	•	•	NA	•	•	*	*	*	•	•	•	• .	• •	•	•
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm High	52305 ort Action) 49951 49952 49954 49944 52301 52302 51041 51042 51043 52304		•		•	•	•	*					*		_	•	•	*	_	_	_	_	•	•	NA	_	•	•	NA	•	•	*	•	*	•	•	•	•	• •	•	•
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High	52305 ort Action) 49951 49952 49954 49944 52301 52302 51041 51042 51043 52304 52304		•		•	•	•	*					•		_	•	•	*	_	_	_	_	•	•	NA NA NA NA NA NA NA NA	_	•	•	NA	•	•	*	*	•	•	•	•	• .	• •	•	•
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Super High RUGER M114 (Drilling and Tappi STD Mini 14 (1-Piece)	52305 ort Action) 49951 49952 49954 49945 52301 52302 51041 51042 51043 52304 52305 ng Required) 50002		. Н30 Н	•	•	•	• L			•	•				_					•	•			*	NA N				NA												
Ruger M77 (Oovetail Receiver, St RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Hedium RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High Ruger M71 Ext 30mm Super High Ruger M72 Ext 30mm Super High Ruger M71 Ext 30mm Super High Ruger	52305 ort Action) 49951 49952 49954 49954 52301 52302 51041 51042 51042 51043 52304 52305 52305 62305	50166	Н30 Н	◆	• • L L30	• L	L	L	Н	•	•				•					•	•			*	NA N				NA												
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi S1D Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver)	52305 ort Action 49951 49952 49954 49944 52301 51042 51042 51043 52304 52305 52305 ng Required 50002 ser FN	50166	H30 H	◆ 130	L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	♦	♦ M M3	0 H	H30	M M	M30 H3	0 H30	L	L	L	+ H !	1 H	L	L	• M	NA	l L	M	M	NA	L	L	L	L	L	M	L	L	M	L	1 L	L
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M76 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tappered Dovetail Receiver) QR Sako (2-Piece)	52305 ort Action 49951 49952 49954 49944 52301 52302 51041 51042 51043 52305 org Required 50002 ser FN (Not for use w 53064 53066	50166	H30 H	◆ 130 nfire o	L L30 r other S L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	♦	♦ M M3	0 H	H30	M M	•	0 H30	L	L	L	•	1 H	L	L	• M	NA N		M	M	NA		L	L	L	L	M	L	L	M	L N	1 L	L
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi S1D Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver)	52305 ort Action 49951 49952 49954 49944 52301 51042 51042 51043 52304 52305 52305 ng Required 50002 ser FN	50166 ith the \$	H30 H	◆ 130 nfire o	L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	♦	♦ M M3	0 H	H30	M M	M30 H3	0 H30	L	L	L	+ H !	1 H	L	L	• M	NA	l L	M	M	NA	L	L	L	L	L	M	L	L	M	L N	1 L	L
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (Drilling and Tappi Sako (Tapered Dovetail Receiver) QR Sako (Tapered Dovetail Receiver) QR Sako (2-Piece)	52305 ort Action 49951 49952 49954 49944 52301 52302 51041 51043 52304 52305 5204 52005 50002 Ser FN (Not for use w 53064 49946	ith the \$ 53068	H30 H	◆ 130 nfire o	L L30 r other S L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	+30 I	♦ M M3	0 H	H30	M M	M30 H3	0 H30	L	L	L	+ H !	1 H	L	L	• M	NA N		M	M	NA	L	L	L	L	L	M	L	L	M	L N	1 L	L
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Medium RM Sako - 1" Super High	\$2305 ort Action 49951 49952 49954 49944 52301 52302 51042 51043 52304 52305 52305 50002 50002 50002 50004 53064 49946 49946 49948 49948 49948 49948 49949 49948 49949	ith the \$ 53068	H30 H	◆ 130 nfire o	L L30 r other 5 L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	+30 I	M M3	0 H	H30	M M	M30 H3	0 H30	L	L	L	Н !	1 H	L	L	♦ M M M	NA N		M	M	NA N	L	L	L	L	L	M	L	L	M	L N	1 L	L
Ruger M77 (Dovetail Receiver, St RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Grager M71 Ext 30mm Super High Ruger M17 Ext 30mm Super High Ruger M17 Ext 30mm Super High RM Gako (2 Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" Medium RM Sako - 1" Super High RM Sako - 1" Super High RM Sako - 30mm Medium	52305 52305 52302 49951 49954 49954 52301 51042 51043 52302 51041 52302 52305 50002 52305 50002 52305 60002 5000	ith the \$ 53068	H30 H	◆ 130 nfire o	L L30 r other S L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	+30 I	M M3	0 H	H30	M M	M30 H3	0 H30	L	L	L	H !	1 H	L	L	♦ M M •	NA N		M	M	NA N	L	L	L	L	L	M	L	L	M	L N	1 L	L
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 50mm High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M76 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 30mm Hedium RM Sako - 30mm Hedium	52305 52305 49954 49954 49954 49941 52301 51042 51043 52304 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 53066 53066 54409 49948 54410 49942 49943 54410 49942 49943 51036 51036 51037 51036 51037 51036 51037 5103	ith the \$ 53068	H30 H Sako Fini H30 H	◆ 130 130 14 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	L L30 r other 5 L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	→ H30 !	M M3	0 H	H30	M M	M30 H3	0 H30	L	L	L	H !	1 H	L	L	◆ M M M	NA N		M	M	NA N	L	L	L	L	L	M	L	L	M	L N	1 L	L
Ruger M77 (Dovetail Receiver, St RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 - Ext 1" High RM Ruger M77 - 30mm Heigh RM Ruger M77 - 30mm High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm High RM Ruger M71 Ext 30mm High RM Ruger M71 Ext 30mm High Ruger Mini 14 (I-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 1" Super High RM Sako - 30mm High RM Sako - 30mm High RM Sako - 30mm High RM Sako - 30mm High	52305 52305 52302 49951 49954 49954 52301 51042 51043 52302 51041 52302 52305 50002 52305 50002 52305 60002 5000	ith the \$ 53068	H30 H Sako Fini H30 H	◆ 130 nfire o	L L30 r other 5 L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	+30 I	M M3	0 H	H30	M M	M30 H3	0 H30	L	L	L	H !	1 H	L	L	◆ M M M	NA N		M	M	NA N	L	L	L	L	L	M	L	L	M	L N	1 L	L
Ruger M77 (Dovetail Receiver, Sh RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 50mm High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M76 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 30mm Hedium RM Sako - 30mm Hedium	52305 52305 49954 49954 49954 49941 52301 51042 51043 52304 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 53066 53066 54409 49948 54410 49942 49943 54410 49942 49943 51036 51036 51037 51036 51037 51036 51037 5103	50166 ith the 5 53068 51719 51720	H30 H Sako Fini H30 H	◆ 130 130 130 14 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	L L30	L Sako .22	L 2 rimfi	L ire rifle	H H	◆ H30 I	M M3	0 H	H30	M M	M30 H3	0 H30	L	L	L	H !	1 H	L L	L	M M	NA N		M	M	NA N	L	L L	L	L L	L	M M	L	L	M M	L N	1 L	L
Ruger M77 (Dovetail Receiver, St RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 2" Super High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Picce) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 30mm High RM Sako - 30mm High RM Sako - 30mm High RM Sako - 30mm Super High Sauer 90/200	52305 49954 49954 49954 49954 49944 52301 51042 51043 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 52305 53064 53066 53064 53066 54409 49948 54410 49942 49948 551036 51036 51036 51037 51722 50061 64409 50061 64409 54409 644	50166 iith the S 53068 51719 51720	H30 H Bako Fint	◆	L L30	L L	L 2 rimfi	L L L	H F	◆	M M3	0 H	H30	M N N	M30 H3 M30 H3	0 H30	L	L	L	H !	1 H	L t	L L	M M	NA N		M M	M M	NA N	L	1	L L	L L	L L	M M	L L	L L	M M • • •	L N	1 L	LX
Ruger M77 (Dovetail Receiver, St RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 30mm Medium RM Sako - 30mm Medium RM Sako - 30mm Medium RM Sako - 30mm Super High Sauer 90/200 QR 90/200 (2-Piece) QR 202 (2-Piece)	\$2305 ort Action 49951 49954 49954 49944 52301 51042 51043 52302 51043 52304 52305 50002 ser FN (Not for use w 53064 53066 49945 54409 49948 54410 49949 54106 51036 51037 51722 50215 502	50166 Sith the S 53068 51719 51720	H30 H H30 H H30 H H30 H	◆	L L30	L L	L 2 rimfi	L L L	H F	◆	M M3	0 H	H30	M N N	M30 H3	0 H30	L	L	L	H !	1 H	L t	L L	M M	NA N		M M	M M	NA N	L	1	L L	L L	L L	M M	L L	L L	M M • • •	L N	1 L	LX
Ruger M77 (Dovetail Receiver, St. RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm Migh RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High RM Grager M71 Ext 30mm Super High Ruger M71 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) Sako (Round Receiver) See Mau Sako - 1" High RM Sako - 1" High RM Sako - 30mm Medium RM Sako - 30mm High RM Sako - 30mm High RM Sako - 30mm Super High RM Sako - 30mm Super High RM Sako - 30mm Super High Sauer 90/200 (2-Piece) Sauer 202 (Ring Heights are for HQ R 202 (2-Piece) Sauer 10 through 116 (Right H	52305 ort Action 49951 49952 49954 49944 52301 51042 51043 52302 52305 52304 52305 52305 52305 53064 49945 49948 54410 49949 54409 49948 51036 51037 51722 50061 eavy Barrel 50215 and, Long Action A	50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 501666 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166 50166	H30 H H30 H H30 H H30 H H30 H	◆	◆	↓ L L L L L	L 2 rimfi	L L	H F H H	◆	M M M3	→	H30 H30 → H30 H30	M N N M N M N	M30 H3 M30 H3 M30 H3 M30 H3	0 H30 0 H30 0 H30		L	L L L L L	H !	1 H	L L	L L L L	M M M M M M	NA N		M M	M M M M M	NA N		1	L L MX	L LX LX	L LX LX	M M	L LX	L .	M M • • • • • • • • • • • • • • • • • •	L h	11 L L	
Ruger M77 (Dovetail Receiver, St RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 30mm Helgh RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Figh RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Hedium RM Sako - 1" Super High RM Sako - 30mm Medium RM Sako - 30mm Medium RM Sako - 30mm Medium RM Sako - 30mm Super High RM Sako - 30mm Super High Sauer 90/200 QR 90/200 (2-Piece) Sauer 202 (Ring Heights are for H QR 202 (2-Piece)	52305 52305 49954 49954 49954 52301 51042 51043 52304 52305 51042 51043 52305 51043 52305 51043 52305 61043 52305 61043 6104	50166 10	H30 H	◆ 130 130 130 130 130 130 130 130 130 130	◆ L L30 r other S L L30 L L30 L L30 L L30	↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	L 2 rimfil L +	L L L L M	H F H F H H H H H H	◆	M M3 M M M3 M M3 M M M3 M M3 M M M M3 M M M3 M M M3 M M M M3 M M M M3 M M M3 M M M	0 H	H30 H30 → H30 H30 H30	M N M M N M M N M M M N M M M M M M M M	M30 H3 M30 H3 M30 H3 M30 H3 M30 H3	0 H30 0 H30 0 H30 0 H30 0 H30		L L L L L L L X	L L L L M	H ! H ! H ! H ! H ! X H	1 H	L L L L L L L L L	L L L L L L	M M M M M M M	NA N		M M	M M M M M	NA N		L L L L L	L L MX	L LX LX LX	L LX LX LX	M M	L LX LX LX	L L L L L L	M M M ← 1 M M M M M M M M M M M M M M M	L N		LX LX
Ruger M77 (Dovetail Receiver, St. RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm Migh RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High RM Grager M71 Ext 30mm Super High Ruger M71 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) Sako (Round Receiver) See Mau Sako - 1" High RM Sako - 1" High RM Sako - 30mm Medium RM Sako - 30mm High RM Sako - 30mm High RM Sako - 30mm Super High RM Sako - 30mm Super High RM Sako - 30mm Super High Sauer 90/200 (2-Piece) Sauer 202 (Ring Heights are for HQ R 202 (2-Piece) Sauer 10 through 116 (Right H	52305 ort Action 49951 49952 49954 49944 52301 51042 51043 52302 52305 52304 52305 52305 52305 53064 49945 49948 54410 49949 54409 49948 51036 51037 51037 50061 eavy Barrel 50215 and, Long Action A	50166 10	H30 H	◆ 130 mfire o 130	t L L30	↓ ↓ L ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	L L L	L L L L M M M	H F F F F F F F F F	◆	M M3 M M M3 M M M3 M M3 M M M3 M M M3 M M M3 M	0 H	H30 H30 H30 H30 H30 H30	M N N M N M M M M M M M M M M	M30 H3 M30 H3 M30 H3 M30 H3	0 H30 0 H30 0 H30 0 H30 0 H30 0 H30		L L LX MX	L L L M M M	H ! H ! H ! H ! H ! H ! H ! H ! H ! H !	1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H	L L L LX MX	L L L L L L	M M M M M M M	NA I I NA I	L	M M	M M M M M M M	NA N		L L L L L L L L L L L L L L L L L L L	L L MX	L LX LX LX MX	L LX LX LX MX	M M L L L L M M M M	L L LX LX LX LX LX	L L L L L L L L L L L	M M → 1 L N L L N L L X L L X L L X L L X L L X L L X X L L X X L X	L h	11 L 11 L 12 L 13 L 14 L 15 L 16 L 17 L 18	LX LX LX C M)
Ruger M77 (Oovetail Receiver, St RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 - 30mm Medium RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Galer M77 Ext 30mm Super High RM Galer M77 Ext 30mm Super High RM Galer M77 Ext 30mm Super High RUGER M77 Ext 30mm Super High RM Galer M77 Ext 30mm Super High RM Sako - 1" Low RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 30mm Medium RM Sako - 30mm Medium RM Sako - 30mm Super High Sauer 90/200 QR 90/200 (2-Piece) Sauer 202 (Ring Heights are for H QR 202 (2-Piece) Saver 202 (Ring Heights are for H QR 202 (2-Piece) QR 110 RH (1-Piece) QR 110 RH (1-Piece)	\$2305 ort Action 49951 49952 49954 49944 52301 52302 51041 51043 52305 50002 50002 50002 50004 54094 49946 49946 49948 54409 49949 54094 51036 51037 51722 50015 50015 50016 49996 50066	50166 10	H30 H	◆	◆	L L L L L L L L L L L L L L L L L L L	L 2 rimfii L +	L L L L M M M M M	H F F F F F F F F F	◆	M M3	◆	H30 H30 H30 H30 H30 H30 H30 H30	M N N M N M N M M M M M M M M	M30 H3 M30 H3 M30 H3 M30 H3 M30 H3 M30 H3	0 H30		L L L L L X MX MX	L L L L M M M M	H !!	+ H H H H H H H H H H H H H H H H H H H	L L L LX MX	L L L L L L L L L L L L L L L L L L L	M M M M M M M M M M M	NA N	L	M M	M M M M M M M M	NA N		L L L L L L L L L L L L L L L L L L L	L L MX MX LX MX MX	L LX LX LX MX MX	L LX LX LX MX MX	M M L L L M M M M M	L LX LX LX LX LX MMX MMX	L L L L L L L L L L L L L L L L L L L	M M M M M M M M M M M M M M M M M M M	L N L L MX MX L L L L L L L L L L L L L L L	11 L LX LX C LX MX X MM X MM	LX LX LX CM
Ruger M77 (Dovetail Receiver, St RM Ruger M77 (Thigh RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Round Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 1" Super High RM Sako - 30mm Medium RM Sako - 30mm Medium RM Sako - 30mm Super High Sauer 90/200 QR 90/200 (2-Piece) Sauer 202 (Ring Heights are for H QR 202 (2-Piece) QR 110 RH (1-Piece) QR 110 RH (1-Piece) QR 110 RH (1-Piece) QR 110 RH (1-Piece) Savage 110 through 116 (Right H STO 110 RH (1-Piece)	\$2305 ort Action 49951 49952 49954 49944 52301 52302 51041 51043 52305 50002 50002 50002 50002 50004 54009 54009 54009 54009 54009 55064 54009 55066 52314 49833 50066 52314 49833 6eceiver (Right I	50166 10	H30 H	◆	t L L30 t L L30 t L L30 L L30	L L L L L L L L L L	L L L L L L L L	L tre rifle L M M M M M M M M M M M M	H F H H H H H H H H H H H H H H H H H H	◆	M M3	0 H	H30 H30 H30 H30 H30 H30 HX30 HX30 NA	M N N M N N M N M M M M M M	M30 H3 M30 H3	0 H30		L L L LX MX MX NA	L L L M M M M M M	H ! H ! H ! H ! H ! H ! H ! H ! H H	1 H H H H H H H H H H H H H H H H H H H	L L LX MX MX NA		M M M M M M M M M M M M M M M M M M M	NA N	L	M M M M M M M M M	M M M M M M M M M M M M	NA N		L L L L L L L L L L L L L L L L L L L	L MX MX LX MX MX NA	LX LX LX MX MX NA	LX LX LX LX MX MX NA	M M L L L M M M M M M M	L LX LX LX LX MX MX NA	L L L I	M M A A A A A A A A A A A A A A A A A A	L N 4 4	. LX . LX . LX . A . LX	LX LX LX C MX C MX C MX C MX C MX C MX C
Ruger M77 (Dovetail Receiver, St RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 1" Super High RM Ruger M77 Ext 30mm Hedium RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High Sako (Round Receiver) See Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) Sako (Round Receiver) See Mau Sako (Tapered Dovetail Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 30mm Medium RM Sako - 30mm Medium RM Sako - 30mm Super High Sauer 90/200 QR 90/200 (2-Piece) Sauer 202 (Ring Heights are for H QR 202 (2-Piece) Savage 110 through 116 (Right H STD 110 RH (1-Piece) QR 110 (2-Piece) QR 110 (2-Piece)	\$2305 ort Action 49951 49952 49954 49944 52301 51042 51043 52302 51041 52305 52304 52305 52305 50002 5409 53064 53066 49945 54409 54409 51036 51037 51722 50011 50215 50416 50416 5996 52314 4983 4983 4983 54806 52314 4983 50066 52314 4983 68066 52314 6807 50066 52314 6808 50066 52314 55701 55701 55701 50506 55701 50506 52314 55701 55701 50506 52314 55701 50506 52314 55701 55701 55701 50506 52314 55701 50506 52314 55701 50506 52314 55701 50506 52314 55701 50506 52314 55701 50506 52314 55701 50506 52314 55701 50506 52314 50506 52506	50166 ith the S 53068 51719 51720 51011	H30 H	◆	◆ L L30	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L L L M M M M M M	H F H K H H H H H H H H	◆	M M3 M M M3 M M M3 M	0 H 0 H 0 H 0 H 0 H 0 H 0 H 0 H	H30 H30 H30 H30 H30 H30 HX30 HX30 HX30 HX30 HX30	M N M M M M M M M M M M M M M M M M M M	M30 H3	0 H30	L L L L L L L L L L L L L L L L L L L	L L L LX MX MX NA LX	L L L L M M M M M M M	H ! H ! H ! H ! H ! H ! H ! H H H	1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	M M M M M M M M M M	NA N		M M M M M M M M M M	M M M M M M M M M	NA N			L L MX MX LX MX NA LX LX LX	LX LX LX LX MX MX NA LX	L LX LX LX LX MX MX NA LX	M M M M M M M M M	LX LX LX LX MX MX NA LX	L L L I I L I I I I I I I I I I I I I I	M M M M M M M M M M M M M M M M M M M	LLX LLX MMX LLX LX L	LX LX MX MAA NAA	LX L
Ruger M77 (Dovetail Receiver, St RM Ruger M77 (Thigh RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 1" Super High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High RM Ruger M77 - 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High RM Ruger M77 Ext 30mm Super High Ruger Mini 14 (Drilling and Tappi STD Mini 14 (1-Piece) Sako (Round Receiver) see Mau Sako (Round Receiver) QR Sako (2-Piece) RM Sako - 1" Low RM Sako - 1" High RM Sako - 1" Super High RM Sako - 1" Super High RM Sako - 30mm Medium RM Sako - 30mm Medium RM Sako - 30mm Super High Sauer 90/200 QR 90/200 (2-Piece) Sauer 202 (Ring Heights are for H QR 202 (2-Piece) QR 110 RH (1-Piece) QR 110 RH (1-Piece) QR 110 RH (1-Piece) QR 110 RH (1-Piece) Savage 110 through 116 (Right H STO 110 RH (1-Piece)	\$2305 ort Action 49951 49952 49954 49944 52301 52302 51041 51043 52305 50002 50002 50002 50002 50004 54009 54009 54009 54009 54009 55064 54009 55066 52314 49833 50066 52314 49833 6eceiver (Right I	50166 ith the S 53068 51719 51720 51011	H30 H	◆	◆	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L	L L L M M M M M M M M M M M M M M M M M	H F H F H H H H H H	◆	↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑	0 H 0 H 0 H 0 H 0 H 0 H 0 H 0 H	H30	M N N M N M M M M M M M M M M M M M M M	M30 H3	0 H30		L L L L L L L L L L L L L L L L L L L	L L L L M M M M M M M M M M M M M M M M	H ! H ! X X X X X X X X X X X X X X X X	1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H 1 H	L L LX MX NA LX LX LX		M M M M M M M M M M M M M M M M M M M	NA N	L	M M M M M M M M M M M M M M M M M M M	M M M M M M M M M M M M M M M M M M M	NA N		L L L L L L L L L L L L L L L L L L L	L L MX MX MX MX NA LX LX LX LX	LX LX LX MX MX NA LX LX	L LX LX LX LX LX MX MX NA LX LX	M M L L L L M M M M M M M M M M M M M M	L LX	L L L L L L L L L L L L L L L L L L L	M M M L N L L N L L N L L X L L L X L L L X L L L X L L L X L L X L L L X L L L X L L L X L L L X L X L	L N L N L N L N L N L N L N L N	. LX	LX L

Abbreviations

LA — Long action LR — Long rear base SA — Short action RVF — Reversible front base

SH — Super high 1" M — Medium 1" HX — High 1" extension ◆ Indicates the correct

RH — Right hand RVR — Reversible rear base H — High 1" L — Low 1" LX — Low 1" extension this scope

LH — Left hand RVF/R — Reversible front and rear base H30 — High 30mm SL — Super low 1" NA — Not available

RM — Ringmount DD — Dual Dovetail

QR — Detachable Accuracy: Quick Release Mount System SH30 — Super high 30mm M30 — Medium 30mm MX — Medium 1" extension ring to be used with PRW — Perma-Ring: Cross-slot format QRW — Detachable Accuracy: Cross-slot format

STD — Dovetail front and windage adjustable rear ring

BASE FIT & RING HEIGHT INFORMATION FIREARM 571 | S774 | S77 STD 110 RH (1-Piece) OR 110 RH (1-Piece)

QR 110 (2-Piece) ORW / PRW 110 (2-Piece) OR 10/110 ROUND RCVR (2-Piece)
 152318
 H30
 H30
 L
 L30
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 L
 <t OR 110 (2-Piece) STD 10/110 ROUND RCVR (2-Piece)

STD 10 LH-SA (1-Piece) OR 110 (2-Piece)

STD 99 (1-Piece) OR SHR 970 (2-Piece)

STD HC (1-Piece) Smith and Wesson 1500 (Right Hand, Long Action) see Remington 700 (Right Hand, Long Action)

Steyr SBS Safe Bolt Pro Hunter & Forester see Browning A-Bolt (Long Action), 2 piece bases only Tar Hunt RSG 12 & RSG 20 see Remington 700 (Right Hand, Long Action)
Thompson / Center Black Diamond & System One

OR T/C Black Diamond (2-Piece) 52833 DD T/C-C (1-Piece)

OR T/C Encore (1-Piece)

OR Tikka Whitetail Hunter (2-piece) 54447

OR Traditions (2-Piece) Weatherby FN (see Mauser FN)

BASE FIT &
RING HEIGHT
INFORMATION

	LPS								VX-III											VX-II					VX-I			F)	(-III		FX-II			Comp	etitior	1		Ultra	light		I	Rimfi
SCOPE MODEL	LPS 3.5-14x50mm Side Focus LPS 2.5-10x45mm	VX-III 1.5-5x20mm	VX-III 1.5-5x20mm Illuminated Reticle	VX-III 1.75-6x32mm	VX-III 2.5-8x36mm	VX-III 3.5-10x40mm	VX-III 3.5-10x50mm	VX-III 3.5-10x50mm Illuminated Reticle	VX-III 4.5-14x40m	VX-III 4.5-14x40mm Long Range	VX-III 4.5-14x50mm	VX-III 4.5-14x50mm Long Range (& Illuminated Reticle)	VX-III 6.5-20x40mm EFR Target	VX-III 6.5-20x40mm Long Range	VX-III 6.5-20x50mm Long Range Target	VX-III 8.5-25x50mm Long Range Target	VX-II 1-4x20mm	VX-II 2-7x33mm	VX-II 3-9x40mm	VX-II 3-9x50mm	VX-II 4-12x40mm Adj. Obj.	VX-II 4-12x50mm	VX-II 6-18x40mm Adj. Obj. (& Target)	VX-I 2-7x33mm (& Shotgun/Muzzleloader)	VX-I 3-9x40mm	VX-I 3-9x50mm	VX-I 4-12x40mm	FX-III 6x42mm	FX-III 12x40mm Adj. Obj. Target	FX-II 2.5x28mm Scout	FX-II 4x33mm	FX-II 6x36mm	Competition Series 35x45mm	Competition Series 40x45mm	Competition Series 45x45mm	FX-III 6x42mm Adj. Obj. Competition Hunter	VX-II 2-7x28mm Ultralight	VX-II 3-9x33mm Ultralight	VX-II 3-9x33mm Ultralight EFR	FX-II 2.5x20mm Ultralight	VX-II 3-9x33mm Rimfire EFR	VX-I 2-7x28mm Rimfire

	ON	(45mm	0mm Side Focus	Reticle x20mm	6x32mm 	x36mm	x40mm	\teticle x50mm	4x40m 0x50mm	x40mm Long Range	x50mm	x50mm Long Range ed Reticle)	0x40mm EFR Target	x40mm Long Range	Target 0x50mm)mm	imm)mm	0mm Adj. Obj.	0mm	zzleloader 0mm Adj. Obj.	mm mm		mm)mm	m min ruj, obj. miger	≘ ≒	n	3	Series 35x45mm	Series 40x45mm	Series 45x45mm	nm Ultralight n Adj. Obj.	nm Ultralight	nm Ultralight EFR	nm Ultralight	nm Rimfire EFR	Rimfire
NEW PRODUCTS ARE SHOWN II	N RED BASE PART NUI	VIBER 5.6	6 6.5	5.5 5.8	8 5.4	4 5.1	5.8	5.1 5.0	6 5.8	8 5.9	5.1	5.5	6.5	6.8	5.5 6.5	5.5	5.2	5.6 5.0	5.3	5.0	6.1 5.5	5 5.2	5.6	5.0	5.6 5	i.4 5	.8 5.6	5.5	5.9	7.1	7.1	7.1	5.4 4.8	8 5.5	5.0	5.3	5.0 4.	.8 4.8
Base Model	Gloss Matte	Silver																							-													
Weatherby Mark V (Long Action STD Mark V (2-Piece)	n) & Mark V Ultra Li 51700 51701							rs beginnin H H3		h SB or		1120	1.4	M20 I	120 1120		,	1 118		UV	L L		NIA	HV			4 NA			LV	LV	LV	M 13	, ,	LV	LV	IV I	v 1v
STD Mark V (2-Piece) STD Mark V RVF (2-Piece)	51700 51701			L L30		_	_			4 M30		H30			130 H30		L	L H)	M	Н	LL	_	NA NA	HX			M NA		L	LX			M L	_	LX		LX L	_
DD Mark V (2-Piece)	51705 51706	H3		L L30		L	T.	H H3		4 M30				_	130 H30	_	L	L HX		HX	LL	M	_	HX		_	M NA	Ť	i	NA			M N	_	LX	_		A NA
DD Mark V RVF (2-Piece)	51707	H3		L L30		L	L	Н НЗ					M		130 H30		L	L H	_	н	L L	_		Н			M NA	L	L	L			M L	L	L		L I	
QR Mark V (2-Piece)	51709	H3		L L30		L	L	H H3	0 M	M30	Н	H30	M	M30 H	130 H30	L	L	L H	M	НХ	L L	M	NA	нх	L I	M I	M NA	L	L	MX	MX	MX	M M	X L	MX	MX	MX M	X MX
Weatherby Mark V (Long Action		.460 W.M.)				nbers be	eginni	ng with SB)																												
STD Mark V (2-Piece)	51700 51701	SH3	_	L L30	_	L	L	H H3	_	_	_		M	_	H30 SH3	_	L	L H)	_	нх	L M	_	NA	HX	_		M NA	L	L	LX	_	_	M D	L	LX	LX	_	_
STD Mark V RVF (2-Piece) DD Mark V (2-Piece)	51702 51703 51705 51706	51704 SH3		L L30		_ L	L	H H3	_	_	_	SH30 NA	M		H30 SH3		L	L H		H	L M			HX	_		M NA	L	L	L NA	L NA		M L	. L	LX		L L	_
DD Mark V RVF (2-Piece)	51703	SH		L L30		1	1	H H3				_			VA SH3		L	L H		Н	L M			Н		_	M NA	L	Ĺ	L			M L		L		L I	_
QR Mark V (2-Piece)	51709	SH		L L30		L	L	H H3		M30	_	-		_	130 H30	_	L	L H)	$\overline{}$	HX	L M		_	HX		_	M NA	L	$\overline{}$	MX	_	_	M D	_			MX L	
Weatherby Mark V Ultra Lightw	veight & Center Fire				agnum	ı caliber	r seria	numbers	beginr	ning in A	AB, AS	WB, WS	, and	the .240	Wby Ma	g.)																						
STD Mark V LW (2-Piece)	52319 52507					_	_			M30					130 H30		L		_		L L		_				M NA										MX M	
QR Mark V LW (2-Piece)	51712	H3	0 H30	L L30	0 L	L	L	H H3	0 M	M30	Н	H30	M	M30 H	130 H30	L	L	L H)	M	НХ	L L	M	NA	НХ	L I	M I	M NA	L	L	MX	MX	MX	M M	X L	MX	MX	MX M	IX MX
Weatherby Vanguard (Right Ha		112	0 1120	L L30	,			11 112	10 L	1420		шэл	L	Mao .	120 1124			L HX		шу	LL		B1 A	ПA	L	L	L NIA		L	IV	LV	LV	1 12	(L	IV	IV	IV .	v 19
STD 700 RH-LA (1-Piece) STD 700 (2-Piece)	50003 50004 50015 50016	F7510 H2		L L30		. L	L	H H3		_					I30 H30		L	L HX		HX	LL	_	_	HX	_	_	L NA		L	LX LX		_	L D		LX	-	LX L	_
STD 700 (2-Fiece)		50019 H3		L L30		1	1	H H3		_		-			130 H30		L	L H	_	Н	1 1	L	NA	Н	_		L NA		-	L	_	_	LL	_	L		L	_
DD 700 (2-Piece)	50041 50042			L L30		L	L	H H3		_		-			130 H30	_	L	L NA		NA	LL	L	NA	NA	L	ī	L NA		Ĺ	Ĺ			L N/	_	LX		LX N	
DD 700 RVF (2-Piece)	50043 50044	H3	0 H30	L L30	0 L	L	L	Н НЗ	0 L	_ M30	Н	H30	L	M30 H	130 H30	L	L	L H	L	Н	L L	L	NA	Н	L	L	L NA	L	L	L		L	L L	_	L	L	L I	
QR 700 (2-Piece)		50059 H3		L L30		L	L	H H3	_				L		130 H30		L	L H)		НХ	L L	_	NA	нх	L	L	L NA	L	L	MX			L M		MX		MX M	
QRW / PRW 700 (2-Piece)	49840 49841	49842 H3	0 H30	L L30	0 L	L	L	H H3	0 L	_ M30	Н	H30	L	M30 H	130 H30	L	L	L NA	L	NA	L L	L	NA	NA	L	L	L NA	L	L	NA	NA	NA	L N	A L	NA	NA	NA N	A NA
Western Field M7-40	40007	113	0 1120	1 120	0 1			14 142	20 1	1420		1120		1420	120 1120																							
STD 336R (1-Piece) Winchester 52	49987	H3	0 H30	L L30	JL	L	L	M M3	30 L	. 10130	IVI	H30	L	M30 H	130 H30	L	L	L M	L	М	L L	L	IN	M	L	L	L NA	L	L	L	L	L	L L	L	L	L	L l	. L
STD 52 (2-Piece)	50038		0 H30	L L30	n I			н нз	0 M	M30	Н	H30	M	M30 H	130 H30	L	L	L H	M	н	LL	M	NA	н	L	M I	M NA	L		1	1	L	M I	1	L	L	L L	L
	30038	H3	U H3U																																			
Winchester 70 WSSM	50038	H3	0 H30	L 130	J L			11 113																					_	_	-							
Winchester 70 WSSM STD 70 WSSM (2-Piece)	57300 57310	57320 H3	0 H30	L L30	0 L	. L	L	н нз	10 L		Н	H30	L	M30 H	130 H30	L	L	L H	L		L L	L			L		L NA	L	L	SL		LX		(LX	LX		LX L	
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A	57300 57310 (Long Action) Fits p	57320 H3	0 H30	L L30	0 L s (seria	al numb	er hig	H H3 her than 60	0 L 6,360)	M30								L H		L	L L		NA	L	L		L NA		L		LX	LX	L D			SL	LX L	X LX
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece)	57300 57310 (Long Action) Fits p 50000 50001	57320 H3 oost war n	0 H30 on-Expre	L L30	0 L s (seria	al numbo	er hig M	H H3 her than 66 H H3	6,360)	. М30	Н	H30	M	M30 H	130 H30	L	M	L H	М	L	L L	M	NA NA	L H	L		L NA		L	SL	LX L	LX M	L D	1 M	М	SL SL	LX L	X LX
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece	57300 57310 (Long Action) Fits p 50000 50001	57320 H3 oost war n H3 51737 H3	0 H30 0 H30 0 H30	L L30 ss models M M3 M M3	0 L s (seria	al numbo	er hig M	H H3 her than 66 H H3 H H3	6,360) 80 M	M30 M M30 M M30	H H	H30 H30	M M	M30 H	130 H30	L		L H	M	L H H	L L M L M L	M	NA NA NA	L H H	L L	L L	L NA L NA L NA	L	L L	SL SL	LX L L	LX M M	L D	1 M	M M	SL SL SL	LX LI	X LX
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece STD 70 RVR (2-Piece)	57300 57310 (Long Action) Fits 50000 50001 51736 50020 50021	57320 H3 post war n H3 51737 H3	0 H30 00 H30 0 H30 0 H30	L L30 ss models M M3 M M3 L L30	0 L s (seria 0 M 0 M	al numbo	er hig M	H H3 her than 66 H H3 H H3 H H3	80 L 6,360) 80 M 80 L	M30 M M30 M M30 M M30	H H	H30 H30 H30	M	M30 H M30 H	130 H30 130 H30	L L	M	L H	M	L H H	L L	M M	NA NA NA	L H	L L	L L L	L NA L NA L NA	L L	L L L	SL SL SL	LX L L	LX M M	L M L M L D	1 M 1 M (LX	M M	SL SL SL SL	M N N LX LI	X LX M L M L X LX
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece	57300 57310 (Long Action) Fits p 50000 50001	57320 H3 oost war n H3 51737 H3 H3 50024 H3	0 H30 00n-Expres 0 H30 0 H30 0 H30 0 H30	L L30 ss models M M3 M M3	0 L 5 (seria 60 M 60 M 0 L	al numbo	er hig M	H H3 her than 66 H H3 H H3	80 L 6,360) 80 M 80 L 80 L	M30 M M30 M M30 M M30 M M30 M M30	H H H	H30 H30 H30 H30	M M L	M30 H M30 H M30 H	130 H30	L	M	L H	M M L	L H H	L L M L M L	M M L	NA NA NA	L H H	L L L	L L	L NA L NA L NA	L	L L	SL SL	LX L L LX L	M M LX L	L D	I M I M C LX	M M LX L	SL SL SL SL SL	M N N LX LI	X LX M L M L X LX L L
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece STD 70 RVF/R (2-Piece) STD 70 RVF/R (2-Piece) DD 70 C-Piece) DD 70 RVF (2-Piece)	57300 57310 (Long Action) Fits p 50000 50001) 51736 50020 50021 50022 50023 50045 50046 54241	57320 H3 sost war n H3 51737 H3 H3 50024 H3 57286 H3	0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30	L L30 ss models M M3 M M3 L L30 L L30 L L30 L L30 L L30	0 L s (seria 0 M 0 L 0 L 0 L 0 L 0 L	al numbo	er hig M	H H3 her than 66 H H3	60 L 6,360) M 60 M 60 L 60 L 60 L	M30 M M30	H H H H H H	H30 H30 H30 H30 H30	M M L L	M30 H M30 H M30 H M30 H M30 H	130 H30 130 H30 130 H30 130 H30 130 H30		M	L H H H H L H	M M L L	H H H H H H H	M L M L L L L	M M L L	NA NA NA NA NA NA NA	H H H H H H H	L L L		L NA	L L L L	L L L	SL SL SL SL SL SL	LX L LX L NA L	M M LX L NA L	L M L M L D L L L L	M M C LX L	M M LX L NA L	SL SL SL SL SL SL SL SL SL	M M M M LX LI L L L L L L L L L L L L L L L L L	X LX M L X LX L X L X L L A NA L L
Winchester 70 WSSM \$10 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A \$1D 70A (1-Piece) \$1D 70 Km (2-Piece) \$1D 70 KW (2-Piece) \$DD 70 C-Piece) \$DD 70 RVF (2-Piece) \$DD 70 RVF (2-Piece) \$DD 70 RVF (2-Piece)	57300 57310	57320 H3 505t war n H3 51737 H3 50024 H3 57286 H3 H3 57538 H3	0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30	L L30 M M3 M M3 L L30	0 L s (seria 0 M 0 L 0 L 0 L 0 L	al number	M M L L L L L	H H3 her than 66 H H3 H	80 L 6,360) M 80 M 80 L 80 L 80 L	M30 M M30 M M30 M30 M30 M30 M30 M30 M30 M30	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30	M M L L L	M30 H M30 H M30 H M30 H M30 H M30 H M30 H	130 H30 130 H30 130 H30 130 H30 130 H30 130 H30		M M L L L L L L L	M H M H L H L H L H L H L H L H	M M L L L L L L	H H H H H H H H	M L L L L L L L L L L L	M M L L L L L L	NA NA NA NA NA NA NA NA	H H H H H H H H	L L L L		L NA	L L L L		SL SL SL L SL L	LX L LX L NA L LX	M M LX L NA L LX	L D L M L D L L L L L N L D	1 M 1 M C LX L L A L	M M LX L NA L LX	SL SL SL SL SL L L	M M M LX LL L L L L L L L L L L L L L L	X LX M L M L X LX L L A NA L L X LX
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece) STD 70 RVF (2-Piece) STD 70 RVFR (2-Piece) DD 70 (2-Piece) DD 70 RVF (2-Piece) DD 70 RVF (2-Piece) QR 70 (2-Piece) QR 70 (2-Piece) QR 70 (2-Piece)	57300 57310 (Long Action) Fits p 50000 50001) 51736 50020 50021 50022 50023 50045 50046 54241 50053 50054 49838	57320 H3 505t war n H3 51737 H3 50024 H3 57286 H3 H3 57538 H3	0 H30 0 H30	L L30 ss models M M3 M M3 L L30	0 L s (seria 0 M 0 L 0 L 0 L 0 L	al number	M M L L L L L L	H H3 her than 66 H H3 H	60 L 6,360) M 60 M 60 L 60 L 60 L 60 L	M30 M M30 M M30 M M30	H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30	M M L L L	M30 H M30 H M30 H M30 H M30 H M30 H M30 H	130 H30 130 H30 130 H30 130 H30 130 H30 130 H30 130 H30		M M L L L L L L L L L L	M H H H L H L H L H L H L H L H L H L H	M M L L L	H H H H H H H H H H H H	M L M L L L L L L L L L L L L L L L L L	M M L L L L L L L L L	NA NA NA NA NA NA NA NA NA	H H H H H H H H H			L NA			SL SL SL SL L L L	LX L LX L NA L LX L NA L NA	M M LX L NA L LX NA	L D L M L M L D L L L L L N L L L N L L L N L L L N	I M I M C LX L A L C LX A L	M M LX L NA L LX NA	SL SL SL SL SL SL L L L L L	M M M M M M M M LX LX LL LL LL LL LL LX LL LX LX LX LX	X LX M L M L X LX L X L X L X L X
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece STD 70 RVR (2-Piece) STD 70 RVFR (2-Piece) DD 70 RVF (2-Piece) DD 70 RVF (2-Piece) QR 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece)	57300 57310 (Long Action) Fits 50000 50001) 51736 50020 50021 50022 50023 50045 50046 54241 50053 50054 51731	57320 H3 1054 War n H3 551737 H3 550024 H3 557286 H3 H3 557538 H3 H3	0 H30 0 H30	L L3(sss models) M M3 M M3 L L3(M M3) M M3 M M3 M M3 M M3 M M3 M M3 M M	0 L s (seria 0 M 0 M 0 L 0 L 0 L 0 L 0 L 0 L	al number	M M L L L L L M	H H3 her than 66 H H3 H	60 L 6,360) 60 M 60 L 60 L 60 L 60 L 60 L	M30 M M30 M M30 M30 M30 M30 M30 M30 M30 M30	H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30	M M L L L	M30 H M30 H M30 H M30 H M30 H M30 H M30 H	130 H30 130 H30 130 H30 130 H30 130 H30 130 H30		M M L L L L L L L	M H M H L H L H L H L H L H L H	M M L L L	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L	M M L L L L L L L L L	NA NA NA NA NA NA NA NA NA	H H H H H H H H			L NA	L L L L		SL SL SL L SL L	LX L LX L NA L LX L NA L NA	M M LX L NA L LX NA	L D L M L D L L L L L N L D	I M I M C LX L A L C LX A L	M M LX L NA L LX NA	SL SL SL SL SL SL L L L L L	M M M LX LL L L L L L L L L L L L L L L	X LX M L M L X LX L X L X L X L X
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece STD 70 RVF/R (2-Piece) DD 70 RVF/R (2-Piece) DD 70 RVF (2-Piece) DD 70 (2-Piece) QR 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Winchester 70, 670, 770, & 70A	57300 57310 (Long Action) Fits p 50000 50001) 51736 50020 50021 50022 50023 50045 50046 54241 50053 50054 49838 51731 (Short Action) Fits	57320 H3 post war n H3 551737 H3 550024 H3 557286 H3 H3 S757538 H3 SH3 post war n	0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 0 H30 10 H30 10 H30	L L30 ss models M M3 M M3 L L30 M M3 ess model	0 L s (seria 0 M 0 M 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 M 0 K 0 M 0 K 0 M 0 K 0 M 0 K 0 M 0 K 0 K 0 K 0 K 0 K 0 K 0 K 0 K 0 K 0 K	al number	M M L L L L L M	H H3 her than 66 H H3 H	60 L 6,360) 60 M 60 L 60 L 60 L 60 L 60 L 60 L 60 L	M30 M M30 M M30 M M30	H H H H H NA	H30 H30 H30 H30 H30 H30 H30 H30 NA	M M L L L L L	M30 H M30 H M30 H M30 H M30 H M30 H M30 H M30 H NA S	130 H30 130 H30 130 H30 130 H30 130 H30 130 H30 130 H30 130 H30		M L L L L L L M	L H M H M H L H L H L H L H L H L H N M N M	M M L L L L L L L L M M	H H H H H H H H NA	M L M L L L L L L L L L M M M	M M L L L L L L M	NA	H H H H H H H NA	L L L L L L M !	L L L L L L L	L NA		L L L L L L L	SL SL SL SL L L L L	LX L LX L NA L LX NA NA NA	M M LX L LX L LX NA L LX NA NA	L D L M L M L D L L L L L N L L L N L L L N M N	1 M 1 M (LX L L L L L L L X A L L X A L L X A L L X A L L X A L X A L X A N A N	M M LX L L NA L LX NA NA	SL SL SL SL SL SL L L SL SL SL SL SL SL	M M M M M M M M M M M M M M M M M M M	X LX M L M L X LX L L A NA L L X LX A NA A NA
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece STD 70 RVR (2-Piece) STD 70 RVFR (2-Piece) DD 70 RVF (2-Piece) DD 70 RVF (2-Piece) QR 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece)	57300 57310 (Long Action) Fits p 50000 50001) 51736 50020 50021 50022 50023 50045 50046 54241 50053 50054 49838 51731 (Short Action) Fits	57320 H3 1054 War n H3 551737 H3 550024 H3 557286 H3 H3 557538 H3 H3	0 H30 00 H30 0 H30	L L3(sss models) M M3 M M3 L L3(M M3) M M3 M M3 M M3 M M3 M M3 M M3 M M	0 L 6 (seria 7	al number	M M L L L L L M	H H3 her than 66 H H3 H	60 L 6,360) 60 M 60 L 60 L 60 L 60 L 60 L 60 L 60 L 60 L	M30 M M30 M M30 M M30	H H H H NA	H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L	M30 H M30 H M30 H M30 H M30 H M30 H M30 H M30 H NA S	130 H30 130 H30 130 H30 130 H30 130 H30 130 H30 130 H30		M L L L L L L M	L H M H M H L H L H L H L H L H L H N M N M	M M L L L L L L L M M	H H H H H H H H H H H H H H H H H H H	M L M L L L L L L L L L L L L L L L L L	M M L L L L L M M	NA	H H H H H H H NA	L L L L L L L SL		L NA		L L L L L L L	SL SL SL SL L L L L	LX L LX L NA L LX NA NA NA	M M LX L LX L LX NA L LX NA NA	L D L M L M L D L L L L L N L L L N L L L N M N	1 M 1 M (LX L A L L L (LX A L	M M LX L L NA L LX NA NA	SL	M M M M M M M M M M M M M M M M M M M	X LX A L A L X LX L L A NA L L X LX L L A NA L L X LX L L L L L L L L L L L
Winchester 70 WSSM S1D 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A S1D 70A (1-Piece) S1D 70 Long Range RH-LA (1-Piece S1D 70 RVF (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Winchester 70, 670, 770, & 70A S1D 70 Long Range RH-SA (1-Piece	57300 57310	57320 H3 post war n H3 551737 H3 H3 550024 H3 557286 H3 557538 H3 SH3 post war n SH3 post war n	0 H30 00	L L30 ss models M M3 M M3 L L30 L L3	0 L 5 (seria 6 M 6 M 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L	al number	M M L L L L L M	H H3 her than 60 H H3 H H	60 L 6,360) 60 M 60 L 60 L 60 L 60 L 60 L 60 L 60 M 60 M	M30 M M30	H H H H NA	H30 H30 H30 H30 H30 H30 H30 H30 NA	M M L L L L L	M30 H M30 H	130 H30 130 H30 130 H30 130 H30 130 H30 130 H30 130 H30 130 H30 130 H30		M M L L L L L L L L L L L L L L L L L L	M H H H L H L H L H L H L H L H L H L H	M M L L L L L L L M M M M	H H H H H H H H H H H H H H H H H H H	M L M L L L L L L L L L L L L L L L L L	M M L L L L L L M M M M	NA	H H H H H H H H H H H H H H H H H H H	L L L L L L L SL SL SL		L NA	L L L L L L L	L L L L L L L M	SL SL SL SL L SL L SL SL SL SL SL SL SL	LX L LX L NA L LX NA L LX NA NA	M M LX L LX L LX NA L LX NA NA	L D L M L M L D L L L N L L L N L L L D L L L D L L L D L L L D L L L D L L L D L	1 M 1 M 1 M (LX L A L (LX A L L C LX A L L C LX A L L C LX A L L L L L L L L L L L L L L L L L L L	M M LX L L NA L LX NA NA	SL	M M M M M M M M M M M M M M M M M M M	X LX A L A L A NA L L X LX L L A NA L L L L L L L L
Winchester 70 WSSM S1D 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A S1D 70A (1-Piece) S1D 70 Long Range RH-LA (1-Piece S1D 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Winchester 70, 670, 770, & 70A S1D 70 Long Range RH-SA (1-Piece S1D 70 RVR (2-Piece) DD 70 (2-Piece)	57300 57310	57320 H3 605t war n H3 51737 H3 551737 H3 557286 H3 H3 575738 H3 H3 557538 H3 57139 H3 557286 H3 H	0 H30	L L30 sss models M M3 L L30	0 L s (seria 0 M 0 M 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 L	al number	M M L L L L L M	H H3 her than 66 H H3 H	60 L 6,360) 60 M 60 L 60 L 60 L 60 L 60 L 60 L 60 M 60 M 60 M 60 M	M30 M M30 M M30 M M30	H H H H NA	H30 H30 H30 H30 H30 H30 H30 H30 NA H30 H30 H30	M M L L L L L L M M M M M M	M30 H M30 H	130 H30 130 H30		M M L L L L L L L L L L L L L L L L L L	M H M H L H L H L H L H L H L H L H L H	M M L L L L L L L M M M M M M M	H H H H H H H H H H H H H H H H H H H	M L M L L L L L L L L L L L L L L L L L	M M L L L L L L M M M M M M M	NA N	H H H H H H H NA	L L L L L L L SL SL L L		L NA	L L L L L L L L SL	L L L L L L L SL	SL SL SL L L SL L SL SL SL L SL L SL SL	LX L L LX L NA L LX NA L LX L LX L LX L	M M LX L LX L LX NA L LX NA NA	L D L D L D L D L D D L D D D D D D D D	1 M 1 M 1 M 1 L 2 L 2 L 3 L 4 L 4 L 5 L 6 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7	M M LX L L NA L LX NA NA	SL SL SL SL L L M SL SL	M M M M M M M M M M M M M M M M M M M	X LX A L A NA L L X LX A NA A NA L L L L L L L L
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece) STD 70 RVR (2-Piece) DD 70 RVFR (2-Piece) DD 70 RVFR (2-Piece) DD 70 RVF (2-Piece) QRW / PRW 70 (2-Piece) QRW / PRW 70 (2-Piece) Winchester 70, 670, 770, & 70A STD 70 Long Range RH-SA (1-Piece STD 70 RVR (2-Piece) DD 70 RVFR (2-Piece) DD 70 RVFR (2-Piece)	57300 57310	57320 H3 sost war n H3 551737 H3 551737 H3 57286 H3 57286 H3 571739 H3 H3 551739 H3 H3 551739 H3 H	0 H30	L L30 SSS models M M33 L L30	0 L S (serial Market Ma	al number of the state of the s	M M L L L L L M	H H3 her than 66 H H3 H	00 L L C C C C C C C C C C C C C C C C C	M30 M M30 M M30	H H H NA	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L M M M M M M M	M30 H M30 H	130 H30 130 H30		M M L L L L L L L L L L L L L L L L L L	L H M H L H L H L H L H L H L H L H L H L H L	M M L L L L L L L M M M M M M M M	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M L L L L L L M M M M M M M M	NA N	H H H H H NA H H H H H H H H H H H H H H	L L L L L L SL SL L L L		L NA	L L L L L L L L SL	L L L L L L L SL	SL SL SL L L SL L SL SL SL L SL L SL SL	LX L LX L NA L LX NA L L L L L L L L L L L L	M M LX L LX NA L L LX NA L L L L L L L L L L L L L L L L L L	L D L M L D L L L N L L L N L L L L L L L L L L L L	1 M 1 M (LX - L - L - L - L - L - L - L - L - L - L	M M LX L L L L L L L L	SL L SL	M M M M M M M M M M M M M M M M M M M	X LX A L X LX L L A NA L L X LX L L L L L L L L L L L L L L L
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece STD 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 RVF (2-Piece) DR 70 (2-Piece) QR 70 (2-Piece) QR 70 (2-Piece) Mark 4 70 (2-Piece) Mark 4 70 (2-Piece) Minchester 70, 670, 770, & 70A STD 70 Long Range RH-SA (1-Piece STD 70 RVF (2-Piece) DD 70 RVF (2-Piece) DD 70 RVF (2-Piece) DD 70 RVF (2-Piece) QR 70 (2-Piece) QR 70 (2-Piece)	57300 57310	57320 H3 105t War II H3 51737 H3 551737 H3 55024 H3 57286 H3 H3 57738 H3 SH3 57139 H3 H3 50024 H3 557286 H3 H3 57286 H3 H3 57538 H3	0 H30	L L30 ss models M M3 L L30 L L	0 L S (serial serial se	al number	er hig	H H3 her than 66 H H3 H	00 L C C C C C C C C C C C C C C C C C C	M30 M	H H H NA	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L M M M M M M M L L	M30 H M30	130 H30 130 H30		M	L H M H M H L H L H L H L H L H	M M L L L L L L M M M M M M M M L L	H H H H H H H H H H H H H H H H H H H	M L M L L L L L L L L L L L L L L L L L	M M L L L L L M M M M M M M M M M M L	NA N	H H H H H NA	L L L L L L L L L L L L L L L L L L L		L NA	L L L L L SL SL SL L L L L L L L L L L	L L L L L L L SL	SL SL SL L L SL SL L L L L L L L L L L	LX L L LX L NA L LX NA L L L L L L L L L L L	M M LX L NA L LX NA NA L L L L L L L L L L L L L L L L L	L D L D L D L D L D D L D D D D D D D D	1 M 1 M (LX - L - L - L - L - L - L - L - L - L - L	M M LX L L L L L L M M	SL SL SL SL SL SL SL SL L SL SL L L SL L L L L L L L L L L L L L L L L L L L	M M M M M M M M M M M M M M M M M M M	X LX A L X LX L L A NA L L X LX L L L L L L L L L L L
Winchester 70 WSSM S1D 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A S1D 70A (1-Piece) S1D 70 Long Range RH-LA (1-Piece) S1D 70 Long Range RH-LA (1-Piece) S1D 70 RVF (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Winchester 70, 670, 770, & 70A S1D 70 Long Range RH-SA (1-Piece S1D 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) QRW / PRW 70 (2-Piece)	57300 57310	57320 H3 oost War n H3 551737 H3 550224 H3 575286 H3 S75738 H3 S75739 H3 F51739 H3	0 H30	L L30 SS models M M3 L L30 L L	0 L S (Serial March 1997)	al numbe 1	er hig	H H3 her than 64 H H3 H H	00 L C C C C C C C C C C C C C C C C C C	M30 M	H	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L M M M M M M M M M M M M	M30 H M30	130 H30 130 H30		M M L L L L L L L L L L L L L L L L L L	L H M H L H L H L H L H L H L H	M M L L L L L L M M M M M M M M M M M M	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M L L L L L L L M M M M M M M M M M M	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L		L NA	L L L L L L SL SL L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	SL SL SL L L SL SL L L L L L L L L L L	LX L L L L L L L L L L L L L L L L L L	M M LX L L NAA L L LX NAA L L L L L L L L L L L L L L L L L L	L D L M L M L L L N L N L L L N M N L L L L	1 M 1 M 1 M 1 L 2 L 3 L 4 L 4 L 5 L 6 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7	M M LX L L L L L L L L M L L	SL SL SL SL L L L SL L L L L L L L L L	M M M M M M M M M M M M M M M M M M M	X LX M L X LX L L A NA L L X LX L L L L L L L L L L L
Winchester 70 WSSM \$10 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A \$10 70A (1-Piece) \$10 70 Long Range RH-LA (1-Piece) \$10 70 RVF (2-Piece) Winchester 70, 670, 770, & 70A \$10 70 Long Range RH-SA (1-Piece) \$10 70 RVF (2-Piece) \$10 RVF (2-Piece)	57300 57310	57320 H3 105t War II H3 51737 H3 551737 H3 55024 H3 57286 H3 H3 57738 H3 SH3 57139 H3 H3 50024 H3 557286 H3 H3 57286 H3 H3 57538 H3	0 H30	L L30 SS models M M3 M M3 L L30 M M3	0 L S (Serial Mark)	al number 1	er hig	H H3 her than 66 H H3 H	00 L C C C C C C C C C C C C C C C C C C	M30 M	H	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L M M M M M M M L L	M30 H M30	130 H30 130 H30		M	L H M H M H L H L H L H L H L H	M M L L L L L L M M M M M M M M M M M M	H H H H H H H H H H H H H H H H H H H	M L M L L L L L L L L L L L L L L L L L	M M L L L L L L L M M M M M M M M M M M	NA N	H H H H H NA	L L L L L L L L L L L L L L L L L L L		L NA	L L L L L SL SL SL L L L L L L L L L L	L L L L L L L SL	SL SL SL L L SL SL L L L L L L L L L L	LX L L L L L L L L L L L L L L L L L L	M M LX L L NAA L L LX NAA L L L L L L L L L L L L L L L L L L	L D L D L D L D L D D L D D D D D D D D	1 M 1 M 1 M 1 L 2 L 3 L 4 L 4 L 5 L 6 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7 L 7	M M LX L L L L L L L L M L L	SL SL SL SL L L L SL L L L L L L L L L	M M M M M M M M M M M M M M M M M M M	X LX M L X LX L A NA L L X LX L L L L L L L L L L L
Winchester 70 WSSM S1D 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A S1D 70A (1-Piece) S1D 70 Long Range RH-LA (1-Piece) S1D 70 Long Range RH-LA (1-Piece) S1D 70 RVF (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Winchester 70, 670, 770, & 70A S1D 70 Long Range RH-SA (1-Piece S1D 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) QRW / PRW 70 (2-Piece)	57300 57310	57320 H3 fost war in H3 51737 H3 551737 H3 55024 H3 57538 H3 57538 H3 57538 H3 57538 H3 575286 H3	0 H30	L L30 SS models M M3 M M3 L L30 M M3	0 L Serial March 10 L Serial M	al number 1	er hig	H H3 her than 64 H H3 H H	60 L 6,360) 60 L 6,360) 60 M 60 M 60 M 60 L 60 M 60 L 60 M 60 M	M30 M	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L M M M M M M M M M M M M	M30 H M30	H30		M	L H M H L H L H L H L H L H L H	M M L L L L L L M M M M M M M M M M M M	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M M L L L L L L L L M M M M M M M M M	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L		L NA	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	SL SL SL L L SL SL L L L L L L L L L L	LX L L LX NA L LX NA L LX NA L L L L L L L L L L L L M M	M M LX L L NAA L L LX NAA L L L L L L L L L L L L L L L L L L	L D L MM L MM M M M M M M M M M M M M M M M	1 M 1 M 1 M 1 L 2 L 3 L 4 L 4 L 6 L 7 L 7 L 8 L 8 L 8 L 8 L 8 L 8 L 8 L 8 L 8 L 8	M M LX L L LX NA NA NA L L L L L L L L L L L L L L L	SL SL SL SL SL L L L L L L L L L L L L	M M M M M M M M M M M M M M M M M M M	X
Winchester 70 WSSM S1D 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A S1D 70A (1-Piece) S1D 70 Long Range RH-LA (1-Piece) S1D 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) Winchester 70, 670, 770, & 70A S1D 70 Long Range RH-SA (1-Piece S1D 70 RVR (2-Piece) S1D 70 RVF (2-Piece) DD 70 C-Piece) DD 70 C-Piece) DD 70 (2-Piece) DRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) DRW / PRW 70 (2-Piece) Winchester 70 Express Pre-1964 QR 70 Exp. Pre-1964 (2-Piece) Mark 4 70 (2-Piece) Winchester 70 Express Pre-1964 QR 70 Exp. Pre-1964 (2-Piece) ORW / PRW 70 Exp. Pre-1964 (2-Piece) QR 70 Exp. Pre-1964 (2-Piece)	57300 57310	57320 H3 605t war n H3 51737 H3 55738 H3 557538 H3 57538 H3 57538 H3 57538 H3 57538 H3 57538 H3 H3 57538 H3 H3 57538 H3 H	0 H30	L L30 M M3 M M3 L L30 L	0 L G (serial March 1997)	al numbe 1	er hig M M L L L L L L L L M M M	H H3 her than 60 H H3 H H	100 L 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M300	H	H30 H30 H30 H30 H30 H30 NA H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L L L M M M M M M M M M M	M30 H	H30	L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	L H M H L H L H L H L H L H L H	M M L L L L L M M M M M M M M M L L M M M M L L M M M M L L M	H H H H H H H H H H H H H H H H H H H	L L MM L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L NA	L L L L L L L L L L L L L L L L L L L	L L L L L L SL L L L L L L L L L L L L	SL SL SL L L SL SL L L L L L L L L L L	LX L L L L L L L L L L L L L L L L L L	M M M LX LX L LX NAA L LX LX LX NAA NAA NA L L L L L L L L L L L L L L	L D L MM L MM M M M M M M M M M M M M M M M	1	M M IX L L L L L L L L L L L L L L L L L L	SL L SL L SL L SL L SL L SL L SL S	LX	X
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece) STD 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Winchester 70, 670, 770, & 70A STD 70 Long Range RH-SA (1-Piece) STD 70 RVF (2-Piece) Winchester 70, 670, 770, & 70A STD 70 RVF (2-Piece) DD 70 RVF (2-Piece) DD 70 RVF (2-Piece) DD 70 RVF (2-Piece) QR 70 (2-Piece) DD 70 RVF (2-Piece) DD 70 RVF (2-Piece) Winchester 70 Express Pre-1964 QR 70 Exp. Pre-1964 (2-Piece) Winchester 70 Express Pre-1964 (2-Piece) Winchester 70 Express Post-1964 Winchester 70 Express Post-1964 Winchester 70 Express Post-1964	57300 57310	57320 H3 605t War in H3 51737 H3 557286 H3 557286 H3 557538 H3 57538 H3 57538 H3 57538 H3 57538 H3 57538 H3 60024 H3	0 H30	L L3(sss models) M M3 M M3 L L3(c) L L	0 L G (serial March 1997)	1 M 1 M 1 M 1 L 1 L 1 L 1 L 1 L 1 L 1 M 1 M 1 M 1 M 1 M 1 M 1 M 1 M 1 M 1 M	er hig M M L L L L L L L L L L L	H H3 her than 64 H H3 H H	100 L G. 360) 100 M M M M M M M M M M M M M M M M M M	M30 M30 M300 M300 M300 M300 M300 M300 M	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30 NA H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L M M M M M M M M M M M M	M30	Hamiltonia (130) H33(30) H33(3		M M L L L L L L L L L L L L L L L L L L	M H H M H H L H H L H H L H H L H H L H H L H H L H H L H H L H H M NAA	M M L L L L L L L L L L L L L L L L L L	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	NA N	H H H H H H NA H H H H H H H H H H H H H	L L L L L SL SL SL L L L L L L L L L L		L NA	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	SL SL SL SL L L L L L L L L L L L L L L	LX LX L LX L LX L LX NA L LX NA L L L L L L L L L L L L L L L L L L	M M LX L L L L L L L L L L L L L L L L L	L D L MM L L MN N L L L L N N L L L L	M M	M M LX L L L L L L L L L L L L L L L M M L LX MA	SL SL SL SL SL SL SL L L L L M M SL SL L L L	LX	X
Winchester 70 WSSM S1D 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A S1D 70A (1-Piece) S1D 70 KN (2-Piece) S1D 70 KN (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Mark 4 70 (2-Piece) More 70, 670, 770, & 70A S1D 70 Long Range RH-SA (1-Piece) S1D 70 RVF (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) QRW / PRW 70 (2-Piece) QRW / PRW 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) QRW / PRW 70 Exp. Pre-1964 (2-Piece) QRW / PRW 70 Exp. Pre-1964 (2-Piece) Winchester 70 Express Pre-1964 Winchester 70 Express Pre-1964 Winchester 70 Express Post-196 S1D 70 Exp. RVF (2-Piece)	57300 57310	57320 H3 557320 H3 551737 H3 H3 551737 H3 H3 557286 H3 H3 557538 H3 F51739 H3 F51739 H3 F51739 H3 F51739 H3 F51739 H3 H3 F57286 H3 H3 H3 F57286 H3 H3 H3 F57286 H3 H3 H3 H3 H4 H4 H4 H5	0 H30	L L30 M M3 L L30 M M3 SSS model L L30 L L3	0 L 0 L 0 Serial 0 M 0 M 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 M 0 L 0 L 0 L 0 M 0 L 0 L 0 M 0 L 0 L 0 M 0 L 0 L 0 M 0 L 0 L 0 M 0 L 0 M 0 L 0 L 0 M 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 L 0 L	1 M	er hig M M L L L L L L L L L L L	H H3 her than 64 H H3 H H	60 L 6,360) 60 M 60 M 60 L 60 M 60 M 60 M 60 M 60 M	M300 M300 M300 M300 M300 M300 M300 M300	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30 NA H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L M M M M M M M M M M M M	M30	130		M M L L L L L L L L L L L L L L L L L L	M H H H L H L H L H L H L H L H L H L H	M M M L L L M M M M M M M M M M M M M M	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M L L L M M M M M M M M M M M M M M M	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L		L NA	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	SL SL SL L L L L L L L L L L L L L L L	LX L L L LX NA NA L L L L L L L L L L L L L L L L L	M M M LX L L L L L L L L L L L L L L L L	L D L MM L D L N/ L L L L L L L L L L L L L L	M M	M M LX L L L L L L L L L L L L L L L L L	SL SL SL SL SL SL L L L L L L L L L L L	M N N N N N N L L L L L L L L L L L L L	X
Winchester 70 WSSM S1D 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A S1D 70A (1-Piece) S1D 70 Long Range RH-LA (1-Piece) S1D 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Mark 4 70 (2-Piece) More 70, 670, 770, & 70A S1D 70 RVR (2-Piece) DD 70 RVR (2-Piece) DD 70 RVR (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Mark 4 70 (2-Piece) Minchester 70 Exp. Pre-1964 (2-Piece) QRW / PRW 70 Exp. Pre-1964 (2-Piece) DRW / PRW 70 Exp. Pre-1964 (2-Piece)	57300 57310	57320 H3 505t war n H3 51737 H3 551737 H3 55024 H3 557286 H3 557538 H3 57538 H3 57538 H3 57538 H3 57538 H3 H3 50024 H3 557538 H3 557538 H3 H3 557538 H3 H3 557538 H3	0 H30	L L30 M M3 M M3 L L30 L	0 L C C C C C C C C C C C C C C C C C C	1 M 1 M 1 M 1 L 1 L 1 L 1 L 1 L 1 L 1 M 1 M 1 L 1 L 1 L 1 L 1 M 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L	er hig M M L L L L L L L M M H H H L L L L L L L L L L	H H3 her than 64 H H3 H H	60 L 6,360) 0 M 60 L 60 M 60 M 60 M 60 M 60 M 60 M	M300 M300 M300 M300 M300 M300 M300 M300	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 NA H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L L M M M M M M M M M M M	M30	130	L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	M H H H L H L H H L L H L H L L H L L H L L H L L H L L H L L L L H L	M M M L L M M M M M M M M M M M M M M M	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L		L NA	L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	SL S	LX L L L L L L L L L L L L L L L L L L	M M LX L L L L L L L L L L L L L L L L L	L D L MM L D L N/M L L L L L L L L L L	M	M M LX L L L L L L L L L L L L L L L L L	SL S	LX	X
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece) STD 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Winchester 70, 670, 770, & 70A STD 70 RVR (2-Piece) STD 70 RVR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) Winchester 70 Expece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DR 70 (2-Piece) QR 70 (2-Piece) Mark 4 70 (2-Piece) DR 70 Exp. Pre-1964 (2-Piece) DD 70 Exp. Post-1964 (2-Piece) DD 70 Exp. Post-1964 RWF (2-Piece) DD 70 Exp. Post-1964 RWF (2-Piece)	57300 57310	57320 H3 605t war n H3 51737 H3 557286 H3 557286 H3 557538 H3 557538 H3 557538 H3 557538 H3 57286 H3 H3 557286 H3 H3 557286 H3 H3 557286 H3 H3 577286 H3 H3 H3 H4 H61e Spac	0 H30	L L30 M M3 M M3 L L30 L	0 L German	1 M 1 M 1 M 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L	er hig M M L L L L L L L L L L L	H H3 her than 60 H H H3 H H3 H H H3	100 L 100	M300 M300 M300 M300 M300 M300 M300 M300	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L L M M M M M M M M M M M	M30	130	L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	M H M H L H L H L H L H L H L H L H L H	M M L L L M M M M M M M L L L L L L L L	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L		L NA	L	L L L L L L L L L L L L L L L L L L L	SL SL SL L L L L L L L L L L L L L L L	LX L L L L L L L L L L L L L L L L L L	M M M LX L LX NA NA L L L L L L L L L L L L L L L L L	L D L MM L D L N/M N/M L L D L N/M N/M L L L L L L L L L L L L L L L L L L L	M M	M M LX L LX LX NA LX LX LX LX LX	SL SL SL SL SL SL SL SL	M	X
Winchester 70 WSSM S1D 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A S1D 70A (1-Piece) S1D 70 Long Range RH-LA (1-Piece) S1D 70 RWR (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Mark 4 70 (2-Piece) More 70, 670, 770, & 70A S1D 70 Long Range RH-SA (1-Piece) S1D 70 RVF (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) QRW / PRW 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Mark 70 Exp. Pre-1964 (2-Piece) QRW / PRW 70 Exp. Pre-1964 (2-Piece) Winchester 70 Express Pre-1964 Winchester 70 Express Pre-1964 QR 70 Exp. Pre-1964 (2-Piece) DD 70 Exp. Post-1964 (P-Piece) DD 70 Exp. Post-1964 (P-Piece) QR 70 Exp. Post-1964 (P-Piece)	57300 57310	57320 H3 505t war n H3 51737 H3 551737 H3 55024 H3 557286 H3 557538 H3 57538 H3 57538 H3 57538 H3 57538 H3 H3 50024 H3 557538 H3 557538 H3 H3 557538 H3 H3 557538 H3	0 H30	L L30 M M3 M M3 L L30 L	0 L German	1 M 1 M 1 M 1 L 1 L 1 L 1 L 1 L 1 L 1 M 1 M 1 L 1 L 1 L 1 L 1 M 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L	er hig M M L L L L L L L M M H H H L L L L L L L L L L	H H3 her than 64 H H3 H H	100 L 100	M300 H M3	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 NA H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L L L M M M M M M M M M M M	M30	130	L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	M H H H L H L H H L L H L H L L H L L H L L H L L H L L H L L L L H L	M M L L L M M M M M M M L L L L L L L L	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L		L NA	L	L L L L L L L L L L L L L L L L L L L	SL S	LX LX L LX LX NA NA LL L L L L L L L L L L L L L L L	M M M LX L L LX NA NA L L L L L L L L L L L L L L L L L	L D L MM L D L N/M L L L L L L L L L L	M M	M M LX L L L L L L L L L L L L L L L L L	SL SL SL SL SL SL SL SL	LX	X
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 Long Range RH-LA (1-Piece) STD 70 RVR (2-Piece) STD 70 RVF (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) DD 70 (2-Piece) QR 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Winchester 70, 670, 770, & 70A STD 70 RVF (2-Piece) STD 70 RVF (2-Piece) DD 70 CP-Piece) DD 70 CP-Piece) DD 70 CP-Piece) DD 70 (2-Piece) Winchester 70 Express Pre-1964 QR 70 (2-Piece) Mark 4 70 (2-Piece) Mark 4 70 (2-Piece) Winchester 70 Express Pre-1964 QR 70 Exp. Pre-1964 (2-Piece) Winchester 70 Express Pre-1964 QR 70 Exp. Pre-1964 (2-Piece) DD 70 Exp. RVF (2-Piece) DD 70 Exp. Post-1964 RVF (2-Piece) DD 70 Exp. Post-1964 RVF (2-Piece)	57300 57310	57320 H3 505t war n H3 51737 H3 551737 H3 55024 H3 57286 H3 57286 H3 57538 H3 57538 H3 57538 H3 57538 H3 57538 H3 H3 55024 H3 557538 H3 H3 55024 H3 557538 H3 H3 57526 H3	0 H30	L L30 M M3 M M3 L L30 L	Serial S	1 M L L L L L L L L L L L L L L L L L L	er hig M M L L L L L L L L L L L	H H3 her than 60 H H H3 H H3 H H H3	100 L 100	M300 His M30	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L L M M M M M M M M M M M M L	M30 H M30	133	L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	M H M H L H L H L H L H L H L H L H L H	M M L L L L M M M M M M L L L L L L L L	H H H H H H H H H H H H H H H H H H H	M L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L NA	L	L L L L L L L L L L L L L L L L L L L	SL SL SL SL L L L L SL SL SL SL SL SL SL	LX L L L L L L L L L L L L L L L L L L	M M LX L LX NA NA L L LX LX NA L L LX LX NA L L LX NA NA LX LX NA NA LX LX NA NA NA LX LX NA	L D L MM L D L N/M L D L N/M L D L L L L L L L L L N/M M N/M M L L L L L L L L L L L L L L	1	M M LX L LX NA NA LX LX LX NA NA	SL SL SL SL SL SL SL SL	M M M M N N N N N N N N N N N N N N N N	X
Winchester 70 WSSM STD 70 WSSM (2-Piece) Winchester 70, 670, 770, & 70A STD 70A (1-Piece) STD 70 RVR (2-Piece) STD 70 RVF (2-Piece) DD 70 (2-Piece) QRW / PRW 70 (2-Piece) Mark 4 70 (2-Piece) Mark 4 70 (2-Piece) Mork 70 (2-Piece) Mork 70 (2-Piece) Mork 70 (2-Piece) DD 70 RVR (2-Piece) DD 70 RVR (2-Piece) DD 70 RVR (2-Piece) DD 70 RVF (2-Piece) Mark 4 70 (2-Piece) DRW / PRW 70 Exp. Pre-1964 (2-Piece) DD 70 Exp. Pre-1964 (2-Piece) DD 70 Exp. Post-1964 (2-Piece) DD 70 Exp. Post-1964 (2-Piece) DRW / PRW 70 Exp. Post-1964 (2-Piece) DRW / PRW 70 Exp. Post-1964 (2-Piece) DRW / PRW 70 Exp. Post-1964 (2-Piece) Winchester 94 AE	57300 57310	57320 H3 605t War in H3 51737 H3 557286 H3 557286 H3 557538 H3 557538 H3 557286 H3 557286 H3 H3 557286 H3 H3 557286 H3 H3 H3 H3 H3 H3 H3 H3	H30	L L30 M M3 M M3 L L30 L	0 L C Serial May 10 M M M M M M M M M M M M M M M M M M	1 M 1 M 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L 1 L	er hig M M L L L L M M L L L L L	H H3 her than 64 H H3 H H	60 L C C C C C C C C C	M300	H H H H H H H H H H H H H H H H H H H	H30 H30 H30 H30 H30 H30 H30 H30 H30 H30	M M L L L L M M M M M M M M M L L L L L	M30 H	1330 H33(33) H33(33) H33(34) H33(35) H33(35) H33(36) H33(36) H33(37) H	L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	M H H H L H L H L H L H L H L H L H L H	M M L L L L L L L L L L L L L L L L L L	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L	M M L L L L L L L L L L L L L L L L L L	NA N	H H H H H H H H H H H H H H H H H H H	L L L L L L L L L L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	L NA	L L L L L L L L L L	L L L L L L L L L L L L L L L L L L L	SL SL SL SL L L SL SL SL SL SL SL SL SL	LX LX L L L LX NA NA L L L L L L L L L L L L L L L L L	M M LX L LX NA L L L L L L L L L L L L L L L L L L	L D L MM L L MM NM L D L NM NM L L L L L L L L L L L L L L L L L L L	1	M M LX LX NA NA LX LX NA NA LX LX NA	SL SL SL SL SL SL SL L L L SL L L L SL S	M	X

TACTICAL BASE FIT & RING HEIGHT INFORMATION

						Long Range	T M2	M1	M3	T M1 Front Focal)	T M3 Front Focal)	T M1	T M1	TM1				
NEW PRODUCTS ARE SHOWN IN F	RED							Max	imum Ri	ing Spac	ing in In	ches						
FIREARM	BASE PAR	T NUMBER	5.5	5.6	5.8	5.9	5.8	5.8	5.8	6.2	6.2	5.5	6.5	6.5	6.1	6.1	6.0	
Base Model	Gloss	Matte						Re	commen	ded Rin	gs (Lowe	st Heigh	nt Possib	le)				
Colt AR15 & M16 (carry handle mo	ount)																	
Mark 4 AR15 / M16 Handle Mount		52136	L	L	L	L30	L30	L30	L30	L30	L30	L30	L30	L30	L30	L30	L30	
Colt AR15 Flat Top (all AR15 style	rifles wit																	
Mark 4 1" Super High		50222	•	•	•												-	
Mark 4 30mm Super High		52083	<u> </u>			*	•	*	*	*	*	*	•	*	*	*		
Remington 700/721/725 (Long Act						120	120	120	120	120	120	1120	1120	1120	1420	1420	1420	
STD 700 RH-LA (1-Piece)	50003	50004	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
STD 700 Long Range RH-LA (1-Piece)		51732	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
Remington 700/721/725 (Long Acti STD 700 LH-LA (1-Piece)	50007	Hand Oni	_			L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
Remington 700/721/725 (All Long)		odole)	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	IVI3U	IVI3U	IVI30	
STD 700 (2-Piece)	50015	50016	L	1		L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
STD 700 (2-Fiece)	50013	50018	H	i i	ı	130	130	L30	L30	130	L30	H30	H30	H30	M30	M30	M30	
DD 700 (2-Piece)	50041	50042	1	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M30	
DD 700 (2-Fiece)	30041	50042	H	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M30	
QR 700 (2-Piece)	50049	50050	h	1	1	L30	130	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
QRW / PRW 700 (2-Piece)	49840	49841	Ť	ī	ī	130	130	130	130	130	130	H30	H30	H30	M30	M30	M30	
Mark 4 700 (2-Piece)		50039	M	M	M	M30	M30	M30	M30	M30	M30	SH30	SH30	SH30	M30	M30	M30	
Remington 700/721/725 (Short Act	ion. Riah	t Hand O	nlv)															
STD 700 RH-SA (1-Piece)	50005	50006	Ĺ	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
STD 700 Long Range RH-SA (1-Piece)		51734	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
QR 700 RH-SA (1-Piece)		51247	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
Mark 4 700 (1-Piece)		50040	М	M	M	M30	M30	M30	M30	M30	M30	SH30	SH30	SH30	M30	M30	M30	
DD XP-100 (1-Piece)		53570	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
Remington 700/721/725 (All Short	Action I	/lodels)																
STD 700 (2-Piece)	50015	50016	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
STD 700 RVF (2-Piece)	50017	50018	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
DD 700 (2-Piece)	50041	50042	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
DD 700 RVF (2-Piece)		50044	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
QR 700 (2-Piece)	50049	50050	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M30	
QRW / PRW 700 (2-Piece)	49840	49841	L	L	L	L30	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L30	
Mark 4 700 (2-Piece)		50039	М	M	M	M30	M30	M30	M30	M30	M30	SH30	SH30	SH30	M30	M30	M30	
Ruger M77 (Dovetail Receiver)																		
RM Ruger M77 - 1" High	49951	49952	ALL	ALL	ALL												\vdash	
RM Ruger M77 - 1" Super High	49954	49944															$\vdash\vdash\vdash$	
RM Ruger M77 Ext 1" High		52301																
RM Ruger M77 Ext 1" Super High		52302				SA		SA	SA	SA	SA				SA	SA	SA	
RM Ruger M77 - 30mm Medium		51041 51042				LA	SA	I A	I A	I A	SA IA	ALL	ALL	ALL	SA LA	I A	LA	
RM Ruger M77 - 30mm High RM Ruger M77 - 30mm Super High		51042				LA	5A	LA	LA	LA	LA	ALL	ALL	ALL	LA	LA	LA	
nivi nuger ivi// - Summi Super High		31043																

Abbreviations

RM Ruger M77 Ext. - 30mm Super High

STD 110 RH (1-Piece) QR 110 RH (1-Piece) QR 110 (2-Piece)

QRW / PRW 110 (2-Piece)

LA — Long action	LR — Long rear base
SA — Short action	RVF — Reversible front base
RH — Right hand	RVR — Reversible rear base
LH — Left hand	RVF/R — Reversible front and rear base

SH — Super high 1"	M — Medium 1"
SH30 — Super high 30mm	M30 — Medium 30m
H — High 1"	L — Low 1"
H30 — High 30mm	SL — Super low 1"

NA — Not available

TACTICAL BASE FIT & RING HEIGHT INFORMATION

SCOPE MODEL	Mark 4 1.5-5x20mm PR	Mark 4 3-9x40mm PR	Mark 4 3.5-10x40mm PR	Mark 4 4.5-14x40mm PR Long Range	Mark 4 1.5-5x20mm MR/T M2	Mark 4 3-9x36mm MR/T M1 (& Illuminated Reticle)	Mark 4 3-9x36mm MR/T M3 (& Illuminated Reticle)	Mark 4 3.5-10x40mm LR/T M1 (& Illuminated Reticle & Front Focal)	Mark 4 3.5-10x40mm LR/T M3 (& Illuminated Reticle & Front Focal)	Mark 4 4.5-14x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 6.5-20x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 8.5-25x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 M1-10x40mm	Mark 4 M3-10x40mm	Mark 4 M1-16x40mm
-------------	----------------------	--------------------	-----------------------	----------------------------------	---------------------------	--	--	---	---	---	---	---	-------------------	-------------------	-------------------

						ge					_						
NEW PRODUCTS ARE SHOWN IN F	RED							Max	imum R	ing Spac	ing in In	ches					
FIREARM	RASE PAR	T NUMBER	5.5	5.6	5.8	5.9	5.8	5.8	5.8	6.2	6.2	5.5	6.5	6.5	6.1	6.1	6.0
Base Model	Gloss	Matte						Re	commer	ded Rin	as (Lowe	est Heigl	nt Possik	le)			
Savage 110 through 116 Round Re	eceiver (F		d. Lone	a Action	n. Heav	v Barre	el)										
STD 110 RH ROUND RCVR (1-Piece)	55701		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	МЗ
STD 10/110 ROUND RCVR (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	МЗ
QR 10/110 ROUND RCVR (2-Piece)	55761		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
Savage 110 through 116 (Left Han	d. Long A	Action. He	avv Ba	arrel)													
STD 110 LH (1-Piece)	50219		Ĺ	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	МЗ
QR 110 (2-Piece)	52314		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
QRW / PRW 110 (2-Piece)	49833		L	L	L	L30	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L31
Savage 110 through 116 Round Re	ceiver (L	eft Hand	Long	Action.	Heavy	Barrel											
STD 110 LH ROUND RCVR (1-Piece)	55711		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
STD 10/110 ROUND RCVR (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
QR 10/110 ROUND RCVR (2-Piece)	55761		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
Savage 10 through 16 (Right Hand	, Short A	ction, He	avy Ba	rrel)													
STD 10 RH-SA (1-Piece)	52316	52317	Ĺ	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
QR 110 (2-Piece)	52314		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
QRW / PRW 110 (2-Piece)	49833		L	L	L	L30	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L31
Savage 10 through 16 Round Rece	eiver (Rig	ht Hand,	Short /	Action,	Heavy	Barrel)											
STD 10 RH-SA ROUND RCVR (1-Piece)	55721	55724	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
STD 10/110 ROUND RCVR (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
QR 10/110 ROUND RCVR (2-Piece)	55761		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
Savage 10 through 16 (Left Hand,	Short Ac	tion, Hea	vy Barı	rel)													
STD 10 LH-SA (1-Piece)	52326		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
QR 110 (2-Piece)	52314		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
QRW / PRW 110 (2-Piece)	49833		L	L	L	L30	L30	L30	L30	L30	L30	M30	M30	M30	L30	L30	L30
Savage 10 through 16 Round Rece	iver (Lef	t Hand, S	hort A	ction, H	leavy B	arrel)											
STD 10 LH-SA ROUND RCVR (1-Piece)	55731		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
STD 10/110 ROUND RCVR (2-Piece)	55741	55742	L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
QR 10/110 ROUND RCVR (2-Piece)	55761		L	L	L	L30	L30	L30	L30	L30	L30	H30	H30	H30	M30	M30	M3
Winchester 70, 670, 770, & 70A (Lo	ng Actio	n) (serial	numbe	er high	er than	66,360)										
STD 70A (1-Piece)	50000	50001	М	M	M	M30	M30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
STD 70 Long Range RH-LA (1-Piece)		51736	М	M	M	M30	M30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
STD 70 RVR (2-Piece)	50020	50021	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
STD 70 RVF/R (2-Piece)	50022	50023	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
DD 70 (2-Piece)	50045	50046	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
DD 70 RVF (2-Piece)		54241	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
QR 70 (2-Piece)	50053	50054	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
QRW / PRW 70 (2-Piece)		49838	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
Mark 4 70 (2-Piece)		51731	М	M	M	M30	M30	M30	M30	M30	M30	SH30	SH30	SH30	M30	M30	M3
Winchester 70, 670, 770, & 70A (Sh	ort Actio																
STD 70 Long Range RH-SA (1-Piece)		51738	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
STD 70 RVR (2-Piece)	50020	50021	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
STD 70 RVF/R (2-Piece)	50022	50023	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
DD 70 (2-Piece)	50045	50046	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
DD 70 RVF (2-Piece)		54241	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
QR 70 (2-Piece)	50053	50054	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
QRW / PRW 70 (2-Piece)		49838	L	M	M	M30	L30	M30	M30	M30	M30	H30	H30	H30	M30	M30	M3
Mark 4 70 (2-Piece)		51731	M	M	M	M30	M30	M30	M30	M30	M30	SH30	SH30	SH30	M30	M30	M30

Mount System Types

HANDGUN MOUNTING SYSTEM INFORMATION

D Mark V LW (2-Piece

QR Mark V LW (2-Piece

Maximum Ring Spacing in Inches NEW PRODUCTS ARE SHOWN IN RED 5.1 4.0 4.1 BASE PART NUMBER ngton XP-100 (for use with any R TD 700 RH-SA (1-Piece) TD 700 Long Range RH-SA (1-Piece OR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) Remington XP-100 R (new mod TD 700 RH-SA (1-Piece D Model 7 (2-Piece) TD 700 Long Range RH-SA (1-Piece) QR 700 RH-SA (1-Piece) DD XP-100 (1-Piece) Ruger Redhawk & Bl RM Ruger M77 - 1" High RM Ruger M77 - 1" Super High RM Ruger M77 Ext. - 1" High Savage Striker (510 & 516) Thompson Center Encore DD T/C Encore (1-Piece) OR T/C Encore (1-Piece) M M M

LEUPOLD

RIFLEMAN			SCOPE MODEL	Rifleman 2-7x33mm	Rifleman 3-9x40mm	Rifleman 3-9x50mm	Riflem
MOUNTING			M MC	an 2-7:	an 3-9	an 3-9	lan 4-1
INFORMATION			DEL	G3mm	40mm	60mm	Rifleman 4-12x40mm
							3
NEW PROPUCTS ARE SHOWN IN REP				May	imum Dina G	Spacing in In	chos
NEW PRODUCTS ARE SHOWN IN RED				5.2	5.6	4.8	5.6
FIREARM		E PART NUN		3.2			3.0
Base Model Browning	Gloss	Matte	Silver		Kecomme	nded Rings	
Rifleman Browning A-Bolt (2-Piece)		56521			M**	Н*	M**
CVA/Traditions		30321		L	IVI	п	IVI
Rifleman CVA & Trad. Pursuit (2-Piece)		56500	57294	L	M**	Н*	M**
Rifleman Trad. Inline & Bolt Action (2-Piece)		57264	57353	ī	M**	H*	M**
Rifleman CVA & Trad. Int. See-Thru Rings		56527	57430	u	u	u	u
Rifleman Trad. Inline & Bolt Int. See-Thru		57515	57613	u	u	u	u
Harrington & Richardson							
H&R New England Muzzleloader (1-Piece)		56515		L	M**	H*	M**
Knight LK 93							
Rifleman Knight LK 93 (2-Piece)		56503	57435	M**	H*	H*	H*
Rifleman Int. See-Thru Knight LK93 Ringmount		57313	56530	u	u	u	u
Marlin 336							
Rifleman Marlin 336 (1-Piece)		55910		L	M**	Н*	M**
Remington							
Rifleman 7 (2-Piece) Rifleman Rem 700 (2-Piece)		56867 55890	57488	L	M** M**	H*	M** M**
Rifleman 7400/7600 (1-Piece)		56512	3/488	L I	M**	H*	M**
Rifleman 700 Int. See-Thru Rings		56758		u	u	u u	u
Rimfire		30730		u	u	u	u
Rifleman .22 RF 3/8-inch Ringmount	57405	56533	57410	u	u	u	u
Rifleman .22 RF 3/8-inch Det. See-Thru Rings	57327	57323	57325	u	u	u	u
Ruger 10/22					_		
Rifleman 10/22 (1-Piece)		56506	57774	L	M**	H*	M**
Rifleman 10/22 Int. See-Thru Rings		57315		u	u	u	u
Savage 110							
Rifleman Savage 110 (2-Piece)		56509	57872	L	M**	Н*	M**
Thompson/Center Encore & Omega							

Special Key

u — Symbol indicates an appropriate mount to be used with this scope

L — Rifleman Detachable Low Rings – Matte (56524) or Silver (57996)

M — Rifleman Detachable Medium Rings – Gloss (57380), Matte (55860), or Silver (57385)

H — Rifleman Detachable High Rings – Gloss (57390), Matte (55870), or Silver (57833)

* — Rifleman Detachable See-Thru Rings – Gloss (57395), Matte (55880), or Silver (57400) may also be used

** — Rifleman Detachable See-Thru Rings – Gloss (57395), Matte (55880), Silver (57400);

Rifleman Vertical Split Rings - Gloss (57415), Matte (55850), or Silver (57420) may also be used

Leupold & Stevens, Inc. reserves all other rights. CQ/T; DESIGN ONLY (GOLDEN RING); DUPLEX; GOLDEN RING; L AND DESIGN; LEUPOLD; LPS; MARK 4; MULTICOAT 4; PERFORMANCE STARTS ON THE INSIDE; VARI-X; VX and WIND RIVER are registered trademarks of Leupoid & Stevens; Inc., Beaverton, Oregon. ADVANCED IMAGE OPTIMIZATION; ALUMINA; AMERICA'S OPTIC AUTHORITY; BALLISTIC AIMING SYSTEM; BOONE AND CROCKETT; BZ; CASCADES; FX; GREEN RING DESIGN; GREEN RING; INDEX MATCHED LENS SYSTEM; INTENSIFIER; KATMAI; L-COAT; LR/T; MESA; MR/T; OG; OLYMPIC; OP; OPTIMIZER; PINNACLES; QUICK RELEASE; RIFLEMAN; SEQUOIA; X-TREME; and YL are trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. Note: We reserve the right to make design and/or material modifications without prior notice. Boone and Crockett Club is a registered trademark of the Boone and Crockett Club, and is used with their expressed written permission.

Leupold products are manufactured under one or more of the following patents: U.S. Patents: 4,643,542; 5,035,487; 5,231,535; 5,671,088; 5,866,048; 6,005,711; 6,279,259; 6,295,754; 6,351,907; 6,359,418; 6,469,829; 6,519,890; D347,441; D413,153; D414,835; D415,546; D416,972; D420,718; D420,807; D421,286; D427,658; D490,097. Foreign Patents: BX30938-00; CA-Rd /Enr.1999-88472; CA1253381; DE49903766.9; DE69216763.3; DE-M9304093.8; EP0540368; GB0540368; IL31338; IT75604; JP1074623; SE55201; TW148948. This publication may not be reprinted or otherwise reproduced without the expressed written consent of Leupold & Stevens, Inc. Copyright © 2005 Leupold & Stevens, Inc. All rights reserved.

TOOLS AND ACCESSORIES

Leupold developed this special collection of tools and accessories because the right tools mean a job well done. Every item will complement your workbench or shooting bag. These products also make great gifts for hunters and shooters who appreciate quality.

Torx® Driver

The Torx® Driver gives you a better handle on driving and securing Torx-head mounting screws, which won't strip like old-fashioned



Mounting Tool

This useful tool features one slotted screwdriver, two Torx drivers, and five hex-head drivers. As practical in the field as on the bench, it's perfect for making windage and elevation adjustments, and installing rings and mount bases.



Leupold Mark 4 Ring Torque Wrench

With this special wrench you can not only tighten, but loosen the mounting screws on Mark 4 style rings. Delivers the proper amount of torque value (65-in lbs) when installing Mark 4 style rings for

return to zero accuracy. #48701

Ring Wrench

Install rings without damaging your rifle or scope using this unique tool. For 30mm or 1" rings.

Target Diskette

This computer diskette contains nine different targets you can print out at home on your PC. Print

the targets you want, as you need them! With a sheet for reloading data as well, this disk is an invaluable resource. #52390

Scope Cover

Keep your Leupold scope looking like new! Protect its finish from dirt and damage with a scope cover. Available in six sizes to fit most Leupold scopes, the scope cover is made of water-resistant, nylon-laminated neoprene. Protect your scope in storage or in the field.





SIZE PART NO.

MODEL	SIZE	PART NO
PS 2.5-10x45mm	XL	53578
PS 3.5-14x50mm Side Focus	XXL	53580
/X-III 1.5-5x20mm (& Illuminated Reticle)	S	53572
/X-III 1.75-6x32mm	M	53574
/X-III 2.5-8x36mm	M	53574
/X-III 3.5-10x40mm	L	53576
/X-III 3.5-10x50mm (& Illuminated Reticle)	XL	53578
/X-III 4.5-14x40mm	L	53576
/X-III 4.5-14x40mm Long Range	L	53576
/X-III 4.5-14x50mm	XL	53578
/X-III 4.5-14x50mm Long Range (& Illuminated Reticle)	XL	53578
/X-III 6.5-20x40mm Long Range	XXL	53580
/X-III 6.5-20x40mm EFR Target	XXL	53580
/X-III 6.5-20x50mm Long Range Target	XXL	53580
/X-III 8.5-25x50mm Long Range Target	XXL	53580
/X-II 1-4x20mm	S	53572
/X-II 2-7x33mm	M	53574
/X-II 3-9x40mm	L	53576
/X-II 3-9x50mm	XL	53578
/X-II 4-12x40mm Adj. Obj.	L	53576
/X-II 4-12x50mm	XL	53578
/X-II 6-18x40mm Adj. Obj.	XXL	53580
/X-II 6-18x40mm Adj. Obj. Target	XXL	53580
/X-I 1-4x20mm Shotgun/Muzzleloader	S	53572
/X-I 2-7x33mm (& Shotgun/Muzzleloader)	M	53574
/X-I 3-9x40mm	L	53576
/X-I 3-9x50mm	XL	53578
/X-I 4-12x40mm	L	53576
Rifleman 2-7x33mm	M	53574
Rifleman 3-9x40mm	L	53576
Rifleman 3-9x50mm	XL	53578
Rifleman 4-12x40mm	L	53576
FX-III 6x42mm	XL	53578
FX-III 12x40mm Adj. Obj. Target	L	53576

FX-II 2.5x28mm Scout	M	53574
FX-II 4x33mm	M	53574
FX-II 6x36mm	M	53574
Competition Series 35x45mm	NA	
Competition Series 40x45mm	NA	
Competition Series 45x45mm	NA	
FX-III 6x42mm Adj. Obj. Competition Hunter	L	53576
VX-II 2-7x28mm Ultralight	M	53574
VX-II 3-9x33mm Ultralight	M	53574
VX-II 3-9x33mm Ultralight EFR (& Rimfire EFR)	M	53574
FX-II 2.5x20mm Ultralight	S	53572
VX-I 2-7x28mm Rimfire	M	53574
FX-I 4x28mm Rimfire	S	53572
FX-II 2x20mm Handgun	S	53572
FX-II 4x28mm Handgun	M	53574
VX-III 2.5-8x32mm Handgun	M	53574
Mark 4 1.5-5x20mm PR	Mark 4 PR	57864
Mark 4 3-9x40mm PR	Mark 4 PR	57864
Mark 4 3.5-10x40mm PR	Mark 4 PR	57864
Mark 4 4.5-14x40mm PR Long Range	Mark 4 PR	57864
Mark 4 1.5-5x20mm MR/T M2	Mark 4 MR/T	57866
Mark 4 3-9x36mm MR/T M1 (& Illuminated Reticle)	Mark 4 MR/T	57866
Mark 4 3-9x36mm MR/T M3 (& Illuminated Reticle)	Mark 4 MR/T	57866
Mark 4 3.5-10x40mm LR/T M1 (& Illuminated Reticle)	Mark 4 LR/T	57868
Mark 4 3.5-10x40mm LR/T M1 Front Focal	Mark 4 LR/T	57868
Mark 4 3.5-10x40mm LR/T M3 (& Illuminated Reticle)	Mark 4 LR/T	57868
Mark 4 3.5-10x40mm LR/T M3 Front Focal	Mark 4 LR/T	57868
Mark 4 4.5-14x50mm LR/T M1 (& Metric & Illum. Reticle)	Mark 4 LR/T	57868
Mark 4 6.5-20x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 LR/T X-L	57877
Mark 4 8.5-25x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 LR/T X-L	57877
Mark 4 10x40mm LR/T M1	Mark 4 LR/T	57868
Mark 4 10x40mm LR/T M3	Mark 4 LR/T	57868
Mark 4 16x40mm LR/T M1	Mark 4 LR/T	57868
Mark 4 CQ/T 1-3x14mm	Mark 4 CQ/T	54857

TOOLS AND ACCESSORIES

Retractable Ballistic Chart



Keep critical, custom ballistics data where you can access it from any shooting position. Attaches to your scope's maintube (1" or 30mm) for instant access, and the durable metal tape with your ballistics data automatically retracts after use.

Retractable Ballistic Chart 1" #54804 Retractable Ballistic Chart 30mm #54778

New! Leupold Zero Point Magnetic Illuminated Boresighter



With this revolutionary new boresighter, you can get your rifle on the paper faster than ever, recheck your zero,

and even record the zero at different ranges or bullet weights, and readjust your scope without the need to fire.

Anti-Reflection Device (ARD)

A quarter-inch deep and perforated with scores of tiny, light-transmitting honeycomb baffles, the ARD reduces lens glare as effectively as a 7" lens shade. Snaps into 40mm objective scopes that are non-threaded and non-adjustable.

X-treme™ Binocular Strap

Even the lightest binoculars can get heavy after hours of hanging around your neck. Now, with the new X-treme™ binocular strap, the weight is taken off your neck and evenly distributed across your back through the "X" shaped design of the strap, keeping your binoculars close to your body to prevent swinging yet ready at hand at a moments notice, #55895





New! Leupold Window Mount

For rock-steady viewing from your vehicle, use the window mount with nearly any spotting scope. Includes a detachable mounting plate that's interchangeable with Leupold tripods, so you can make a quick switch from vehicle to field viewing. #58400

New! Leupold Digital Camera Adapter for Spotting Scopes

Capture images of wildlife or any outdoor event using this adapter, your digital camera, and the Leupold Golden Ring 12-40x60mm spotting scope. The adapter itself snaps onto any digital camera with a 58mm lens. With the plates included with the kit, you can convert the adapter to fit 28mm, 37mm, 43mm, and 52mm digital camera lenses. #58380



LensPen

This compact, two-step LensPen has a natural hair brush which is fully retractable for protection when not in use. A clean brush is key because it's the first thing to touch the lens. The microfiber cleaning tip automatically replenishes itself with a state-of-the-art cleaning compound. Compact and ergonomic, it's great for your workbench, the range, or in the field.

Full-Size Tripod

Our full-size tripod is sturdy, stable, and compact when folded. Extends to 65" and collapses to 30". Features three-section legs, and a three-way panning head with quick-release base that makes



Compact Tripod

When a full-size tripod is just "too much equipment" to take into the field, our compact tripod gets the job done. The 4-section legs extend to 31.5" and collapses to a mere 15". The adjustable ball head with quick-release base gives you incredible viewing versatility. #56446

Leupold Binocular Tripod Adapter

With the binocular tripod adapter, you can enjoy the same steady view with your binoculars that's normally reserved for spotting scopes. Fits Mesa, Pinnacles, and Olympic 8x42mm models.





New! Leupold Monopod

Get the benefit of a sturdy walking staff with a retractable, spiked foot as well as a steady viewing platform for your Leupold spotting scope or any camera with a standard mount port, from the smallest digital to the serious DSLRs. It's lightweight and



stowable too, collapsing from 65" to just 20", and weighing a scant 1 pound. #58410

Apparel

Let them know you know your optics when you wear official Leupold logo apparel.

Twill Button-Down Shirt

When it's time to dress things up, but still let them know you're a shooter, try this logo embroidered twill cotton button-down on for size. Stone.

#75030 - XS #75031 - S #75032 - M #75033 - L #75034 - XL #75035 - XXL #75036 - XXXL

Leupold Polo

Create your own casual look with our logo embroidered polo. Olive.

#75037 - XS #75038 - S #75041 - XL #75039 - M #75042 - XXL

Leupold T-Shirt

The classic, all-around favorite T-shirt, with the embroidered Leupold logo on the chest. Navy.

#75040 - L #75043 - XXXL

#75024 - S #75026 - L #75028 - XXL #75025 - M #75027 - XL #75029 - XXXL

Hooded Sweatshirt

Keep warm wherever you are with your hooded sweatshirt embroidered with the Leupold logo on the chest. Olive.

#75016 - S #75018 - L #75020 - XXL #75017 - M #75019 - XL #75021 - XXXL



Leupold Embroidered Caps

Make a statement with one of our Leupold caps. Choose from full camo or hunter orange with a tan bill, embroidered with the Leupold logo. Our tan cap is embroidered with the Leupold medallion on the front,



R. L. "Larry" Wilson

Today's outdoors and firearms writers labor in a narrow spotlight...they receive little recognition outside of the hunting and shooting scene. Yet many of us have grown up reading and enjoying their work, and stayed up

reading much too late on more than a few nights, "just until the end of this story." Leupold created the Jack Slack Award to give these fine writers some of the recognition they deserve, to honor and encourage the efforts from which we receive so much enjoyment. Previous winners include: John Barsness (2003), David Petzal (2002), Tom Gresham (2001), John Wootters (2000), Terry Wieland (1999), and Jim Carmichel (1998). For 2004, Leupold proudly named R. L. "Larry" Wilson the Jack Slack Writer of the Year.

2004 Jack Slack Writer Of The Year

The name 'R. L. Wilson' on a book or article has come to represent both authenticity and unique insight into the world of firearms. His work has become appreciated and valued by a wide range of people including hunters, collectors, museum curators, and virtually anyone interested in the role firearms have played in the development of our society.

Wilson began collecting guns at age 12, using money earned on a paper route. He studied history and art at Minnesota's Carlton College, did an internship in the Tower of London's Royal Armories, and by the age of 23 was appointed curator of firearms at the Wadsworth Atheneum, Hartford, Connecticut.

Since then his expertise both as a writer and a consultant has been in constant demand by publishers, museums, private collectors, and auction houses, as well as for film and television productions. He has completed eight volumes in "The History of Firearms" series, most of which have also been published in French, German, and Italian editions. Titles currently available include Colt An American Legend; Winchester An American Legend; The Peacemakers; Steel Canvas; Ruger & His Guns; Buffalo Bill's Wild West; and The World of Beretta.

Thirteen of his books have been published by mainstream houses, including Random House and Simon & Schuster. Six Wilson books have been in collaboration with legendary photographer Peter Beard. Wilson's most recent work, Silk and Steel Women at Arms, promises to have a major impact on public and media perception of firearms and the shooting sports.

LEUPOLD ALUMINA ACCESSORIES

The Alumina accessory system fits all 2004 and newer Leupold scope models. See the Leupold Web site for other fit information, www.leupold.com.

Leupold is excited to introduce the Alumina accessory system: thread-on optical accessories that will help you use the light available to your advantage, protect your optics from dirt, dust, rough handling during transport, and even help them shed water when it's raining.

Alumina™ Intensifier Kit

This kit includes several different intensifiers for various conditions, each helping to enhance the visibility of game animals and targets. Included in the kit are the Alumina Intensifier BZ (bronze), Intensifier OG (orange), Optimizer OP, and IS-Stacker protective cover.



ALUMINA ACCESSORIES	FINISH & PART NO.
ALUMINA INTENSIFIER KIT	Matte
Intensifier Kit 50mm	57745
Intensifier Kit 42mm	58765
Intensifier Kit 40mm	57735
Intensifier Kit 36mm	57725
Intensifier Kit 33mm	57715
Intensifier Kit 28mm	58725
Intensifier Kit 20mm	57705

Alumina™ Intensifier™ YL™ (yellow)

Similar to the yellow lenses of some shooting glasses, this enhancer cuts the blue light that is predominant in dusty, hazy conditions.

Intensifier YL - 28mm Intensifier YL - 20mm



58735

Alumina™ RainCote™ Kit

Specially coated, so that water instantly sheds off the lens surface, RainCote lens protectors are included for both objective lenses and eyepieces. The Alumina RainCote Kit also includes the Alumina RS Stacker, a compact, protective storage device for the Alumina RainCote™ Kit components.



LENS COVER	LENS COVER
ALUMINA ACCESSORIES	FINISH & PART NO.
ALUMINA RAINCOTE	Matte
RainCote Kit 50mm	59025
RainCote Kit 42mm	58805
RainCote Kit 40mm	59020
RainCote Kit 36mm	59015
RainCote Kit 33mm	59010
RainCote Kit 20mm	59005
RainCote Kit 33mm & Ultralight EP	58885
RainCote Kit 28mm & Ultralight EP	58875

58815

Alumina™ Rubber Eyepiece Guard

RainCote Kit 20mm & Ultralight EP

Shades the eyepiece, and protects you from recoil during extreme uphill shooting angles and extreme heavy recoiling firearms.

	0
ALUMINA ACCESSORIES	FINISH & PART NO

Alumina™ Flip-Back Lens Covers

These machined

aluminum flip-back

lip-Back Lens Cover Ultralight EP

ip-Back Lens Cover Standard E

lens covers protect
your lenses from the water, snow, dust, and dirt you encounter in the field, yet keep them ready for action at an instant's notice.

ALUMINA ACCESSORIES
FINISH & PART NO.
ALUMINA FLIP OPEN LENS COVERS

ALUMINA ACCESSORIES	FINISH & PART NO.
ALUMINA FLIP OPEN LENS COVERS	Matte
Flip-Back Lens Cover 50mm	59050
Flip-Back Lens Cover 42mm	58795
Flip-Back Lens Cover 40mm	59045
Flip-Back Lens Cover 36mm	59040
Flip-Back Lens Cover 33mm	59035
Flip-Back Lens Cover 28mm	58755
Flin-Rack Lens Cover 20mm	59030

Alumina™ Protective Lens Covers

These machined aluminum, knurled disks thread into your objective lens and eyepiece to protect your optics during storage or rough transport.

ALUMINA ACCESSORIES	FINISH & PART NO.
ALUMINA THREADED LENS COVERS	Matte
Threaded Lens Cover 50mm	58950
Threaded Lens Cover 42mm	58785
Threaded Lens Cover 40mm	58940
Threaded Lens Cover 36mm	58935
Threaded Lens Cover 33mm	58930
Threaded Lens Cover 28mm	58745
Threaded Lens Cover 20mm	58925
Threaded Lens Cover Ultralight EP	58960
Threaded Lens Cover Standard EP	58955

Alumina™ 50-Foot Focus Adapter

Ideal for gallery shooting and other close range shooting sports.

LUMINA ACCESSORIES	FINISH & PART NO.
LUMINA 50-FT FOCUS ADAPTER	Matte
readed 50-Ft Focus Adapter (Post-2004)	59021

Alumina™ Series Lens Shades

Thread these 2.5" and 4" Alumina lens shades together to create custom lengths.



FINISH	PART NO.	PRICE
Alumina 45mm 2.5" Competition Series		
Matte	54169	\$48.00
Alumina 45mm 4" Competition Series		
Matte	54180	\$52.00

ew! Fits all Competition Series s	scopes
-----------------------------------	--------

FINISH	PART NO.	PRICE							
Alumina 50mm 2.5"									
Matte	52350	\$48.00							
Alumina 50mm 4"									
Gloss	52352	\$50.00							
Matte	52353	\$52.00							
Silver	52354	\$52.00							
New! Fits 2004 and newer 50mm objective scopes except LPS									

INISH	PART NO.	PRICE						
lumina 40mm 2.5"								
loss	56186	\$36.00						
latte	56187	\$38.00						
ilver	56188	\$38.00						
lumina 40mm 4"								
loss	56189	\$40.00						
latte	56190	\$42.00						
ilver	56191	\$42.00						
Fite 2004 and neuran VV II VV III and all Mark 4 40 and								

New! Fits 2004 and newer VX-II, VX-III, and all Mark 4 40mm objective scopes

Pre-2004 Lens Shades

These 2.5" and 4" lens shades can be threaded together to create custom lengths. Models to fit 40mm objective scopes are available.

FINISH	PART NO.	PRICE						
40mm 2.5"								
Gloss	52343	\$36.00						
Matte	52344	\$38.00						
Silver	52345	\$38.00						
40mm 4								
Gloss	52346	\$40.00						
Matte	52347	\$42.00						
Silver	52348	\$42.00						
E': 200410/ 1/ 1/ 1/ 10 1 0 1								

Fits all pre-2004 VX-II, Vari-X II, and Vari-X III 40mm Adj. Obj. scopes

TO REACH LEUPOLD TECHNICAL SERVICE

Parcel Service —

Leupold & Stevens, Inc.; Attn: Technical Service Dept 14400 N.W. Greenbrier Parkway Beaverton, OR 97006-5790 U.S.A.

U.S. Mail —

Leupold & Stevens, Inc.; Attn: Technical Service Dept P.O. Box 688, Beaverton, OR 97075-0688 U.S.A. Phone: 8:00 a.m.- 4:30 p.m. PST M-F (503) 526-1400 Fax: 24 hours a day, 7 days a week (503) 352-7621 E-mail: productspecialist@leupold.com

Leupold Customers In Canada —

Leupold Canada; Jim Korth Agencies, Ltd. 103 Stockton Point, Box 490; Okotoks, AB T1S 1A7 Phone: (403) 938-3255 • Fax: (403) 938-2722 E-mail: terry@korthagencies.com

To Ask a Question, Get Advice on the Use of a Product, or Request Replacement Parts

If you would like to ask a question of our Leupold Product Specialists concerning product selection, application, operation, problems or any other technical matter, or to obtain replacement parts (dial covers, screws, etc.), they can be contacted in writing (to the "U.S. Mail" address previously listed), by phone, fax, or e-mail.

Phone: (503) 526-1400 • Fax: (503) 352-7621

We know customers who send their products to us for service or custom work are eager

to have them back as soon as possible. With our On-line Product Service Status feature

the service was completed, when it was shipped back, and obtain the UPS tracking

on our Web site, you can check that your product arrived, when the service began, when

E-mail: productspecialist@leupold.com • Web site: www.leupold.com

To Obtain a Current Leupold Catalog

CONTACTING LEUPOLD TECHNICAL SERVICE

The current Leupold catalog can be obtained by writing to Leupold and requesting one, calling the catalog request line and leaving your name and address, or downloading one directly from the Leupold Web site. Phone: (503) 526-1400 • Web site: www.leupold.com

To Locate the Dealer Nearest You

Leupold has a Dealer Locator on our Web site, as well as a phone line specifically devoted to locating the Leupold dealer nearest you. Web site: www.leupold.com • Leupold Dealer Locator Line: 1-800-929-4949

Comprehensive Leupold Information on the Web

If your Leupold product fails to perform in any way,

Technical Service department to determine if the

please contact a Leupold Product Specialist within our

problem can be solved without sending the product

to Leupold. Many times, the problem can be solved

without sending the scope to us. We encourage you

to contact us first. Leupold Technical Service will assist

you with the problem in the best and most efficient

manner. If we do need you to send the product in for

observations of the problem. Please be detailed in

your description, as it will help us to expedite the

service and return your product as soon as possible.

With our On-line Product Service Status feature on

arrived, when the service began, when the service

our Web site, you can check that your product

was completed, when it was shipped back, and

obtain the UPS tracking number for follow up.

THE LEUPOLD FULL LIFETIME GUARANTEE

service, please include a note indicating your

Leupold's Web site, www.leupold.com, offers a wealth of information about all our products and services, history, frequently asked questions, technical information, Custom Shop pricing, and much more. Plus, it's available 24 hours a day for your complete convenience. Whether you're looking for general information or you have a specific question regarding a Leupold product or service, you should be able to find it at www.leupold.com.

success has been built on our commitment to your absolute satisfaction and our commitment to

features. For more information, please consult the Leupold Web site at www.leupold.com.

It's for these reasons that we offer the Leupold Full Lifetime Guarantee.

number for follow up.

LEUPOLD MARK 4 OPTICAL PRODUCTS WARRANTY

On-line Product Service Status

optical products vary depending on use and other factors. For more information regarding the warranties on these products,

LEUPOLD WIND RIVER LIMITED LIFETIME WARRANTY

Leupold Wind River optics are engineered and manufactured to standards set and monitored by the design engineers at Leupold's Oregon factory. The goal is to provide you with reliable performance at a reasonable price.

are covered by the Leupold Wind River Limited Lifetime Warranty. All service work is performed by the same Leupold Product Service Specialists who work on our Leupold Golden Ring products here in Oregon.

There is only one way to void the Leupold Full Lifetime Guarantee: unfortunately, we cannot honor the guarantee of scopes that have been disassembled, modified, or worked on by anyone not authorized by Leupold. To ensure this doesn't happen to you, contact Leupold Technical Service before having any work or repairs done to your valuable Leupold optics. Call 502-526-1400 or visit our Web site at www.leupold.com.

NEW! LEUPOLD CUSTOM SHOP

Scopes with your name all over them, and our name standing behind them.

Bold new choices. Inspiring features.

Unique opportunities for individuality. Now, the Leupold Custom Shop has more to offer, in addition to reticle and adjustment dial changes. Laser engraving, gold plating, custom finishes, and much

more are here for the hunter or shooter who wants a Leupold riflescope that's one-of-a-kind, yet just as rugged, absolutely waterproof and fog proof, and optically outstanding as a factory

Leupold riflescope. After all, we know your riflescope inside and out, in ways nobody else can, so when we personalize your scope, we're able to stand behind it, like nobody else can.

Laser Engraving

If you truly want a Leupold riflescope that's unlike any other, consider our personalized laser engraving. Let

everyone know who this riflescope was

custom-built for, with engraving on the turret or even on the objective bell. Or add a three letter monogram to the adjustment covers, for a classic touch. Or laser engrave

AVAILABLE ANIMAL ENGRAVINGS

your riflescope with the profile of one of the world's most magnificent game animals, including: elk, whitetail buck, mule deer, or big horn sheep.

Custom Ballistically-Matched Reticles

At the Leupold Custom Shop, we put 50 plus years of scopesmithing experience to work, building a personalized, digitally mastered reticle from our custom reticle library, for the long distance shooter. Using state-of-the-art

manufacturing technology the scope and reticle are perfectly tuned to your rifle's ballistic performance. The result is a custom, long distance shooting system with astonishing accuracy. You simply provide us with the ballistic coefficient and velocity, or alternately, the specific factory load you are using, and the Custom Shop will do the rest.

The Custom Shop uses an ultra-modern electroform metal deposition process that incorporates micron precision to create your reticle. This new, custom reticle features ballistic compensation, with a 200 yard zero, and dots marking the holdover points for 300, 400, and 500 yards. We've also included reticle features for range estimating.

Interested in another of our reticles? The Leupold Custom Shop can install nearly any of the non-illuminated reticle styles pictured in our catalog in any of our non-illuminated scopes. Choose from four sizes of Duplex, two Leupold Dots, a variety of Target Dots, or even the Leupold Mil Dot reticle to mention just a few. In most cases, illuminated reticles can only be installed

in illuminated reticle scopes.

Each profile has been

custom designed for Leupold,

making your scope a true work of art. The

laser engraving is performed at our Beaverton,

Black matte and gloss scopes feature laser

engraving backfilled with white. All silver

is a crisp looking engraving that stands out

and lasts as long as your Leupold riflescope.

scopes will be backfilled with black. The result

Oregon, manufacturing facility.

THIS REMINGTON 700 FROM THE REMINGTON CUSTOM SHOP IS TOPPED WITH A LEUPOLD VX-III 2.5-8X36MM FEATURING OUR ENGRAVING AND GOLD PLATING.

BALLISTICALLY MATCHED RETICLES NOW AVAILABLE

Custom Bullet Drop Compensation Dials

You know your rifle, riflescope, load, and ballistics like nobody else. Now you can have custom Bullet Drop Compensation (BDC) dials for your Leupold riflescope. Just fill out our ballistics worksheet (available at your Authorized Golden Ring Dealer, or at www.leupold.com) with your ballistics data, and we will, in turn, create a precision laser engraved dial that allows you to adjust for bullet impact at extremely long range.

The positive click adjustment dials are made of aircraft-grade aluminum, with the appropriate ranges clearly and accurately laser engraved on the dial. Simply determine range to the target then adjust to the corresponding mark on the elevation dial to achieve startling long range precision. If you're a serious long-distance shooter, this is a simple, yet extremely valuable modification

to your scope that will prove its worth immediately in the field.

Long range shots become more precise and more ethical, greatly improving shooting with practice.

Adjustment Dial Changes

Adding target-style adjustment knobs to your scope is just one example of the adjustment dial options you have from the Leupold Custom Shop. We can install the dials of your choice in almost any Leupold scope (the LPS models being the only exception). We can even change the dials of the VX-III Long Range M3 to those of the VX-III Long Range M1. You can have the elevation dial alone changed, or change both. The combinations are many, and the choice is all yours. Contact the Custom Shop for more information.

Custom Finishes

In addition to engraving and custom reticles, we're also extremely excited to offer you new custom, solid-color Teflon riflescope finishes. These finishes can be applied to all Leupold scopes, with the exception of the Rifleman.

Choose from eight durable Teflon one-color coatings for your riflescope, or unique camouflage finishes (see examples below). This finish is sprayed on, then baked, making it an extremely rugged, durable choice. Your color options are listed directly below.

18K Gold Plating

Customers ordering new VX-III riflescopes, and customers who own VX-III or Vari-X® III scopes with the signature wide Golden Ring and Leupold Medallion on the turret, can now add the ultimate customization: 18k gold plating of the ring and medallion.







The brilliant 18k gold will set your scope apart, even among other Leupold riflescopes. It's a much brighter, sharper, richer finish, and it's just as durable and long-lasting as your Leupold. Gold plating the wide Golden Ring and Medallion will add immense value, while enhancing the good looks and classic lines of the Leupold Full Lifetime Guarantee. your premium Leupold riflescope.

Scope Renovation

Is your scope still performing like the day you bought it, even though it looks like it has seen its share of tough hunts? A Leupold Custom Shop Renovation can have it look like new again. We offer three renovations. Specific Renovation is handy when there's just one piece of a scope you want replaced, such as a scratched maintube or chipped objective ring. Basic Renovation replaces the maintube, the objective lens, and ocular lens. In the Full Renovation, we replace the maintube, objective and ocular lenses, and all exterior parts.

Ordering from the Leupold Custom Shop

For more detailed information on getting your own unique Leupold riflescope, see your authorized Leupold Golden Ring Dealer or visit www.leupold.com.

The Custom Shop and the Leupold Full Lifetime Guarantee

For years, Leupold has proudly offered the best consumer protection in the business: the Leupold Full Lifetime Guarantee. All Leupold Custom Shop modifications are covered by

Be sure to visit the Leupold Web site, www.leupold.com, for ordering information, as well as exciting new Leupold Custom Shop offerings we'll be adding throughout the year.

SAMPLE CAMOUFLAGE TEFLON FINISHES





8 CUSTOM TEFLON FINISHES















PRODUCT ORDERING INFORMATION

LEUPOLD SCOPES						RETICLE & PAF	RT NO.			
LPS	Finish	Dupl	ex	German #	<i>i</i> 1	German #4	To	arget Dot	Mi	l Dot
2.5-10x45mm	Satin	5286	60	53482		53484		_		_
3.5-14x50mm Side Focus	Satin	5270	12	53486		53488		53518	53	3490
VX-III	Finish	Duplex	Fine Duplex	Heavy Duplex	Wide Duplex	German #4	Leupold Dot	Target Dot	Varmint Hunter's	Boone & Crockett
1.5-5x20mm	Gloss	55002	_	55004	57700	_	_	_	_	_
1.5-5x20mm	Matte	55006	_	55008	57710	55010	_	_	_	_
1.75-6x32mm	Matte	55036	_	55024	57720	_	_	_	_	_
2.5-8x36mm	Gloss	55032	_	_	57730	_	_	_	_	_
2.5-8x36mm	Matte	55034	_	_	57740	_	_	_	_	57150
2.5-8x36mm	Silver	55038	_	_	57750	_	_	_	_	_
3.5-10x40mm	Gloss	55042	_	_	57760	_	_	_	_	_
3.5-10x40mm	Matte	55046	_	_	57770	_	_	_	_	57155
3.5-10x40mm	Silver	55050	_	_	57780	_	_	_	_	_
3.5-10x50mm	Gloss	55072	_	55074	57790	_	_	_	_	_
3.5-10x50mm	Matte	55076	_	55078	57800	_	_	_	_	57160
3.5-10x50mm	Silver	55082	_	55084	57810	_	_	_	_	_
4.5-14x40mm	Matte	55094	_	_	57820	_	_	_	57165	57135
4.5-14x40mm Long Range	Gloss	55114	55112	_	57830	_	_	_	_	_
4.5-14x40mm Long Range	Matte	55120	55118	55122	57840	_	_	_	55275	55265
4.5-14x50mm	Gloss	58000	_	_	_	_	_	_	_	58010
4.5-14x50mm	Matte	57950	_	57970	57960	_	_	_	57990	57980
4.5-14x50mm	Silver	58020	_	_	_	_	_	_	58040	58030
4.5-14x50mm Long Range	Matte	55132	_	_	57850	_	_	_	57170	57140
6.5-20x40mm Long Range	Gloss	_	55142	_	57860	_	55144	_	_	_
6.5-20x40mm Long Range	Matte	_	55146	_	57870	_	_	_	57175	_
6.5-20x40mm Long Range	Silver	_	55148	_	57880	_	_	_	_	_
6.5-20x40mm EFR Target	Matte	_	55152	_	_	_	_	55154	_	_
6.5-20x50mm Long Range Target	Matte	_	55172	_	57890	_	_	55176	57180	_
6.5-20x50mm Long Range Target	Silver	_	55178	_	57900	_	_	55179	_	_
8.5-25x50mm Long Range Target	Matte	_	55186	_	57910	_	_	55188	57185	_
VX-III ILLUMINATED RETICLE	Finish		ninated cle Dot		Illuminated Duplex		Illuminate Fine Duple		Illumin German #	
1.5-5x20mm	Matte		_		54902				_	
1.5-5x20mm Metric	Matte	5	4906		_				5490	14
3.5-10x50mm	Matte		_		54912		_		_	
3.5-10x50mm Metric	Matte		_		_				5491	8
4.5-14x50mm Long Range	Matte		_		_		54922		_	

4.5-14x50mm Long Range Metric	Matte	-			_	_		549)28	
VX-II	Finish	Duplex	Fine Duplex	Heavy Duplex	Wide Duplex	German #1	German #4	Leupold Dot	Target Dot	
1-4x20mm	Matte	56700	_	_	56725	_	_	_	_	
2-7x33mm	Matte	56730	_	_	56755	_	_	56740	_	
3-9x40mm	Gloss	56760	_	56770	56775	_	_	_	_	
3-9x40mm	Matte	56780	_	_	56855	56820	56830	56790	_	
3-9x40mm	Silver	56850	_	_	56865	_	_	_	_	
3-9x50mm	Gloss	56880	_	56890	56895	_	_	_	_	
3-9x50mm	Matte	56900	_	56910	56905	_	56940	56920	_	
4-12x40mm Adj. Obj.	Matte	_	56950	_	56985	_	_	56960	_	
4-12x40mm Adj. Obj.	Silver	_	57000	_	57005	_	_	_	_	
4-12x50mm	Gloss	58235	58250	58260	58270	_	_	_	_	
4-12x50mm	Matte	58240	58280	58290	58300	_	58320	58310	_	
4-12x50mm	Silver	58245	58330	_	58340	_	_	_	_	
6-18x40mm Adj. Obj.	Matte	_	57010	_	57035	_	_	_	57020	
6-18x40mm Adj. Obj. Target	Matte	_	57040	_	57125	_	_	_	57100	
VX-I	Finish		Duj	olex		Wide Duplex				

AV-I	FIIIISII	Duplex	Wide Duplex					
2-7x33mm	Gloss	53743	56610					
2-7x33mm	Matte	56550	56620					
3-9x40mm	Gloss	53801	56630					
3-9x40mm	Matte	56600	56640					
3-9x50mm	Gloss	58220	58230					
3-9x50mm	Matte	58200	58210					
4-12x40mm	Gloss	53753	56660					
4-12x40mm	Matte	56650	56680					
RIFLEMAN	Finish	Wide I	Duplex					
2-7x33mm	Matte	56	150					
3-9x40mm	Matte	56160						
3-9x50mm	Matte	58	160					
4-12x40mm	Matte	56	170					
4-12x40mm RIFLEMAN 2-7x33mm 3-9x40mm 3-9x50mm	Matte Finish Matte Matte Matte	56650 Wide I 566 567 587	56680 Duplex 					

LEUPOLD SCOPES				_			CLE & PAR					
FX-III	Finish	Duple	×	Fine Duplex	He: Dut	avy olex	Wide Duplex	Ge	rman #4	Leupolo Dot	I P	ost & uplex
6x42mm	Gloss	58590				_					ند د	
6x42mm	Matte	_		_	586	600	58620	58	8610			_
12x40mm Adj. Obj. Target	Matte	_		58650	_		_			58660		_
						Wide		Leup			Post &	
FX-II	Finish		Duplex			uplex		Do	t		Duplex	
2.5x28mm Scout	Matte		58810 58820									
2.5x28mm Scout 4x33mm	Silver Gloss		58530						•			
4x33mm	Matte		J033U			 58550						
6x36mm	Gloss		58560									
6x36mm	Matte				-	58830		585	70		58580	
HANDGUN	Finish					30030	Duplex	303	, ,		30300	
FX-II 2x20mm	Gloss						58720					
FX-II 2x20mm	Silver						58730					
FX-II 4x28mm	Gloss						58740					
FX-II 4x28mm	Matte						58750					
FX-II 4x28mm	Silver						58760					
VX-III 2.5-8x32mm	Gloss						58770					
VX-III 2.5-8x32mm	Silver						58780					
SHOTGUN	Finish					Н	eavy Dupl	ex				
VX-I 1-4x20mm Shotgun/Muzzleloader	Matte						58790					
VX-I 2-7x33mm Shotgun/Muzzleloader	Matte						58800					
ULTRALIGHT	Finish		Dup	lex		н	leavy Dup	lex			Duplex	
FX-II 2.5x20mm Ultralight	Matte						58460			5	8450	
/X-II 2-7x28mm Ultralight	Gloss		584									
VX-II 3-9x33mm Ultralight EFR	Gloss		585	20								
VX-II 3-9x33mm Ultralight	Matte									5	8500	
VX-II 3-9x33mm Ultralight	Silver		585	10			<u> </u>					
RIMFIRE FX-I 4x28mm Rimfire	Finish Gloss						Fine Duple 58670	·x				_
FX-I 4x28mm Rimfire	Matte						58680					
VX-I 2-7x28mm Rimfire	Gloss						58690					
VX-I 2-7x28mm Rimfire	Matte						58700					
VX-II 3-9x33mm Rimfire EFR	Matte						58710					
COMPETITION SERIES	Finish		Target Cr	osshair		1/8	min. Targe	t Dot		1/2-MOA	\ Target D	ot
Competition Series 35x45mm	Matte		5343				53432					
Competition Series 40x45mm	Matte		5343	34			53436				_	
Competition Series 45x45mm	Matte		5343	38			53440				_	
FX-III 6x42mm Adj. Obj. Competition Hunter	Matte		5864	10			_			5	8630	
			Eino	Target	Mil	Illum	Illum.	Illum.	Illum. Special	Special		Illue
MARK 4	Finish	Duplex	Fine Duplex	Target Dot	Mil Dot	Illum. Duplex	Mil Dot	Circle Dot	Special Purpose	Special Purpose	TMR	Illun TMI
1.5-5x20mm PR	Matte	_	_	_	_	_	_	_	_	59100	_	_
3-9x40mm PR	Matte	56860	_	_	56870	_	_	_	_	_	_	_
3.5-10x40mm PR	Matte	56125	_	_	56120	_	_	_	_	_		_
4.5-14x40mm PR Long Range	Matte	56140	56145	_	56130	_	_	_	_	_	_	_
1-3x14mm CQ/T	Matte	_	_	_	_	_	_	52155	_	_	_	_
1.5-5x20mm MR/T M2	Matte	_			_	_	_	_	56994	_	_	_
3-9x36mm MR/T M1	Matte	57080			57070	57060	57050				60055	6004
3-9x36mm MR/T M3	Matte			_	57075	-	57055	_		_	60060	6005
3.5-10x40mm LR/T M1	Matte	52218			52128	53666	53668			_	60020	6001
3.5-10x40mm LR/T M3	Matte	51182			51850	53670	53672				60025	6001
3.5-10x40mm LR/T M1 Front Focal	Matte				58850	<u> </u>					60030	
3.5-10x40mm LR/T M3 Front Focal	Matte	54660			58860		56070				60035	6000
4 E 4 4. E0	Matte Matte	54660			54560	56060	57045				60005	6000
					54680	 	56080			_	60080	6007
4.5-14x50mm LR/T M1 Metric							DOUDU				00000	0007
4.5-14x50mm LR/T M1 Metric 6.5-20x50mm LR/T M1	Matte						56000				60070	6000
4.5-14x50mm LR/T M1 Metric 6.5-20x50mm LR/T M1 8.5-25x50mm LR/T M1	Matte Matte	_	_		54690	_	56090	_	_		60070	6006
4.5-14x50mm LR/T M1 4.5-14x50mm LR/T M1 Metric 6.5-20x50mm LR/T M1 10x40mm LR/T M1 10x40mm LR/T M1	Matte	— 45578 45582		_		_ 	56090 —	_	_		60070 60085 60090	6006

STD Super Low 0.55 — 49896 — STD Low 0.65 49897 49898 498 STD Medium 0.77 49900 49901 499 STD High 0.90 49903 49904 499 STD Super High 1.00 49906 49901 — STD Low Ext 0.65 49908 49910 — STD Medium Ext 0.77 49909 49911 — STD 26mm Medium 0.77 49909 49911 — STD 26mm Medium 0.77 49920 49921 — STD 26mm Medium 0.77 49960 49923 — STD 30mm Medium 0.77 49960 49925 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium Ext 0.77 — 51034 — STD 30mm High Ext 0.90 — 51035 — DD RINGS Height (mete) Gloss Matte Sit Sit	EEGI GED KINGS		THEISH & I	AILL	10.	
STD Low 0.65 49897 49898 498 STD Medium 0.77 49900 49901 499 STD High 0.90 49906 49907 — STD Low Ext 0.65 49908 49910 — STD Low Ext 0.77 49909 49911 — STD High Ext 0.90 49912 49913 — STD 26mm Medium 0.77 49920 49921 — STD 26mm High 0.90 49922 49923 — STD 26mm Super High 1.00 — 49925 — STD 30mm Super High 1.00 — 49925 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium Ext 0.90 49961 49959 524 STD 30mm Migh Ext 0.90 — 51033 524 STD 30mm Migh Ext 0.90 — 51035 — DD RINGS Height (mche) Gloss Matte <	STD RINGS		Gloss	_		Silver
STD Medium 0.77 49900 49901 499 STD High 0.90 49903 49907 49907 STD Super High 1.00 49906 49907 49907 STD Low Ext 0.65 49908 49910 — STD High Ext 0.90 49912 49913 — STD Edmm High 0.90 49922 49923 — STD 26mm High 0.90 49922 49923 — STD 26mm Super High 1.00 — 49925 — STD 30mm Medium 0.77 49960 49995 524 STD 30mm Medium 0.77 49960 49955 524 STD 30mm Medium Ext 0.77 — 51033 524 STD 30mm Medium Ext 0.77 — 51034 — STD 30mm Medium Ext 0.77 — 51035 — DD Roger High 1.00 — 51035 — DD Buper High 0.90 — 51035						_
STD High 0.90 49903 49904 499 STD Super High 1.00 49906 49901 — STD Low Ext 0.65 49908 49910 — STD Medium Ext 0.77 49909 49911 — STD Medium Ext 0.90 49912 49913 — STD 26mm Medium 0.77 49920 49923 — STD 26mm Medium 0.65 — 51718 — STD 30mm Low 0.65 — 51718 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium Ext 0.77 — 51034 — STD 30mm High Ext 0.90 — 51035 — DD RINGS Helight (nehe) Gloss Matte Situ Str Matte Situ Str Str 300 — 51035 — 51035 — DD Joman Medium 0.77 49894						
STD Super High 1.00 49908 49907 — STD Low Ext 0.65 49908 49911 — STD Medium Ext 0.77 49909 49911 — STD 26mm Medium 0.77 49920 49921 49913 — STD 26mm High 0.90 49922 49923 — STD 26mm Super High 1.00 — 49925 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium 0.77 49960 49955 524 STD 30mm Medium Ext 0.77 — 51033 524 STD 30mm Medium Ext 0.77 — 51033 524 STD 30mm Medium Ext 0.77 — 51034 510 STD 30mm Migh Ext 0.90 — 51035 — DD RINGS Height (mchee) Gloss Matte Siv DD High 0.90 — 54159 5224 — DD High 0.90						49902
STD Low Ext 0.65 49908 49910 — STD Medium Ext 0.77 49909 49911 — STD High Ext 0.90 49912 49913 — STD 26mm Medium 0.77 49920 49921 — STD 26mm High 0.90 49922 49923 — STD 30mm Super High 1.00 — 49925 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium 0.77 49960 49956 524 STD 30mm Super High 1.00 — 51033 524 STD 30mm Medium Ext 0.77 — 51034 — STD 30mm Medium Ext 0.77 — 51034 — DD RINGS Height (Indhes) Gloss Matte Sitv DD Low 0.65 49914 49915 523 DD High Ext 0.90 — 51035 — DD Super High 1.00 — 49918 517						49905
STD Medium Ext 0.77 49909 49911 — STD Effigh Ext 0.90 49912 49921 — STD Z6mm Medium 0.77 49920 49921 — STD Z6mm Super High 1.00 — 49925 — STD 30mm Low 0.65 — 51718 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium Ext 0.77 — 51033 524 STD 30mm Medium Ext 0.77 — 51034 — STD 30mm Medium Ext 0.77 — 51035 — DD RINGS Height (Inche) Gloss Matte S17 DD Low 0.65 49914 49915 523 DD Medium 0.77 49894 49915 523 DD Jomm Bigh 0.90 — 54159 — DD Jömm Bigh Ext 0.90 — 54159						
STD High Ext 0.90 49912 49913 — STD 26mm Medium 0.77 49920 49921 — STD 26mm High 0.90 49922 49923 — STD 26mm Super High 1.00 — 49925 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium 0.77 49960 49956 524 STD 30mm Medium Ext 0.77 — 51033 524 STD 30mm Medium Ext 0.77 — 51033 524 STD 30mm Medium Ext 0.77 — 51033 524 STD 30mm Medium Ext 0.77 — 51035 — DD RINGS Height (nches) Gloss Matte Silv DD Low 0.65 49914 49916 523 DD High 0.90 49917 49918 517 DD High 0.90 — 54159 — DD 30mm Holp 0.90 — 54159 <						_
STD 26mm Hedium						_
STD 26mm High 0.90 49922 49923 — STD 26mm Super High 1.00 — 49925 — STD 30mm Low 0.65 — 51718 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm Migh 0.90 49961 49959 524 STD 30mm Super High 1.00 — 51033 524 STD 30mm Medium Ext 0.77 — 51034 — STD 30mm Medium Ext 0.77 — 51035 — DD RINGS Height (Induse) Gloss Matte Silv DD Medium 0.77 49894 49915 523 DD High 0.90 49917 49918 513 DD Super High 1.00 — 49918 523 DD 30mm How 0.65 — 52242 — DD 30mm High Ext 0.90 — 54159 — DD 30mm High Ext 0.90 — 54186 —<	STD High Ext	0.90	49912	49	913	_
STD 26mm Super High 1.00 — 49925 — STD 30mm Low 0.65 — 51718 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm High 0.90 49961 49959 524 STD 30mm Medium Ext 0.77 — 51033 52 STD 30mm Medium Ext 0.90 — 51035 — DD RINGS Height (mehes) Gloss Matte SIV DD Low 0.65 49914 49915 523 DD Medium 0.77 49894 49916 523 DD Migh 0.90 — 54159 — DD Super High 1.00 — 49916 523 DD Jomm Medium 0.77 — 49916 523 DD 30mm High Ext 0.90 — 54159 — DD 30mm High 0.90 — 49958 573 DD 30mm High Ext 0.90 — 54186 —		0.77		_		_
STD 30mm Low 0.65 — 51718 — STD 30mm Medium 0.77 49960 49956 524 STD 30mm High 0.90 49960 49959 524 STD 30mm Super High 1.00 — 51033 524 STD 30mm Medium Ext 0.77 — 51034 — DD RINGS Height (inches) Gloss Matte Silv DD Low 0.65 49914 49915 523 DD High 0.90 .90 49915 523 DD High 0.90 .90 49918 517 DD 3uper High 1.00 — 49919 — DD 30mm Low 0.65 — 52242 — DD 30mm Medium 0.77 — 49957 — DD 30mm Medium 0.77 — 49955 — DD 30mm Medium 0.77 — 49955 — DD 30mm High 0.90 — 54186 — QR 100 <td></td> <td>0.90</td> <td>49922</td> <td>49</td> <td>923</td> <td>_</td>		0.90	49922	49	923	_
STD 30mm Medium 0.77 49960 49956 524 STD 30mm High 0.90 49961 49955 524 STD 30mm Super High 1.00 — 51033 524 STD 30mm Medium Ext 0.77 — 51034 — STD 30mm Medium Ext 0.90 — 51035 — DD RINGS Height (Induce) Gloss Matte Silv DD Medium 0.77 49894 49915 523 DD High 0.90 49917 49918 53 DD John 0.90 49917 49918 53 DD John 1.00 — 49919 — DD 30mm Low 0.65 — 52129 — DD 30mm Medium 0.77 — 49957 — DD 30mm Medium 0.77 — 49957 — DD 30mm Medium 0.97 — 54186 — QR Ext Medium 0.90 — 54186 — <tr< td=""><td></td><td>1.00</td><td>_</td><td>49</td><td>925</td><td>_</td></tr<>		1.00	_	49	925	_
STD 30mm High	STD 30mm Low	0.65	_	51	718	_
STD 30mm Super High 1.00 — 51033 524 STD 30mm Medium Ext 0.77 — 51033 524 STD 30mm High Ext 0.90 — 51035 — DD RINGS Height (Inches) Gloss Matte Silv DD Low 0.65 49914 49915 523 DD Hold 0.90 49917 49918 517 DD High 0.90 49917 49918 517 DD Super High 1.00 — 49918 517 DD 30mm Low 0.65 — 52242 — DD 30mm Medium 0.77 — 49957 — DD 30mm High 0.90 — 54186 — QR Medium 0.77 — 49957 — DD 30mm High Ext 0.90 — 54186 — QR Low 0.65 49970 49977 49974 49974 49974 49974 49974 49974 49974 49974	STD 30mm Medium	0.77	49960	49	956	52494
STD 30mm Medium Ext	STD 30mm High	0.90	49961	49	959	52495
STD 30mm High Ext	STD 30mm Super High	1.00	_	51	033	52496
DD RINGS	STD 30mm Medium Ext	0.77	_	51	034	_
DD Low	STD 30mm High Ext	0.90	_	51	035	_
DD Low	DD RINGS	Height (inches)	Gloss	Ma	tte	Silver
DD Medium						52313
DD High						52323
DD Super High						51730
DD High Ext			13317			31730
DD 30mm Low	1 3					
DD 30mm Medium						
DD 30mm High						
DD 30mm Super High						F721.4
DD 30mm High Ext						5/314
QR RINGS Height (Inches) Gloss Matte Silv QR Low 0.65 49970 49971 499 QR Medium 0.77 49973 49974 499 QR High 0.90 49978 49979 4997 QR Super High 1.00 — 51715 — QR Ext Medium 0.77 49984 49981 — QR Z6mm Medium 0.77 49926 49927 — QR Z6mm High 0.90 49928 — — QR Z6mm Ext High 0.90 49928 — — QR Z6mm High 0.90 49928 — — QR Z6mm Medium 0.77 49936 — — QR Z6mm Migh 0.90 49938 — — QR Z6mm Migh 0.90 49930 49931 — QR 30mm Migh 0.90 49930 49933 575 QR 30mm Super High 1.00 — 51716 —			52233			
QR Low 0.65 49970 49971 499 QR Medium 0.77 49973 49979 4997 QR High 0.90 49978 49979 499 QR Super High 1.00 — 51715 — QR Ext Medium 0.77 49983 49976 — QR Ext High 0.90 49984 49981 — QR Z6mm High 0.90 49928 — — QR 26mm Ext High 0.90 49938 — — QR 30mm Low 0.65 — 51717 — QR 30mm Medium 0.77 49930 49931 — QR 30mm Medium 0.77 49930 49931 — QR 30mm Super High 1.00 — 51716 — QR 30mm Super High 1.00 — 51716 — QR 30mm Super High 1.00 — 51716 — QRW Medium 0.85 49852 49853 498						
QR Medium 0.77 49973 49974 499 QR High 0.90 49978 49979 499 QR Super High 1.00 — 51715 59 QR Ext High 0.97 49983 49976 — QR Ext High 0.90 49984 49981 — QR Z6mm Medium 0.77 49926 49927 — QR 26mm Ext High 0.90 49936 — — QR 30mm Low 0.65 — 51717 — QR 30mm Medium 0.77 49930 49931 — QR 30mm High 0.90 49932 49933 575 QR 30mm Super High 1.00 — 51716 — QRW 100 — 49930 49931 — QRW RINGS Height (inches) 40941 — QRW High 0.90 49932 49933 575 QRW High 0.93 49940 49941 — QRW High						Silver
QR High 0.90 49978 49979 499 QR Super High 1.00 — 51715 — QR Ext Medium 0.77 49983 49976 — QR Ext High 0.90 49984 49981 — QR Z6mm Medium 0.77 49926 49927 — QR Z6mm Medium 0.90 49936 — — QR 30mm Low 0.65 — 51717 — QR 30mm Medium 0.77 49930 49931 — QR 30mm Migh 0.90 49930 49933 575 QR 30mm Super High 1.00 — 51716 — QR 30mm Ext High 0.90 49940 49941 49941 QRW RINGS Height (mdhe) Gloss Matte Sit QRW RINGS Height (mdhe) Gloss Matte Sit QRW High 0.98 49855 49853 498 QRW High 0.98 49855 4986 4986 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
QR Super High 1.00 — 51715 — QR Ext Medium 0.77 49983 49976 — QR Ext High 0.90 49984 49981 — QR Zémm Medium 0.77 49926 49927 — QR Zémm High 0.90 49928 — — QR Zémm Ext High 0.90 49936 — — QR 30mm Low 0.65 — 51717 — QR 30mm Medium 0.77 49930 49931 — QR 30mm Medium 0.77 49930 49931 — QR 30mm Super High 0.90 49932 49933 575 QR 30mm Super High 0.90 49940 49941 — QRW RINGS Height (neheo) Gloss Matte SiV QRW Medium 0.85 49852 49853 498 QRW W 30mm Low 0.73 49852 49856 498 QRW 30mm Medium 0.85 49862 49863 <						
QR Ext Medium 0.77 49983 49976 — QR Ext High 0.90 49984 49981 — QR 26mm Medium 0.77 49926 49927 — QR 26mm High 0.90 49928 — — QR 26mm Ext High 0.90 49936 — — QR 30mm Ext High 0.90 49930 49931 — QR 30mm Medium 0.77 49930 49931 — QR 30mm Super High 0.90 49932 49933 575 QR 30mm Super High 1.00 — 51716 — QR 30mm Super High 0.90 49940 49941 — QRW Low 0.73 49950 49941 — QRW Low 0.73 49852 49853 498 QRW Medium 0.85 49855 49853 498 QRW 30mm Low 0.73 49860 49861 — QRW 30mm High 0.98 49857 49866 —						49980
QR Ext High 0.90 49984 49981 — QR Zémm Medium 0.77 49926 49927 — QR Zémm High 0.90 49936 — — QR 26mm Ext High 0.90 49936 — — QR 30mm Low 0.65 — 51717 — QR 30mm Hedium 0.77 49930 49931 — QR 30mm Super High 0.90 49932 49933 575 QR 30mm Super High 0.90 49940 49941 — QRW 160 Height (Inducts) 6058 Matte Sit QRW 160 0.90 49940 49941 — Sit QRW 160 0.93 49940 49941 — Sit QRW 160 0.94 49940 49941 — Sit QRW 160 0.93 49852 49853 498 498 QRW 160 QRW 160 QRW 160 QRW 160 0.73 49855 4985 498 498<						_
QR 26mm Medium 0.77 49926 49927 — QR 26mm High 0.90 49928 — — QR 26mm Ext High 0.90 49936 — — QR 30mm Ext High 0.90 49930 49931 — QR 30mm Medium 0.77 49930 49933 575 QR 30mm Migh 0.90 49932 49933 575 QR 30mm Super High 1.00 — 51716 — QR 30mm Ext High 0.90 49940 49941 — QR 30mm Ext High 0.90 49940 49941 — QRW British Height (Induse) Gloss Matte Sit QRW Low 0.73 49852 49853 498 QRW Medium 0.85 49857 49856 498 QRW 30mm Low 0.73 49862 49863 — QRW 30mm Medium 0.85 49864 49863 — QRW 30mm High 0.98 49864 49865						_
QR 26mm High 0.90 49928 — — QR 26mm Ext High 0.90 49936 — — QR 30mm Low 0.65 — 51717 — QR 30mm Medium 0.77 49930 49931 — QR 30mm High 0.90 49932 49933 — QR 30mm Super High 1.00 — 51716 — QR 30mm Super High 0.90 49940 49941 — QR 30mm Super High 0.90 49940 49941 — QRW Low 0.73 49852 49853 49853 QRW Low 0.85 49855 49854 49855 49856 49856 QRW 39855 49855 49855 49856 QRW 39856 4986 QRW 3986 — 49861 — — 49863 — — 49863 — — 9486 — — — — 49865 — — PRW RINGS Height (Inches) Hold to the service of the service of t						_
QR 26mm Ext High 0.90 49936 — — QR 30mm Low 0.65 — 51717 — QR 30mm Medium 0.77 49930 49931 — QR 30mm High 0.90 49932 49933 575 QR 30mm Super High 1.00 — 51716 — QRW 30mm Super High 0.90 49940 49941 — QRW RINGS Height (inches) Gloss Matte Sitv QRW Low 0.73 49852 49853 498 QRW High 0.98 49855 49858 498 QRW 30mm Low 0.73 49860 49861 — QRW 30mm Hedium 0.85 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINCS Height (inches) Gloss Matte Sitv PRW Medium 0.85 54147 54149 — PRW High 0.98 — 54140 — <t< td=""><td>QR 26mm Medium</td><td>0.77</td><td>49926</td><td>49</td><td>927</td><td>_</td></t<>	QR 26mm Medium	0.77	49926	49	927	_
QR 30mm Low 0.65 — 51717 — QR 30mm Medium 0.77 49930 49933 575 QR 30mm High 0.90 49932 49933 575 QR 30mm Super High 1.00 — 51716 — QR 30mm Ext High 0.90 49940 49941 — QRW RINGS Height (Induse) Gloss Matte Silv QRW Low 0.73 49852 49853 498 QRW Medium 0.95 49855 49855 49856 49861 QRW 30mm Low 0.73 49860 49861 — 98 49863 — QRW 30mm Medium 0.85 49862 49863 — 98 49865 49863 — PRW RINGS Height (Induse) Gloss Matte Sit PRW RINGS Height (Induse) Gloss Matte Sit PRW High 0.98 — 54144 — PRW High 0.98 — <td>QR 26mm High</td> <td>0.90</td> <td>49928</td> <td>-</td> <td>_</td> <td>_</td>	QR 26mm High	0.90	49928	-	_	_
QR 30mm Medium 0.77 49930 49931 57 QR 30mm High 0.90 49932 49933 57 QR 30mm Super High 1.00 — 51716 — QR 30mm Ext High 0.90 49940 49941 — QRW RINGS Height (index) Gloss Matte Silv QRW Low 0.73 49852 49853 4985 QRW Heigh 0.98 49855 49856 4986 QRW 30mm Low 0.73 49860 49861 — QRW 30mm Medium 0.85 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINGS Height (index) Gloss Matte Silv PRW Medium 0.85 54147 54144 — PRW High 0.98 — 54140 — PRW 30mm Medium 0.85 54147 54149 — PRW 30mm Medium 0.85 54147 54149	QR 26mm Ext High	0.90	49936	-	_	_
QR 30mm High 0.90 49932 49933 575 QR 30mm Super High 1.00 — 51716 — 51717 — 51724 Mark 4 1-inch Medium 0.84 49954	QR 30mm Low	0.65	_	51	717	_
QR 30mm Super High 1.00 — 51716 — QR 30mm Ext High 0.90 49940 49941 49941 QRW 16SS Height (Inches) Gloss Matte Silv QRW Low 0.73 49852 49853 498 QRW Medium 0.85 49855 49855 498 QRW 30mm Low 0.73 49860 49861 — QRW 30mm Medium 0.85 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINOS Height (Inches) Gloss Matte Silv PRW High 0.98 — 54144 — PRW High 0.98 — 54140 — PRW J30mm Medium 0.85 54147 54149 — PRW 30mm High 0.98 — 54167 — PRW 30mm High 0.98 — 54167 — PRW 30mm High 0.98 — 54167 —	QR 30mm Medium	0.77	49930	49	931	_
QR 30mm Ext High 0.90 49940 49941 49941 QRW RINGS Height (neheo) Gloss Matte Silv QRW Low 0.73 49852 49853 4985 QRW Medium 0.85 49855 49856 498 QRW 30mm Low 0.73 49860 49861 49861 QRW 30mm Hedium 0.85 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINGS Height (nehe) Gloss Matte Silv PRW Hedium 0.85 54147 54144 — PRW High 0.98 — 54146 — PRW 30mm Medium 0.85 — 54167 — PRW 30mm High 0.98 — 54167 —	QR 30mm High	0.90	49932	49	933	57527
QRW RINGS Height (Inches) Gloss Matte Silv QRW Low 0.73 49852 49853 498 QRW Medium 0.85 49855 49856 498 QRW High 0.98 49857 49856 498 QRW 30mm Low 0.73 49860 49861 — QRW 30mm High 0.98 49862 49865 — PRW RINGS Height (Inche) Gloss Matte Silv PRW Low 0.73 — 54144 — PRW Medium 0.85 54147 54149 — PRW 30mm Medium 0.85 — 54150 — PRW 30mm High 0.98 — 54167 — PRW 30mm High 0.98 — 54170 — MARK 4 RINGS Height (Inches) Matte Matte Matte Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 30mm High 0.98 — 54170 —	QR 30mm Super High	1.00	_	51	716	_
QRW Low 0.73 49852 49853 498 QRW Medium 0.85 49857 49856 498 QRW High 0.98 49857 49858 498 QRW 30mm Low 0.73 49860 49861 — QRW 30mm Medium 0.95 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINGS Height (ndhes) Gloss Matte Sitv PRW Low 0.73 — 54144 — PRW Medium 0.85 54147 54149 — PRW 30mm Medium 0.85 — 54150 — PRW 30mm High 0.98 — 54170 — PRW 30mm High 0.98 — 54177 — Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 30mm High 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm High 1.06	QR 30mm Ext High	0.90	49940	49	941	_
QRW Low 0.73 49852 49853 498 QRW Medium 0.85 49857 49856 498 QRW High 0.98 49857 49858 498 QRW 30mm Low 0.73 49860 49861 — QRW 30mm Medium 0.95 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINGS Height (ndhes) Gloss Matte Sitv PRW Low 0.73 — 54144 — PRW Medium 0.85 54147 54149 — PRW 30mm Medium 0.85 — 54150 — PRW 30mm High 0.98 — 54170 — PRW 30mm High 0.98 — 54177 — Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 30mm High 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm High 1.06	QRW RINGS	Height (inches)	Gloss	Ma	tte	Silver
QRW Medium 0.85 49855 49856 498 QRW High 0.98 49857 49858 498 QRW 30mm Low 0.73 49860 49861 3 QRW 30mm High 0.85 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINGS Height (mcheb) Gloss Matte Silv PRW Hedium 0.85 54147 54144 — PRW High 0.98 — 54160 — PRW 30mm High 0.98 — 54167 — PRW 30mm High 0.98 — 54167 — MARK 4 RINGS Height (mcheb) Matte Matte Aut Mark 4 -1-inch Medium 0.84 49964 57524 Mark 4 30mm High 0.94 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm High <t< td=""><td>QRW Low</td><td></td><td></td><td>49</td><td>853</td><td>49854</td></t<>	QRW Low			49	853	49854
QRW High 0.98 49857 49858 498 QRW 30mm Low 0.73 49860 49861 — QRW 30mm Medium 0.85 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW Low 0.73 — 54144 — PRW Medium 0.85 54147 54149 — PRW High 0.98 — 54150 — PRW 30mm Heldium 0.85 — 54167 — PRW 30mm High 0.98 — 54170 — MARK 4 RINGS Height (Inches) Matte Matte (Alumit Matte) Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 30mm High 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555	QRW Medium	0.85	49855	49	856	49867
QRW 30mm Low 0.73 49860 49861 — QRW 30mm Medium 0.85 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINGS Height (Inches) Gloss Matte Sitv PRW Low 0.73 — 54144 — PRW Medium 0.85 54147 54149 — PRW 30mm Medium 0.85 — 54150 — PRW 30mm High 0.98 — 54177 — PRW 30mm High 0.98 — 54177 — MARK 4 RINGS Height (Inches) Matte Matte Matte Matte Matte Matte Auge 57524 Mark 4 1-inch Medium 0.84 49964 57524 57526 Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Medium 52083 57555	ORW High	0.98	49857	49	858	49859
QRW 30mm Medium 0.85 49862 49863 — QRW 30mm High 0.98 49864 49865 — PRW RINGS Height (mchee) Gloss Matte Silv PRW Low 0.73 — 54144 — PRW Medium 0.95 54147 54149 — PRW High 0.98 — 54167 — PRW 30mm High 0.98 — 54167 — PRW 30mm High 0.98 — 54177 — Mark 4 RINGS Height (mcheo) Matte Matte (Alumi Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555	ORW 30mm Low		49860	49	861	_
QRW 30mm High 0.98 49864 49865 — PRW RINGS Height (inches) Gloss Matte Sity PRW Low 0.73 — 54144 — PRW Hedium 0.85 54147 54149 — PRW High 0.98 — 54160 — PRW 30mm Medium 0.85 — 54167 — PRW 30mm High 0.98 — 54177 — MARK 4 RINGS Height (inches) Matte Matte (Alumi Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 30mm High 1.40 50222 57536 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555	ORW 30mm Medium	0.85	49862	49	863	
PRW RINGS Height (Inches) Gloss Matte Silv PRW Low 0.73 — 54144 — PRW Medium 0.85 54147 54149 — PRW High 0.98 — 54150 — PRW 30mm Medium 0.85 — 54167 — PRW 30mm High 0.98 — 54177 — MARK 4 RINGS Height (Inches) Matte Matte (Alumi Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 30mm Heigh 1.40 50222 57526 Mark 4 30mm Medium 0.84 49955 57398 Mark 3 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555						_
PRW Low 0.73 — 54144 — PRW Medium 0.85 54147 54149 — PRW High 0.98 — 54150 — PRW 30mm Medium 0.85 — 54167 — PRW 30mm High 0.98 — 54177 — MARK 4 RINGS Height (Indus) Matte Matte Matte Matte Matte Matte Audite Audite Matte Audite						Silver
PRW Medium 0.85 54147 54149 — PRW High 0.98 — 54150 — PRW 30mm Medium 0.85 — 54167 — PRW 30mm High 0.98 — 54177 — MARK 4 RINGS Height (inches) Matte Matte (Alumi Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 1-inch Super High 1.40 50222 57526 Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555						3
PRW High 0.98 — 54150 — PRW 30mm Medium 0.85 — 54167 — PRW 30mm High 0.98 — 54177 — MARK 4 RINGS Height (inches) Matte Matte (Alumi Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 1-inch Super High 1.40 50222 57536 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555			5/1/17			
PRW 30mm Medium 0.85 — 54167 — PRW 30mm High 0.98 — 54177 — MARK 4 RINGS Height (Indue) Matte Matte (Alumi Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 1-inch Super High 1.40 50222 57526 Mark 3 0mm Medium 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555			34147			
PRW 30mm High 0.98 — 54177 — MARK 4 RINGS Height (inches) Matte Matte Matte Matte Matte Matte Autte Matte Autte Matte 75524 Mark 4 30mm 50222 57526 Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm Medium 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555						
MARK 4 RINGS Height (Inches) Matte Matte (Altumi Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 1-inch Super High 1.40 50222 57526 Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555						
Mark 4 1-inch Medium 0.84 49964 57524 Mark 4 1-inch Super High 1.40 50222 57526 Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555			Medi	54		- (Al-
Mark 4 1-inch Super High 1.40 50222 57526 Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555						
Mark 4 30mm Medium 0.84 49955 57398 Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555						
Mark 4 30mm High 1.06 53060 57291 Mark 4 30mm Super High 1.40 52083 57555						
Mark 4 30mm Super High 1.40 52083 57555						
Mark 4 CQ/T Throw Lever Mount NA 57506 —						57555
	Mark 4 CQ/T Throw Lever Mount	NA	57506			_

FINISH & PART NO.

LEUPOLD RINGS



LEUPOLD RINGMOUNTS		FINISH & P	AR
CROSS SLOT RINGMOUNTS	Height (inches)	Gloss	N
Cross Slot Medium	0.99	49965	
Cross Slot High	1.10	49966	
SAKO RINGMOUNTS	Height (inches)	Gloss	
RM Sako Low	0.76	49946	
RM Sako Medium	0.86	49945	
RM Sako High	1.06	49948	
RM Sako Super High	1.16	49942	4
RM Sako 30mm Medium	0.86	_	
RM Sako 30mm High	1.06	_	
RM Sako 30mm Super High	1.16	_	
RUGER RINGMOUNTS	Height (inches)	Gloss	
RM Ruger #1 & 77/22 Low	0.73	49950	
RM Ruger #1 & 77/22 High	1.14	50216	
RM Ruger #1 & 77/22 Medium Ext	1.03		
RM Ruger #1 & 77/22 High Ext	1.14	_	
RM Ruger #1 & 77/22 Super High Ext	1.25		
RM Ruger #1 & 77/22 30mm Medium	1.03		
RM Ruger #1 & 77/22 30mm High	1.15		
RM Ruger #1 & 77/22 30mm Super High	1.25		
RM Ruger M77 High	1.03	49951	
RM Ruger M77 Super High	1.13	49954	
RM Ruger M77 High Ext	1.03		
RM Ruger M77 Super High Ext	1.13		
RM Ruger M77 30mm Medium	0.90		
RM Ruger M77 30mm High	1.03		
RM Ruger M77 30mm Super High	1.13		
RM Ruger M77 30mm High Ext	1.03		
RM Ruger M77 30mm Super High Ext	1.13		
CZ RINGMOUNTS	Height (inches)	Gloss	
RM CZ 550 Medium	1.00	01033	
RM CZ 527 Medium	1.00		
RIMFIRE RINGMOUNTS	Height (inches)	Gloss	
RM RF 11mm Medium	1.00	54231	
RM RF 11mm High	1.25	54234	
RM RF 3/8" Medium	1.00	54234	
RM RF 3/8" High	1.25	54286	
RM RF 13mm Low	0.72	49949	
RM RF 13mm Medium	0.72	49949	
NW N. 13HIII Wedidiii	0.03	43347	
LEUPOLD RIFLEMAN RINGS ANI	RASES	FINIS	ΗЯ
LEUPOLD RIFLEMAN BASES	5.1323	Matte	0
Rem 7 (2-pc)		56867	
Rem 700 (2-pc)		55890	
Rem 7400/7600 (1-pc)		56512	
		55900	
Win 70 (2-pc) Browning A-Bolt (2-pc)		56521	
Marlin 336 (1-pc)		55910	
Knight LK 93 (2-pc)		56503 56506	
Ruger 10/22 (1-pc) Savage 110 (2-pc)		56509	

BINOCULARS AND SPOTTING SCOPES

LEUPOLD GOLDEN RING BINOCULARS

LEUPOLD MARK 4 SPOTTING SCOPE 12-40x60mm Tactical w/ Mil Dot

LEUPOLD WIND RIVER MESA SERIES BINOCULARS ARMOR CAMO

LEUPOLD WIND RIVER CASCADES SERIES BINOCULARS ARMOR CAMO

LEUPOLD WIND RIVER OLYMPIC SERIES BINOCULARS ARMOR CAMO

LEUPOLD WIND RIVER PINNACLES SERIES BINOCULARS ARMOR

LEUPOLD WIND RIVER RANGE FINDING BINOCULARS ARMOR

LEUPOLD WIND RIVER SEQUOIA SPOTTING SCOPES

2-40x60mm HD Kit

15-30x50mm Compact

RB800C 8x32mm w/Compass

15-45x60mm Angled Kit

BINOCULARS AND SPOTTING SCOPE Golden Ring Binocular – Alumina Accessory Kit Wind River Binocular Tripod Adapter

2-40x60mm Spotting Scope Soft Case

Zero Point Illuminated Magnetic Boresighter

Retractable Ballistic Chart 1-inch

Retractable Ballistic Chart 30mm Threaded 50-Ft Focus Adapter (Pre-2004)

2-40x60mm Spotting Scope Digital Camera Adapter

53572 Mark 4 PR 53574 Mark 4 CQ/T

53578 53580

Mark 4 MR/T

Mark 4 LR/T X-Large

ACCESSORIES

Full Size Tripod Compact Tripod

Ring Wrench

Target Disk

Torx® Screw Kit

CQ/T Battery Pack Mark 4 Ring Torque Wrench

SCOPE COVERS

Xtreme Binocular Strap

SCOPE ACCESSORIES ARD (Anti-Reflection Device) FINISH & PART NO.

56380

55886

55888

FINISH & PART NO.

48826 56441 56446

58410

58380

59012 52296

48762

50818

54804

52395 52644

57864

Int See-Thru Traditions Inline & Bolt Action Ringmount	1.80	_	57515	57613
Int See-Thru 10/22 Ruger Ringmount	1.55	_	57315	_
Detachable Low Rings	0.612	_	56524	57996
Detachable Medium Rings	0.897	57380	55860	57385
Detachable High Rings	1.147	57390	55870	57833
Detachable See-Thru High Rings	1.440	57395	55880	57400
BASES FOR CUSTOM GUN MAKERS		- 1	PART NO).
CLASSIC GUNMAKER BASES				
Windage			50033	
Dovetail		50034		

 RF 3/8-inch Detachable See-Thru Ringmount
 1.61
 57327
 57323
 57325

 Int See-Thru CVA/Traditions Pursuit Ringmount
 1.80
 —
 56527
 57430

 Int See-Thru Knight LK93 Ringmount
 1.82
 —
 57313
 56530

56500 57264

NEW	PRODUCTS	ARE SHOW	N IN RED

ACCESSORIES	FINISH & PART NO.		
LENS SHADES FOR PRE-2004 SCOPES	Gloss	Matte	Silver
2.5"- 40mm Lens Shade (Pre-2004)	52343	52344	52345
4"- 40mm Lens Shade (Pre-2004)	52346	52347	52348

4"- 40mm Lens Shade (Pre-2004)	52346	52347	52348	
ALUMINA ACCESSORIES	FINI	SH & PART	NO.	
ALUMINA LENS SHADES FOR POST-2004 SCOPES	Gloss	Matte	Silver	
Alumina Competition Series 2.5"— 45mm Lens Shade	_	54169	_	
Alumina Competition Series 4" – 45mm Lens Shade	_	54180	_	
Alumina 2.5" – 40mm Lens Shade	56186	56187	56188	
Alumina 4" – 40mm Lens Shade	56189	56190	56191	
Alumina 2.5" – 50mm Lens Shade	_	52350	_	
Alumina 4" – 50mm Lens Shade	52352	52353	52354	
ALUMINA INTENSIFIERS		Matte		
Intensifier YL - 50mm		57744		
Intensifier YL - 42mm		58775		
Intensifier YL - 40mm		57734		
Intensifier YL - 36mm		57724		
Intensifier YL - 33mm	57714			
Intensifier YL - 28mm	58735			
Intensifier YL - 20mm		57704		
Intensifier Kit 50mm		57745		
Intensifier Kit 42mm		58765		
Intensifier Kit 40mm		57735		
Intensifier Kit 36mm		57725		
Intensifier Kit 33mm		57715		
Intensifier Kit 28mm		58725		
Intensifier Kit 20mm		57705		
ALUMINA RAINCOTE		Matte		
RainCote Kit 50mm		59025		
RainCote Kit 42mm		58805		
RainCote Kit 40mm		59020		
RainCote Kit 36mm		59015		
RainCote Kit 33mm		59010		
RainCote Kit 20mm		59005		
RainCote Kit 33mm & Ultralight EP		58885		
RainCote Kit 28mm & Ultralight EP		58875		
RainCote Kit 20mm & Ultralight EP		58815		
ALUMINA FLIP OPEN LENS COVERS		Matte		
Flip-Back Lens Cover 50mm		59050		
Flip-Back Lens Cover 42mm		58795		
Flip-Back Lens Cover 40mm		59045		
Flip-Back Lens Cover 36mm		59040 59035		
Flip-Back Lens Cover 33mm				
Flip-Back Lens Cover 28mm		58755		
Flip-Back Lens Cover 20mm Flip-Back Lens Cover Ultralight EP		59030 59060		
Flip-Back Lens Cover Ottralight EP	59055			
ALUMINA THREADED LENS COVERS		Matte	_	
Threaded Lens Cover 50mm		58950		
Threaded Lens Cover 42mm		58785		
Threaded Lens Cover 42mm		58940		
Threaded Lens Cover 40mm	58935			
Threaded Lens Cover 33mm				
Threaded Lens Cover 28mm	58930 58745			
Threaded Lens Cover 20mm	58745			
Threaded Lens Cover Ultralight EP		58960		
Threaded Lens Cover Ottralight EP Threaded Lens Cover Standard EP		58955		
ALUMINA RUBBER EYEPIECE GUARD		Matte		
Rubber Eyepiece Guard Standard EP		58965		
Rubber Eyepiece Guard Standard EP Rubber Eyepiece Guard Ultralight EP		58970		
ALUMINA 50-FT FOCUS ADAPTER		Gloss		
Threaded 50-Ft Focus Adapter (Post-2004)		59021		
micauca 30-1 t rocus Adapter (rost-2004)		33021		

BASES FOR CUSTOM GUN MAKERS	PART NO.
CLASSIC GUNMAKER BASES	
Windage	50033
Dovetail	50034
QR GUNMAKER BASES	
QR Gunmaker Bases	50065
	CLASSIC GUNMAKER BASES Windage Dovetail QR GUNMAKER BASES

T/C Encore & Omega (1-pc)

Traditions In-Line & Bolt Action (2-pc)

LEUPOLD RIFLEMAN RINGS

Int See-Thru Rem 700 Ringmount

30mm Vertical Split Rings RF 3/8-inch Ringmount