

PROUD LAW ENFORCEMENT SUPPORTER

In addition to providing military and law enforcement agencies with the superior optics they need to fulfill their missions, Leupold is proud to be a member of the following organizations:

AUSA — Association of the United States Army

IALEFI — The International Association of Law Enforcement Firearms Instructors

NDIA — National Defense Industrial Association

NTOA — The National Tactical Officers Association

NRA — The National Rifle Association



CONTACTING LEUPOLD PRODUCT SERVICE

Leupold & Stevens, Inc. • PO Box 688 • Beaverton, OR 97075-0688
Phone: 1-800-LEUPOLD or (503) 526-1400 – 8:00 a.m.-4:30 p.m. PST M-F
Fax: (503) 352-7621 24 hours a day, seven days a week
E-mail: productspecialist@leupold.com

To locate dealers near you, call 1-800-LEUPOLD or (503) 526-1400, or visit our Web site at www.leupold.com.

To find great places to shoot in your area, visit www.wheretoshoot.org.

To send a product to Leupold Product Service:

By Parcel Service:	By Mail:
Leupold & Stevens, Inc.	Leupold & Stevens, Inc.
Attn: Product Service Dept.	Attn: Product Service Dept.
14400 NW Greenbrier Parkway	PO Box 688
Beaverton, OR 97006-5790 USA	Beaverton, OR 97075-0688 USA

Customers in Canada may send their products to Leupold Canada for service:
Leupold Canada • Jim Korth Agencies, Ltd
103 Stockton Point • Box 490 • Okotoks, AB T1S 1A7, Canada
Phone: (403) 938-3255 • Fax: (403) 938-2722

Leupold & Stevens, Inc., PO Box 688, Beaverton, OR 97075-0688
14400 NW Greenbrier Parkway, Beaverton, OR 97006-5790 USA

1-800-LEUPOLD » www.leupold.com

Printed in the U.S.A. This publication may not be reprinted or otherwise reproduced without the expressed written consent of Leupold & Stevens, Inc. Copyright © 2007 Leupold & Stevens, Inc. All rights reserved.

THE LEUPOLD FULL LIFETIME GUARANTEE

Leupold and Stevens, Inc. is an American, family-owned, fifth-generation company that has been designing, machining, and assembling precision optical instruments for 100 years. Leupold's success has been built on our commitment to your absolute satisfaction, and our commitment to building the best optics for the shooting sports and for the law enforcement/military community. It's for these reasons that we offer the Leupold Full Lifetime Guarantee.

If any Leupold Golden Ring product is found to have defects in materials or workmanship, we will, at our option, repair or replace it. FREE. Even if you are not the original owner. No warranty card is required. No time limit applies.

LEUPOLD MARK 4, MARK 2, AND TACTICAL OPTICAL PRODUCTS WARRANTIES

Warranties on Leupold Mark 4, Mark 2, and Tactical optical products vary depending on use and other factors. For more information regarding the warranties on these products, contact Leupold at 1-800-LEUPOLD or (503) 526-1400.

LEUPOLD GREEN RING LIMITED LIFETIME WARRANTY

Leupold Green Ring optics are engineered and manufactured to standards set and monitored by the design engineers at Leupold's Oregon factory. The goal is to provide you with reliable performance at a reasonable price.

Should service ever become necessary, these fine optics are covered by the Leupold Green Ring Limited Lifetime Warranty. All service work is performed by the same Leupold Product Service Specialists who work on our Leupold Golden Ring products here in Oregon.

LEUPOLD GREEN RING ELECTRONICS WARRANTY

Leupold Green Ring electronic optical products are warranted and protected from defects in materials and workmanship for TWO years (RB800C, RX-III, RX-IV, and RXB-IV models) or ONE year (RX-I and RX-II models) from the date of purchase.

Leupold & Stevens, Inc. reserves all other rights. ALUMINA; AMERICA'S OPTICS AUTHORITY; CO/T; DESIGN ONLY (GOLDEN RING); DUPLEX; GOLDEN RING; INDEX MATCHED LENS SYSTEM; KATMAI; L AND DESIGN; LEUPOLD; LR/T; MARK 4; MR/T; MULTICOAT 4; PERFORMANCE STARTS ON THE INSIDE; RAINCOTE; and ZERO POINT are registered trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. ADVANCED IMAGE OPTIMIZATION; BLACK RING; CASCADES; DARK EARTH; DIAMOND COAT; DIAMOND COAT 2; DUAL DOVETAIL; ERT; GREEN RING DESIGN; GREEN RING; L-COAT; MARK 2; MATCH 13 RETICLE SYSTEM; MESA; OLYMPIC; OPTIMIZER; POLARIZER; PINNACLES; PRW; QR; QRW; QUICK RELEASE; QUICK SET ROTARY MENU; RX; SEQUOIA; SWITCH/POWER; TBR; TMR; TRUE BALLISTIC RANGE; and YOSEMITE are trademarks of Leupold & Stevens, Inc., Beaverton, Oregon. ADVANTAGE TIMBER HD; MOSSY OAK BRUSH; and MOSSY OAK OBSESSION are trademarks or registered trademarks of Jordan Outdoor Enterprises Ltd. Note: We reserve the right to make design and or material modifications without prior notice.

Leupold products are manufactured under one or more of the following patents: U.S. Patents: 5,035,487; 5,231,535; 5,671,088; 5,866,048; 6,005,711; 6,279,259; 6,295,754; 6,351,907; 6,359,418; 6,469,829; 6,519,890; 6,691,447; 6,816,305; 7,088,506; D347,441; D403,393; D413,153; D414,835; D415,546; D416,972; D420,718; D420,807; D421,286; D427,658; D490,097; D506,520; D512,449; D517,153; D519,537. Foreign Patents: BX30938-00; CA-Rd./Enr.1999-88472; DE49903766.9; DE692167631; DE-M9304093.8; DE202005017276U1; EP0540368; GB0540368; IL31338; IT75604; JP1074623; SE55201; TW148948; EM59613; EM393467. The ARD (anti-reflection device) is manufactured by Tenebraex Corp. (U.S. Patent No. 4,929,055) under the name KillFlash, which is a trademark of Tenebraex Corp.



LEUPOLD
AMERICA'S OPTICS AUTHORITY®

2007 TACTICAL
ANNIVERSARY EDITION

It's a decidedly American story: one century ago in 1907, a young German immigrant named Fred Leupold set up a one-man shop at 5th and Oak Streets in Portland, Oregon, repairing optics for surveying equipment.

The small company survived the First World War and the Great Depression. But it was the Second World War that would forever change the company. Working with the U.S. Army on a riflescope and the Navy on optics for use aboard ships, the engineers at Leupold learned the secrets of waterproofing and durable construction that would completely change the world of sports optics.

100 YEARS

Leupold & Stevens is still family owned, though the focus has turned from land surveying, to helping people all across the globe survey their environments with innovative, high-performance optics and accessories. Leupold® optics are renowned for their unchallenged ruggedness, absolute waterproof integrity, and their vastly superior optical quality. A century of engineering and optical experience has gone into every binocular and scope we produce, and we think the results are well worth the extra effort required to achieve this level of quality.

In true American style, the philosophical foundation laid in our early years has served us well as we've grown and changed over the decades. In fact, the firm's founder established the clarity of purpose that we see at Leupold & Stevens today:

"We solemnly promise never to let down on quality, the customer is entitled to a square deal."

— Markus Friedrich "Fred" Leupold



1x14mm TACTICAL PRISMATIC MARK 4 8.5-25x50mm ER/T M1 FRONT FOCAL MARK 2 3-9x40mm T2 RXB-IV 10/17x42mm WITH SWITCH/POWER TECHNOLOGY

NEW FOR 2007

Our full 100 years of experience – everything we know about designing optically outstanding, rugged, waterproof riflescopes, sights, binoculars and spotting scopes – has gone into the design and construction of these new tactical optics. Each is ready to help you overcome the challenges and hazards of frontline duty, here at home, or abroad.

Leupold® 1x14mm Tactical Prismatic Riflescope

With its glass-etched reticle you can use with or without illumination, you get the wide field of view and fast target acquisition of a red dot sight, without the battery dependency. See page 18.

Leupold Mark 4® 8.5-25x50mm ER/T™ M1 Front Focal Riflescope

There's long range, then there's extended range. The 8.5-25x50mm ER/T™ M1 Front Focal is a match for the longest range sniper systems, with the optical power and adjustment range to reach out and accurately touch the farthest targets. See page 8.

Leupold Mark 2™ Line of Riflescopes

Accurate. Rugged. Waterproof. They're everything you need in a tactical riflescope, yet extremely affordable. With Leupold Mark 2™ optics, even a department on a tight budget has access to the best. See page 22.

Leupold Golden Ring® Binoculars with Switch/Power™ Technology

These two revolutionary binoculars feature a switch you can use to instantly and completely change the power setting from 7x to 12x, or 10x to 17x, without ever losing sight of your target. See page 36.

RXB-IV Digital Laser Rangefinder

Two powerful optical tools in one, the RXB-IV gives you the advantages of a 9x binocular, with the addition of a digital laser rangefinder, with Leupold's exclusive True Ballistic Range™ technology. See page 30.

CONTENTS

SCOPES

	PAGE #	NEW MODELS
MARK 4 ER/T	8	●
MARK 4 LR/T	9-13	
MARK 4 MR/T	14-15	
TACTICAL PRISMATIC	18-19	●
MARK 4 CQ/T	20-21	
MARK 2	22-23	●

SPOTTING SCOPES

MARK 4 SPOTTING SCOPES	26-27
GOLDEN RING SPOTTING SCOPES	32-33
GREEN RING SPOTTING SCOPES	34-35

BINOCULARS

TACTICAL BINOCULARS	28-29
GOLDEN RING BINOCULARS	36-37 ●
GREEN RING BINOCULARS	38-39 ●

RANGEFINDERS

30-31 ●

RINGS & BASES

40-41

TOOLS & ACCESSORIES

42-43 ●

RETICLES

44-45

PRODUCT SPECIFICATIONS

46

ORDERING INFO

47



TACTICAL OPTICS OVERVIEW

This is the entire line of Leupold Tactical optics: the riflescopes, spotting scopes, and other tools used by the people on the front lines, here at home and across the globe. Each is mission specific, designed to do a job, and do it uniquely and incredibly well. Here we'll give you a brief synopsis of each group's strengths, and direct you to the pages in the catalog where you can learn more.

MARK 4® LR/T™ SCOPES

Leupold Mark 4® Long Range/Tactical optics were designed to give you as much control as possible over extreme long-distance shooting.

PG. 9



NEW» MARK 4 ER/T™ SCOPES

The new ER/T features extended range capability for the highest power sniper rifles, and a front focal plane reticle with range estimating at all magnification settings.

PG. 8



MARK 4 MR/T™ SCOPES

For everything from 50 to 700 meters, these are the scopes you can count on to help get the job done because we gave them everything you would.

PG. 14



NEW» TACTICAL PRISMATIC SCOPE

Get the quick target acquisition of a red dot sight with an enhanced field of view, plus a glass-etched reticle you can use with or without batteries or illumination.

PG. 18



MARK 4 CQ/T™ SCOPE

The Leupold Mark 4 CQ/T® combines the strengths of a red dot sight and a variable power riflescope, so you can handle close-contact situations, as well as accurately engage mid-range targets.

PG. 20



NEW» MARK 2™ SCOPES

Excellence isn't out of your price range with the Leupold Mark 2 line of riflescopes. Rugged, waterproof, and incredibly accurate, they're the best choice when the budget's tight.

PG. 22

AVAILABLE MODELS:

- 1.5-4x20mm
- 3-9x40mm T2 (shown)
- 3-9x40mm Hunter
- 4-12x40mm Adj. Obj. T2
- 6-18x40mm Adj. Obj. T1



LEUPOLD® TACTICAL BINOCULARS

Select models feature a unique rotating Mil Dot or Leupold TMR™ reticle, so you can estimate range to an object on a slope without tilting the binocular.

PG. 28



MARK 4 SPOTTING SCOPES

On a sniper team, two must see as one. Leupold Mark 4 spotting scopes have the optical performance, ruggedness, and absolute waterproof integrity needed to get the job done, in any conditions. This spotting scope is available with Leupold's Mil Dot reticle or our Tactical Milling Reticle for increased ranging precision.

PG. 26




ILLUMINATED TACTICAL RETICLE CONFIGURATIONS

* Reticles Enlarged To Show Detail



TACTICAL RETICLE CONFIGURATIONS

* Reticles Enlarged To Show Detail



**IT'S ALL OVER ONCE WE
HAVE EYES ON TARGET.**



**IN THE END IT ALL PAYS OFF.
THE INTEL. THE BRIEFINGS.
THEN WE'RE AIRBORNE.
THEY HEAR US COMING A
MILE AWAY, AND YET WE STILL
GET THE JOB DONE.**





NEW 1071
ER/TTM
» RIFLESCOPES




8.5-25x50mm M1
FRONT FOCAL



ER/T MODELS	RETICLE	PART NO.	ER/T TM FEATURES
» 8.5-25x50mm M1 Front Focal	Mil Dot	63050	LENS COATING » Leupold Index Matched Lens System® delivers superior resolution across the visual field, optimal contrast, and image brightness, even at 25x.  USER PARALLAX ADJUSTMENT CONTROL » Side focus parallax adjustments from 50 yards to infinity, from any shooting position. WINDAGE AND ELEVATION ADJUSTMENTS » M1 dials with audible, tactile click windage and elevation adjustments. 60-MOA each of elevation and windage adjustment. FRONT FOCAL PLANE RETICLE » With the reticle in the front focal plane of the ER/T, the reticle magnifies with the image so you can estimate range using Leupold's Mil Dot or TMR reticles at any magnification setting. 30mm MAINTUBES » For greater strength and wider range of windage and elevation adjustment. SOLID CONSTRUCTION » Milled from one solid piece of 6061-T6 aircraft-grade aluminum, these scopes are rugged and absolutely waterproof in all conditions.
	TMR	63055	
Matte Black finish on all models. » New for 2007			



FLIP-OPEN LENS COVERS
» Standard issue with Mark 4 ER/T riflescopes.



FLIP-OPEN LENS COVERS
» Standard issue with Mark 4 ER/T riflescopes.

DIALS	ELEV	WIND	BDC
M1	¼-MOA	¼-MOA	No

See BDC dial options on page 47.



Sniper rifles become more powerful and accurate each year: some are able to accurately engage targets at the incredible distance of 2,000 meters. Leupold's new Mark 4 8.5-25x50mm Extended Range/Tactical (ER/T) M1 Front Focal rifle scope is designed to let you take advantage of that reach and power. Even at 25x, with the ER/T you have the clarity needed to positively ID targets, and the generous windage and elevation adjustment range gives you the power to engage out to your rifle's potential. Built to Leupold Mark 4 standards, It's incredibly rugged, absolutely waterproof, and is available with a variety of reticle options.




10x40mm M1




10x40mm M3




16x40mm M1

LR/T MODELS	RETICLE	PART NO.	LR/T® FEATURES
10x40mm M1	Mil Dot	48431	LENS COATING » Multicoat 4 [®] lens system for total clarity across visual field and optimal low-light capability.  USER PARALLAX ADJUSTMENT CONTROL » Side focus parallax adjustments from 50 yards to infinity, from any shooting position. WINDAGE AND ELEVATION ADJUSTMENTS » Audible, tactile click windage and elevation adjustments for extreme accuracy. Once sighted-in, adjustment knobs can be zeroed. 30mm MAINTUBES » For greater strength and wider range of windage and elevation adjustment. SOLID CONSTRUCTION » Milled from one solid piece of 6061-T6 aircraft-grade aluminum, these scopes are rugged and absolutely waterproof in all conditions.
	TMR	60085	
10x40mm M3	Mil Dot	47638	
	TMR	60090	
16x40mm M1	Mil Dot	50541	
	TMR	60095	
Matte Black finish on all models.			



FLIP-OPEN LENS COVERS
» Standard issue with Mark 4 LR/T riflescopes.



FLIP-OPEN LENS COVERS
» Standard issue with Mark 4 LR/T riflescopes.

DIALS	ELEV	WIND	BDC
M1	¼-MOA	¼-MOA	No
M3	1-MOA	½-MOA	Yes

See BDC dial options on page 47.



LR/T[®]
» RIFLESCOPES



It's no surprise that the Mark 4 10x40mm LR/T[®] M3 was chosen as the primary day optic of the U.S. Army M-24 Sniper System. The reasons why are clear. These three Leupold LR/T fixed power models – which also include the Mark 4 10x40mm LR/T M1 and Mark 4 16x40mm LR/T M1 – are arguably the toughest, highest-performing tactical day optics you'll find anywhere. Their accuracy is unmatched. Their proven ruggedness and waterproof integrity is unquestionable.

LR/T[®]

» RIFLESCOPES



No second chances. In combat and in law enforcement you get one shot, and it has to be dead-on accurate. With Leupold Mark 4 variable power LR/T riflescopes, we've given you the tools to do the job: the Index Matched Lens System delivers superior clarity for positive target identification, the adjustment system and parallax control give you extreme precision, illuminated reticles assist in exact shot placement. It's just like your team...every component in your Mark 4 rifle scope is working together to help you make that shot.



3.5-10x40mm M1
FRONT FOCAL

3.5-10x40mm M3
FRONT FOCAL

3.5-10x40mm M2
ILLUM. RETICLE
(Dark Earth Finish)

3.5-10x40mm M1
ILLUM. RETICLE
(Also available in
non-illuminated models)

3.5-10x40mm M3
ILLUM. RETICLE
(Also available in
non-illuminated models)

4.5-14x40mm
TARGET

LR/T MODELS

RETICLE

PART NO.

LR/T FEATURES

3.5-10x40mm M1 Front Focal

Mil Dot

58850

TMR

60030

3.5-10x40mm M3 Front Focal

Mil Dot

58860

TMR

60035

3.5-10x40mm M2 with Dark Earth™ finish

☛ TMR

62150

3.5-10x40mm M1

Duplex

52218

Mil Dot

52128

☛ Mil Dot

53668

TMR

60020

☛ TMR

60010

3.5-10x40mm M3

Duplex

51182

Mil Dot

51850

☛ Mil Dot

53672

TMR

60025

☛ TMR

60015

4.5-14x40mm Target

Duplex

56140

Mil Dot

56130

Matte Black finish on all models except 3.5-10x40mm LR/T M2 which is Dark Earth finish.
☛ Illuminated Reticle

LENS SYSTEM

» The Leupold Index Matched Lens System delivers unsurpassed brightness and edge-to-edge sharpness for unbeatable target definition, even in poor light.



WINDAGE AND ELEVATION ADJUSTMENTS

» M1, M2, and M3 style adjustments available.

USER PARALLAX ADJUSTMENT CONTROL

» Side focus parallax adjustments allow you to focus from any shooting position.

30mm MAINTUBE

» The larger diameter tube affords a greater range of windage and elevation adjustment, and increased strength.


FLIP-OPEN LENS COVERS

» Standard issue with Mark 4 LR/T riflescopes.



FULLY ILLUMINATED RETICLES

» Night-vision compatible, the Leupold Mil Dot and TMR reticles available in select models for precise shot placement in low light.



Illuminated
Reticles



Illuminated
Mil Dot



Illuminated
TMR

DIALS	ELEV	WIND	BDC
M1	¼-MOA	¼-MOA	No
M2 Tall	½-MOA	½-MOA	Yes
M3	1-MOA	½-MOA	Yes

See BDC dial options on page 47.



LR/T[®]

» RIFLESCOPES



The legendary M24 Sniper System. The new XM110 Semi-Automatic Sniper System. The M107 .50 Caliber Sniper System. The official day optic of each is a Leupold Mark 4 riflescope. The image brightness and high resolution, even at maximum magnification, aids in target identification and shot placement. The robust, dual-spring erector system stands up to the harshest recoil. Rugged and absolutely waterproof, they are ready for the abuse they'll face in the field. Leupold Mark 4 riflescopes deliver the optical power and sheer toughness needed to complete the mission.



4.5-14x50mm M1
ILLUM. RETICLE
(Also available in metric)

4.5-14x50mm M1

6.5-20x50mm M1
ILLUM. RETICLE

6.5-20x50mm M1

8.5-25x50mm M1
ILLUM. RETICLE

8.5-25x50mm M1

LR/T MODELS

RETICLE

PART NO.

LR/T FEATURES

4.5-14x50mm M1

Duplex

54660

Mil Dot

54560

♥ Mil Dot

56070

TMR

60005

♥ TMR

60000

4.5-14x50mm M1 Metric (.5cm)

♥ Mil Dot

57045

6.5-20x50mm M1

Mil Dot

54680

♥ Mil Dot

56080

TMR

60080

♥ TMR

60075

8.5-25x50mm M1

Mil Dot

54690

♥ Mil Dot

56090

TMR

60070

♥ TMR

60065

Matte Black finish on all models.
♥ Illuminated Reticle

LENS SYSTEM

» The Leupold Index Matched Lens System delivers unsurpassed brightness and edge-to-edge sharpness for unbeatable target definition, even in poor light.



USER PARALLAX ADJUSTMENT CONTROL

» Side focus parallax adjustment can be used from any shooting position to deliver absolutely crisp focus – essential for precise shot placement.

30mm MAINTUBE

» For a greater range of windage and elevation adjustment.

FLIP-OPEN LENS COVERS

» Standard issue with Mark 4 LR/T riflescopes.




WINDAGE AND ELEVATION ADJUSTMENTS


» Knurled, finger-adjustable M1 click windage and elevation dials.

FULLY ILLUMINATED RETICLES

» Night-vision compatible, the Leupold Mil Dot and TMR reticles available in select models for precise shot placement in low light.



Illuminated Reticles



Illuminated Mil Dot



Illuminated TMR

DIALS	ELEV	WIND	BDC
M1	1/4-MOA	1/4-MOA	No
M3	1-MOA	1/4-MOA	Yes

See BDC dial options on page 47.






1.5-5x20mm (ONE-INCH) 1.5-5x20mm M2 ILLUM. RETICLE 2.5-8x36mm M1 ILLUM. RETICLE 2.5-8x36mm M1 2.5-8x36mm M2 ILLUM. RETICLE 2.5-8x36mm M2

MR/T MODELS

MR/T MODELS	RETICLE	PART NO.
1.5-5x20mm (one-inch)	Special Purpose	59100
1.5-5x20mm M2	☛ Special Purpose	56994
2.5-8x36mm M1	Mil Dot	60205
	☛ Mil Dot	60190
	TMR	60210
	☛ TMR	60220
2.5-8x36mm M2	Mil Dot	60160
	☛ Mil Dot	60150
	TMR	60180
	☛ TMR	60170

Matte Black finish on all models.
☛ Illuminated Reticle



FLIP-OPEN LENS COVERS
» Standard issue with Mark 4 MR/T riflescopes.

MR/T® FEATURES

LENS SYSTEM

» Index Matched Lens System for optimal brightness, positive target identification, and edge-to-edge resolution in all conditions.



WINDAGE AND ELEVATION ADJUSTMENT DIALS

» Finger-adjustable, knurled windage and elevation adjustments with audible, tactile clicks for precision and repeatability.

30mm MAINTUBE

» The 2.5-8x36mm MR/T M1 and M2 have 90-MOA of both elevation and windage adjustments, to engage targets at 1,000 yards without holdovers.

RUGGED, WATERPROOF CONSTRUCTION

» Guaranteed to be 100 percent waterproof/fog proof, and is designed to withstand the rigors of the modern battlefield.

FULLY ILLUMINATED RETICLES

» Night-vision compatible, the Leupold Special Purpose Reticle, Mil Dot, and TMR reticles available in select models for precise shot placement in low light.



Illuminated Reticles



Illuminated Mil Dot



Illuminated Special Purpose



Illuminated TMR

DIALS	ELEV	WIND	BDC
M1	¼-MOA	¼-MOA	No
M2	½-MOA	½-MOA	Yes
M2 Tall	½-MOA	½-MOA	Yes

See BDC dial options on page 47.



MR/T®

» RIFLESCOPES



You can't afford to leave an inch of ground uncovered. For everything from 50 to 700 meters, these are the scopes you can count on to get the job done. The original Leupold Mark 4 MR/T® was designed for the military, with shorter eye relief to maximize the performance of 5.56mm AR-style firearms. With the Leupold Mark 4 2.5-8x36mm MR/T and its nearly 5 inches of eye relief, you can give that same performance to a bolt-action, 7.62mm rifle, AR-10, FAL, G3, SCAR-H, or M-14 serving in the Designated Marksman role.



IT GETS PRETTY HAIRY SOMETIMES. WILL I SEE THEM
WHILE THEY'RE STILL 50 FEET AWAY? OR ARMS REACH?
WITH THIS SCOPE, I'M READY FOR ANYTHING. AFTER ALL:

**YOU CAN'T ARREST SOMEONE
FROM 1,000 METERS AWAY.**





1x14mm
ILLUM. RETICLE

TACTICAL PRISMATIC MODEL	RETICLE	PART NO.
--------------------------	---------	----------

» 1x14mm	• Circle Dot	63300
----------	--------------	-------

Matte Black finish.
• Illuminated Reticle
» New for 2007

TACTICAL PRISMATIC FEATURES

WIDE FIELD OF VIEW

» More generous than competitive red dot sights, the 1x14mm Tactical Prismatic is on target faster.

REMOVABLE ILLUMINATION MODULE

» The reticle is visible with or without the screw-in Illumination Module. Insert it to illuminate the reticle in red, unscrew it and you can still use the glass-etched reticle. Meets military specs for waterproofing and durability.

TRUE 1X OPTICAL SYSTEM

» Allows the shooter to have both eyes open for superior depth perception and provides wide field of view for faster target acquisition with excellent short range engagement properties.

WINDAGE AND ELEVATION ADJUSTMENT DIALS

» Slotted, 1/2-MOA click adjustments. Easy to change with the edge of the adjustment cover or even your fingernail.

MOUNTING OPTIONS

» Compatible with the A.R.M.S. #22-34mm Throw Lever Rings Base and Spacer System, and conventional 30mm rings.

INTEGRATED BASE SYSTEM

» Includes different height mounting spacers to work on any type of weapons platform.

UNIQUE POINT OF AIM ADJUSTMENT

» This system decenters the objective lens, rather than tilting the erector system, so it's more repeatable and more durable.

UNSURPASSED SCRATCH RESISTANCE

» Exterior lens surfaces are treated with DiamondCoat 2™ for increased light transmission and abrasion resistance that far exceeds military standards.

DIAMOND COAT 2™

FLIP-OPEN LENS COVERS

» Standard issue with the 1x14mm Tactical Prismatic.

FOCUSING EYEPIECE

» The true focusing eyepiece means the 1x14mm Tactical Prismatic can be adjusted and used by anyone.

LEUPOLD CIRCLE DOT RETICLE

» Unlike "fuzzy" red dot sights, the glass-etched Circle Dot is sharp and defined, illuminated or not, and can be used to estimate range. Look for more reticle options throughout 2007.



Illuminated
Circle Dot



Non-Illuminated
Circle Dot



The Tactical Prismatic can be mounted using a ratchet over the outside or inside the mounting screw's handle.



NEW [07]

TACTICAL PRISMATIC

» R I F L E S C O P E



With the new Leupold 1x14mm Tactical Prismatic optic you get the fast target acquisition and accuracy of a non-magnifying red dot sight. Yet unlike a red dot, the Tactical Prismatic's glass-etched reticle is visible with or without its removable Illumination Module or even batteries. You also have a super-wide field of view, and never change focus from the target to the sight, so you're on target faster and more accurately. Just place the circle dot reticle center-mass, then squeeze the trigger for a hit. You get all this in a compact body that's waterproof and virtually indestructible. The Leupold 1x14mm Tactical Prismatic isn't battery dependent...you shouldn't be either.



1-3x14mm CQ/T
ILLUM. RETICLE
(Includes carrying handle
and flat top rail mounts)


CQ/T MODEL	RETICLE	PART NO.
1-3x14mm	♥ Circle Dot	52155
Matte Black finish. ♥ Illuminated Reticle		

CQ/T® FEATURES

TRUE 1X SETTING
» Non-magnifying, illuminated sight for extreme close range.



2X OR 3X SETTINGS
» Additional power to accurately engage targets at medium ranges.



WINDAGE AND ELEVATION ADJUSTMENT DIALS
» 1/2-MOA coin-click adjustments.

FLIP-OPEN LENS COVER
» Standard issue with the Mark 4 CQ/T rifle scope.

INTEGRATED MIL-STD-1913 RAIL MOUNT CROSS-SLOTS
» Easily attach a variety of accessories to your CQ/T.

MARK 4 CQ/T ARMS™ THROW LEVER MOUNT
» A removable mount with dependable, repeatable accuracy. See page 40.



LEUPOLD CIRCLE DOT RETICLE
» A bold amber aiming point with built-in range estimation.

TEN RETICLE ILLUMINATION SETTINGS
» Matches any light conditions; two low-intensity, night-vision compatible settings. Look for more reticle options throughout 2007.



Illumination Adjustment Dial
Non-Illuminated Circle Dot
Illuminated Circle Dot



AA BATTERY
» Commonly found, easily replaced without tools, it provides 600+ hours of power at medium setting.
» Additional Battery Pack Part no. 52644



CQ/T®

» R I F L E S C O P E




The Leupold Mark 4 1-3x14mm CQ/T is a revolutionary optical sight for tactical firearms such as the AR-15 and M16. Developed in cooperation with both the U.S. military and law enforcement agencies, the Mark 4 CQ/T has seen combat and excelled in every front of the war on terror. At close range, you get the strengths of a red dot sight, with the added ability to increase power and accurately engage mid-range targets. Incredibly tough, 100 percent waterproof, and devastatingly accurate, only the Mark 4 CQ/T is ready and able to handle both close quarter and mid-range operations.



NEW 1071

MARK 2™

» R I F L E S C O P E



No department has the budget for everything on its wish list, but there are some things you shouldn't have to wish for. The new Leupold Mark 2 series of tactical riflescopes delivers high performance, at a price that's right on target. Also, more and more hunters are seeking the kind of performance our tactical riflescopes deliver. Now, with the Mark 2 Hunter, they have an optic designed specifically to meet those needs. The ruggedness and waterproof integrity of Mark 2 riflescopes is assured: we rigorously build and test them at our Beaverton, Oregon, factory, and hold them to the most stringent standards. No department should go without powerful, accurate optics. Go with the Leupold Mark 2.

22





3-9x40mm T2

MARK 2 MODELS	RETICLE	PART NO.	MARK 2™ FEATURES
» 1.5-4x20mm (Not Shown)	Duplex	62900	LENS SYSTEM » Leupold's proprietary Multicoat 4 lens system for superior low-light brightness and fine detail resolution. 
» 3-9x40mm T2	Wide Duplex	62905	
	LR Duplex	62915	
	Mil Dot	62910	EYEPIECE FOCUS DESIGN » Lockable, fast-focus eyepiece.
» 3-9x40mm Hunter (Not Shown)	LR Duplex	62920	
» 4-12x40mm Adj. Obj. T2 (Not Shown)	Fine Duplex	62925	
	LR Duplex	62935	POWER SELECTOR DIAL » Large dial has a tactile power indicator with aggressive knurling to provide a sure grip in all conditions.
	Mil Dot	62930	
» 6-18x40mm Adj. Obj. T1 (Not Shown)	Fine Duplex	62940	LEGENDARY LEUPOLD RUGGEDNESS » The Mark 2 riflescopes must pass the same harsh testing as our Mark 4 optics.
	LRV Duplex	62950	
	Mil Dot	62945	

Matte Black finish on all models.
» New for 2007

MARK 2 HUNTER
The Mark 2 3-9x40mm Hunter is geared for those who hunt with black rifles, with a half-height elevation turret and standard windage turret so it will fit in a scabbard.

CUSTOM SHOP SERVICEABLE
» Customize your Mark 2 rifle scope with the Leupold Custom Shop.

FULL LIFETIME GUARANTEE
» Mark 2 riflescopes are covered by the same Full Lifetime Guarantee as Mark 4 riflescopes.

WINDAGE AND ELEVATION ADJUSTMENTS
» Removable threaded covers prevent adjustments from accidentally changing. Select models include ¼-MOA or ½-MOA click T1 or T2 adjustments.







23

YOU DON'T ALWAYS HAVE TO RUSH RIGHT IN.
THESE GUYS PRACTICALLY HAND YOU THE
EVIDENCE, IF YOU HAVE THE PATIENCE AND THE
RIGHT TOOLS FOR THE JOB. THEY MAY NOT SEE
US 800 YARDS AWAY, BUT WE SURE SEE THEM.

AND WE'RE ALWAYS WATCHING.





TACTICAL SPOTTING SCOPE	RETICLE	PART NO.
12-40x60mm	Mil Dot	53756
	TMR	60040

Matte Black finish on all models.



12-40x60mm

MARK 4 TACTICAL FEATURES

LENS SYSTEM
» Multicoat 4 lens system for maximum light transmission, brightness, clarity, and contrast.




FOLDED LIGHT PATH TECHNOLOGY
» Provides powerful magnification in a lightweight, compact design (12.4" long, just 37 oz).

RANGE CALCULATION AT ALL POWER SETTINGS
» With the reticle located in the front focal plane, the reticle magnifies with the image, so you can calculate range at any power setting.



TMR



Mil Dot

UNIVERSAL MOUNT
» 1/4-20 Thread tripod attachment is standard.

DIGITAL CAMERA COMPATIBLE
» Ideal for surveillance, capture what you see on nearly any digital camera with Leupold's digital camera adapter.



MCCANN RAIL
» The McCann Rail allows you to adapt your Leupold spotting scope to night-vision and other optical accessories.



ACCESSORIES AVAILABLE
» Threaded anti-reflection devices, Alumina® Optimizer™, and night-vision adapter rail.



INCLUDES SOFT-SIDE CASE
» The protective case remains on the scope during use.



TACTICAL

» SPOTTING SCOPES



The official spotting scope of the Army's new XM110 Semi-Automatic Sniper System (SASS), the Leupold Mark 4 12-40x60mm Tactical spotting scope is ideally suited for use as part of a sniper team. It features either a Leupold Mil Dot reticle or Leupold's Tactical Milling Reticle (TMR). You can also outfit it with a variety of performance-enhancing accessories – anti-reflection devices, Alumina Optimizer, night-vision adapter rail, and more – depending on your mission profile.



10x50mm PATROL
(Also available
with reticle)



TACTICAL MODELS	RETICLE	PART NO.
10x50mm Patrol	No Reticle	59210
10x50mm Military	Mil Dot	59125
	TMR	59130

Coyote Brown finish on all models.

TACTICAL FEATURES

LENS SYSTEM

» Fully multi-coated lenses and aluminum enhanced prisms to enhance brightness and contrast, and optimize resolution.

PHASE COATED BAK4 / BK7 PRISMS

» These virtually eliminate diffraction for additional brightness and clarity in all conditions.

GENEROUS EYE RELIEF AND TWIST-UP EYECUPS

» These binoculars are easy to use with eyeglasses or tactical eye protection.

ERGONOMIC, RUGGED, WATERPROOF DESIGN

» Well-balanced and easy to grip, even with wet hands, they're built rugged and tested to ensure 100 percent waterproof integrity.

WARRANTED FOR LIFE

» Covered by the Leupold Limited Lifetime Warranty.




ADJUSTABLE RETICLE


» The reticle can be rotated, so users with varying interpupillary distances may view the reticle horizontally, and so you can more accurately range an object that's not perfectly horizontal or vertical.

TACTICAL MILLING RETICLE

» Expands on existing Mil Dot reticles, using various sized and spaced hash marks on the stadia for increased ranging precision, accuracy, and quick one-meter range estimating reference points. All Mil Dot calculations are TMR compatible.



TMR



Mil Dot



TACTICAL

» BINOCULARS




The Leupold 10x50mm Tactical binocular is a high-performance, phase coated binocular with shock-absorbing coyote brown armor and an unexpected twist: a Leupold Mil Dot or Tactical Milling Reticle (TMR) that you can actually rotate. The advantages are two-fold: various users with different eye spacing will be able to view the reticles horizontally, and it's also useful in ranging an object that's not perfectly horizontal or vertical. In other words, you can determine range without tilting the entire binocular. Also available without a reticle.



RANGEFINDERS



Leupold's RX™ Series of digital laser rangefinders sets an entirely new standard for tactical rangefinder function and performance. These are no glorified tape measures. All four models in the RX Series are packed with features and functions that make every other rangefinder obsolete, and will soon become an indispensable part of your operations. With Leupold's exclusive True Ballistic Range technology matched to your rifle's ballistics, your RX calculates the ballistics range to the target, then displays it as a holdover aim point, an MOA adjustment, or the equivalent horizontal distance. For accuracy, versatility, and dependability, the RX Series is unbeatable.



FEATURES

Leupold's RX Series of digital laser rangefinders sets an entirely new standard for rangefinders, packed with features and functions that make every other rangefinder obsolete.

MATCH 13™ RETICLE SYSTEM™

Included in each RX rangefinder, including the Bracket Circle Duplex®, Bracket Square Duplex, and others.

6X TO 8X MAGNIFICATION

Gives you plenty of power, as well as a wide field of view.

INCREDIBLY ACCURATE RANGING

To within +/- 1 yard accuracy at all ranges, out to 1,500 yards.

TRUE BALLISTIC RANGE™

Gives you seven ballistics groups to choose from based on your rifle's caliber and bullet weight. Your RX then calculates the ballistics range to the target, shown as a holdover aim point, an MOA adjustment, or the equivalent horizontal distance. With experience, it makes long-range shooting incredibly accurate.



OTHER FEATURES INCLUDE


Celsius/Fahrenheit temperature readings, a precision magnetic inductor compass, declination setting, line of sight distance, long range mode, rain mode, and more.

RUGGED AND WATERPROOF

It's built to withstand the kind of abuse that's common in the field.

QUICK SET ROTARY MENU™

Gives you fast, one-handed access to all RX functions.



ONE-HANDED CONTROLS

Makes RX rangefinders easy to use in the field, even when your hands are sweaty or the weather is at its worst.


CLICKING FAST-FOCUS EYEPIECE

On all RX models for quick adjustments in the field.

COMPACT AND LIGHTWEIGHT

The ergonomic body is easy to grip in any conditions.

RX™ SERIES – QUICK SET ROTARY MENU



RXB-IV DIGITAL RANGEFINDING BINOCULAR


Two powerful optical tools in one, the RXB-IV gives you the advantages of a 9x binocular, with the addition of a digital rangefinder and Leupold's exclusive True Ballistic Range technology. Not only will you have accurate laser range finding capabilities to 1,000 meters, with True Ballistic Range technology matched to your rifles ballistics, you get the ballistics range to the target shown as a holdover point, an MOA adjustment, or the equivalent horizontal distance. Slim and ergonomic, the RXB-IV is also rugged, waterproof, and coated with a shock-absorbing rubber armor available in black/gray or Mossy Oak® Brush™ camouflage. Includes Alumina Intensifiers.



LEUPOLD RB800C RANGE FINDING BINOCULAR

The RB800C gives you precise measurements to targets up to 800 meters away, with a built-in digital compass that gives you the direction to the target.

Tough and waterproof, it also features shock-absorbing, black rubber armor.



RB800C – DISPLAY

- 1 - DIGITAL COMPASS
- 2 - DISTANCE OUTPUT (M, YD)

RANGEFINDER MODELS/FEATURES

Finish & Part Number	RX-I	RX-II	RX-III	RX-IV	RXB-IV	RB800C
■ Black ■ Black/Gray ■ Mossy Oak® Obsession™ Camo ■ Mossy Oak® Brush™ Camo	■ 61450	■ 61455 ■ 61460	■ 61465	■ 61470 ■ 61475	■ 63325 ■ 63335	■ 54580
Magnification	6x	6x	8x	8x	9x	8x
Max Range Reflective Target (YD)	750	750	1200	1500	1500	1,000
Max Range Live Target (YD)	500	500	600	800	800	550
Inclinometer	No	Yes	Yes	Yes	Yes	No
TBR™ (True Ballistic Range)	No	Yes	Yes	Yes	Yes	No
Match 13 Reticle System	Yes	Yes	Yes	Yes	No	No
Compass w/ Declination Setting	No	No	No	Yes	Yes	Yes
Thermometer °C & °F	Yes	Yes	Yes	Yes	Yes	No
Yds/Ft/Meters Mode	Yds/M/Ft	Yds/M/Ft	Yds/M/Ft	Yds/M/Ft	Yds/M	Yds/M
Scan Mode	Yes	Yes	Yes	Yes	Yes	Yes
Illuminated Display	No	No	Yes	Yes	Yes	Yes
Battery Life (Actuations)	2,000	2,000	2,000	2,000	1000	1,000
Weight	6.8 oz	6.8 oz	12 oz	12 oz	23 oz	23 oz
Dimension	4x2.75x1.5	4x2.75x1.5	4.7x3.5x2	4.7x3.5x2	5.4x6.0x2.8	5.4x6.0x2.8
Weatherproof/Waterproof	Weatherproof	Weatherproof	Waterproof	Waterproof	Waterproof	Waterproof

NEW for 2007




NEW » ALL RX MODELS INCLUDE QUICK START-UP MODE.



10-20x40mm
COMPACT

15-30x50mm
COMPACT

12-40x60mm HD
(Also available standard
Golden Ring model)

GOLDEN RING MODELS	PART NO.	GOLDEN RING® FEATURES
10-20x40mm Compact	61080	LENS SYSTEMS » Index Matched Lens System on the 12-40x60mm HD spotting scope. Multicoat 4 lens system on the 12-40x60mm spotting scope. Standard multicoat lens coatings on the 15-30x50mm Compact and 10-20x40mm Compact spotting scopes.   HD LENS » The calcium-fluoride lens of the 12-40x60mm HD spotting scope provides for extremely detailed resolution at 40x.  RUGGED PERFORMANCE » Leupold Golden Ring optics have proven their ruggedness in the factory and the field.
15-30x50mm Compact	61090	
12-40x60mm	61050	
12-40x60mm HD	61060	

Brown finish on all models.



LEUPOLD GOLDEN RING 12-40x60mm HD SPOTTING SCOPE KIT
» This valuable kit includes the HD spotting scope; a Leupold compact, adjustable tripod; a window mount for your vehicle; and a digital camera adapter; all in a hard-side, reinforced case with custom padding. Part no. 61070



LEUPOLD GOLDEN RING 15-30x50mm COMPACT SPOTTING SCOPE KIT
» Includes the spotting scope, quick detaching shoulder strap, custom padded belt case, lens covers, a specially designed mounting adapter for 1/4-20 threaded mounts, a sturdy tabletop tripod, and hard-side carrying case. Part no. 61100



EYE RELIEF
» Generous eye relief and twist-up eyecups for use with eyeglasses or tactical eyewear.

WATERPROOF / FOG PROOF TECHNOLOGY
» Leupold's proprietary Nitrogen-fill process.

DIGITAL CAMERA COMPATIBLE
» The 12-40x60mm can be used with nearly any digital camera and our digital camera adapter.



INCLUDES SOFT-SIDE CASE
» The protective case remains on the scope during use.
» Replacement 12-40x60mm spotting scope soft case. Part no. 53715

GOLDEN RING®

» SPOTTING SCOPES




All four of these Leupold Golden Ring® spotting scopes have the optical muscle to cover the distance, yet are small and light weight enough to take into any situation. Even the full-size 12-40x60mm HD spotting scope is just 12.4" long and 37 ounces, with high-definition optics that will simply astound you. Our 15-30x50mm Compact spotting scope is 11" and 21.5 oz, and offers multicoated exterior lenses for outstanding brightness and clarity. The 10-20x40mm Compact spotting scope gives you exceptional resolution and plenty of power, yet is small enough to wear around your neck or carry in a cargo pocket (7.5" long and 15.8 oz).





SEQUOIA MODELS	KIT INFO.	PART NO.	SEQUOIA™ 15-45x60mm	SEQUOIA 20-60x80mm
15-45x60mm	Spotting Scope	53546	LARGE MAGNIFICATION RANGE » Excellent detail at all practical distances.	EXTREME MAGNIFICATION RANGE » Rotational, on-axis tripod mount for easy adjustment to nearly any viewing position. The huge magnification range offers maximum versatility and capability.
	Spotting Scope Kit	55886		
15-45x60mm Angled	Spotting Scope	54534	STRAIGHT AND ANGLED EYEPIECES » Choose between a straight or 45° angled eyepiece for comfortable viewing.	STRAIGHT AND ANGLED EYEPIECES » Choose between a straight or 45° angled eyepiece for comfortable viewing.
	Spotting Scope Kit	55888		
20-60x80mm	Spotting Scope	61130	LENS SYSTEM » Fully multi-coated optics for superb clarity, contrast, and color fidelity, at all magnifications.	LENS SYSTEM » Fully multi-coated optics mean even at maximum magnification, you'll appreciate the resolution, contrast, and vivid color.
	Spotting Scope Kit	61135		
20-60x80mm Angled	Spotting Scope	61155	GENEROUS EYE RELIEF » Non-critical eye relief and a twist-up eyecup for easy viewing, even with eyeglasses or tactical goggles.	GENEROUS EYE RELIEF » Twist-up eyecup and generous eye relief for easy viewing with eyeglasses or tactical goggles.
	Spotting Scope Kit	61160		



15-45x60mm KIT
(Kits available on all four models)

GREEN RING™

» SPOTTING SCOPES



When you need eyes on a target – and a binocular just doesn't have the muscle – turn to the powerful Leupold Green Ring™ Sequoia™ spotting scopes. Both the Sequoia 15-45x60mm and 20-60x80mm spotting scopes offer exceptional light transmission needed for peak clarity even at high magnification, and the contrast needed to pick targets from cover. They're also ergonomically designed: focus can easily be adjusted while viewing, and you'll be able to view comfortably even from the prone position, with the choice of either a straight or a 45° angled eyepiece. Rugged and 100 percent waterproof, each is covered by the Leupold Green Ring Limited Lifetime Warranty.



NEW 2007
GOLDEN RING
BINOCULARS

SWITCH
POWER

17x

For resolution, optimal contrast, and peak brightness in even the worst conditions, Leupold Golden Ring binoculars are unbeatable. With exclusive new Switch/Power™ Technology, they give you the ability to do something no other binocular can...instantly and fully change the power setting, so the object you're viewing stays at the center of the visual field. Scan at 10x, and with just a flick of your finger you're viewing at 17x, without ever losing sight of the target. Or scan at 7x and zero in at 12x. This is no zoom...zooming can cause you to lose track of what you're viewing, as it moves up in magnification and the visual field narrows. Leupold's new Golden Ring binoculars with Switch/Power Technology feature a precision-manufactured switch in front of the focus ring that instantly and fully changes the power setting, so the object you're viewing always stays at the center of the visual field. It's like carrying two powerful binoculars, in one lightweight package. Also new for 2007 are Leupold Golden Ring HD binoculars, with a high-definition lens for even greater detail.



GOLDEN RING MODELS

PART NO.

» 7/12x32mm with Switch/Power Technology	62710
» 10/17x42mm with Switch/Power Technology	62715
8x32mm	61400
» 8x32mm HD	62800
10x32mm	61405
» 10x32mm HD	62805
» 8x42mm HD	62810
» 10x42mm HD	62815

Brown finish on all models.
HD – High Definition
» New for 2007

GOLDEN RING BINOCULARS WITH SWITCH/POWER™ TECHNOLOGY FEATURES

- REVOLUTIONARY SWITCH/POWER™ SWITCH**
 - » Instantly and fully changes the power setting, then stays in position.
- REMAIN ON TARGET**
 - » The target always remains in the center of the visual field.
- LENS SYSTEM**
 - » Multicoated lenses for superb brightness, resolution, and contrast.
- PHASE COATED PRISMS**
 - » These work with the lens system to eliminate diffraction and ensure peak clarity.
- INTERCHANGEABLE EYECUPS**
 - » Easily switch between contoured eyecups and twist-up eyecups for use with eyeglasses.



GOLDEN RING HD BINOCULARS FEATURES

- HIGH-DEFINITION LENS**
 - » Life-like clarity and higher overall performance.
- LENS SYSTEM**
 - » The DiamondCoat™ and Index Matched Lens System with plasma-coated prisms maximize light transmission, clarity, contrast, and color fidelity.
- PHASE COATED PRISMS**
 - » Super-reflective, they work with the lens system to eliminate diffraction and ensure peak clarity.
- INTERPUPILLARY DISTANCE LOCK**
 - » Lock in the distance between your eyes, to easily use these binoculars one-handed.
- GENEROUS EYE RELIEF AND TWIST-UP RETRACTABLE EYECUPS**
 - » Easy and comfortable to use, with or without eyeglasses.
- ERGONOMIC DESIGN**
 - » Excellent in-hand fit, even in wet conditions.





GREEN RING™

» BINOCULARS

Each line in Leupold's Green Ring series of binoculars excels in a different way, offering a unique set of performance features that you can match up with your mission requirements. Whether you choose the compact body and full-size optical performance of the Katmai® Series, the crystal clarity and power of the Olympics™ Series, or the rugged simplicity and wide range of adjustment of the Yosemite™ Series, you'll get what you want and more. Each is coated with a shock-absorbing rubber armor that aids your grip in wet conditions, and each is built to withstand punishing use and remain 100 percent waterproof for life.



GREEN RING MODELS		FINISH & PART NO.	
Pinnacles Series	8x42mm	■ 54504	■ 62490
	10x42mm	■ 54514	■ 62495
Olympic Series	8x42mm	■ 54184	■ 62500
	10x50mm	■ 54205	■ 62505
	12x50mm	■ 54524	■ 62510
			■ 56315
Olympic Compact Series	8x25mm	■ 53538	
	10x25mm	■ 53540	
Katmai Series	6x32mm	■ 56410	■ 61210
	8x32mm	■ 56420	■ 61215
	10x32mm	■ 56430	■ 61220
Cascades Series	8x42mm Internal Focus	■ 60992	
	10x42mm Internal Focus	■ 60643	
	8x42mm	■ 53530	■ 62480
	10x42mm	■ 53532	■ 62485
Mesa Series	8x42mm	■ 53694	■ 56305
	10x50mm	■ 53696	■ 56310
Mesa Compact Series	8x23mm	■ 53534	
	10x23mm	■ 53536	
Yosemite Series	6x30mm	■ 61165	■ 61175
	8x30mm	■ 62515	■ 62525

■ Advantage Timber® HD™ Camo
■ Black ■ Natural ■ Red
» NEW for 2007



LEUPOLD GREEN RING™ BINOCULARS

Leupold Green Ring optics are hard-working, rugged binoculars that perform well no matter the mission. Built solid with a rubber armor coating, they're 100 percent waterproof, with crisp, bright sight pictures, even in low light.

LEUPOLD PINNACLES™ SERIES

Excellent resolution – thanks to fully multi-coated lenses, and phase and L-coated™, silver enhanced roof prisms.

Interchangeable eyecups – quickly and easily switch between vented, retractable contoured eyecups and padded, twist-up eyecups.

LEUPOLD OLYMPIC™ SERIES

Camo available – Advantage Timber® HD™ camo finish is available on the 10x50mm model.

Outstanding clarity – with center focus, phase coated, roof prisms.

Comfortable extended viewing – with twist-up eyecups and generous eye relief.

LEUPOLD OLYMPIC COMPACT SERIES

Get the same outstanding performance and many of the same features as the full-size Olympics, in an even lighter weight package.

LEUPOLD KATMAI® SERIES

The Katmai Series features a 32mm objective lens that gives you full-size optical performance in a compact, lightweight binocular.

Two finishes available – black or natural on the 6x32mm, 8x32mm, and 10x32mm models.

Compact size – full-size optical performance in a small package.

Phase and L-coated prisms, and fully multi-coated lenses – unique coatings offer optimal light management and a bright, clear image.

The natural armor color blends well with most camo patterns, and works in settings from urban to desert terrain.

LEUPOLD CASCADES™ SERIES

Camo available – Advantage Timber HD camo finish is available on the 8x42mm and 10x42mm models.

Keep your focus – integrated center focus / lockable diopter control.

Excellent sight picture – the center focus design with coated roof prisms, for an exceptional image.

Slim, ergonomic in-line design – a natural fit in all hand sizes.

Easy extended viewing – with twist-up eyecups and ample eye relief.

LEUPOLD CASCADES INTERNAL FOCUS PORRO PRISM SERIES

All the optical advantages of a Porro prism binocular, with an internal-focusing mechanism normally found in roof prism binoculars.

Internal focusing – makes the Cascades™ smaller and more comfortable to use.

With no moving exterior parts, this adds to their ruggedness and waterproof performance as well.

Fully multi-coated optics – for clarity, color fidelity, contrast, and a bright sight picture in all conditions.

Outstanding 3D image representation – for which Porro prism binoculars are prized.

LEUPOLD MESA™ SERIES

Camo available – Advantage Timber HD camo finish is available on the 8x42mm and 10x50mm models.

Classic design – center focus Porro prism binoculars with lockable focus dial.

Twist-up eyecups – comfortable to use even with eyeglasses.

LEUPOLD MESA COMPACT SERIES

Ultra compact – inverted Porro prism design is slim and easy to grip.

Aspheric lenses – flat field of view.

Roll-down eyecups and ample eye relief – versatile even for users with eyeglasses.

LEUPOLD YOSEMITE™ SERIES

The Yosemite is designed to be small, lightweight, and comfortable enough for people with any size of hands to use.


Smaller interpupillary distance settings – accommodate a wide range of users.

6x and 8x magnification – gives an ideal combination of power and field of view. Eye relief is generous and forgiving, even with eyeglasses.

Multi-coated optics offer maximum brightness, clarity, and contrast.

Rugged and absolutely waterproof – they're ready for all conditions.

Three finishes available – black, natural, or red.



LEUPOLD GREEN RING LIMITED LIFETIME WARRANTY

Leupold Green Ring non-electronic products are warranted for as long as the original owner owns them. We warrant them to be free of defects in materials or workmanship, and to function satisfactorily under normal use conditions. If at any time your Green Ring optic is found to have a defect in materials or workmanship, Leupold will, at our discretion, repair or replace it free of charge, when requested by the original owner.



MOUNTING SYSTEMS



Lives may depend on your next shot. That's why the mount you choose is nearly as important as the optic. Leupold Tactical Mounting Systems are engineered to be as rugged and reliable as the Leupold scopes they're intended to secure. We've also created mounts for nearly every tactical rifle available, from bolt-actions to assault rifles, and for every mission profile. No matter which Leupold tactical mount you choose, you can count on it to deliver rock-solid dependability and tack-driving repeatable accuracy. Don't depend on anything less than Leupold.

MARK 4 CQ/T ARMS™ THROW LEVER MOUNT

Get a precise and repeatable zero every time with this quick-detaching mount for the Leupold Mark 4 CQ/T optical sight. With rugged, all-metal construction and a black, anti-glare matte finish, it's ready to handle any mission. Fits all MIL-STD-1913/ Picatinny-style rails.



MARK 4 AR-15/M16 HANDLE MOUNT

Securely attach your scope to any M16 variant with a carrying handle.

» Fit it into the sight channel of the carrying handle.

» Delivers rock-solid stability for repeatable accuracy.



MARK 4 CQ/T FLAT TOP MOUNTING BRACKET

Secure your Mark 4 CQ/T scope to any Picatinny-style mounting rail using this specially designed mounting bracket.



LEUPOLD MARK 4 ALUMINUM RINGS

In the field, you count every ounce of weight, because you've got to carry it. Mark 4 Aluminum mounts are machined from a single piece of aircraft-grade aluminum, so they're incredibly strong, yet lightweight.



MARK 4 TACTICAL MOUNTS

System employs a slot and spline design, and comes in 1-Piece and 2-Piece configurations.

» Mark 4 bases accept Mark 4 rings, cross-slot rings, and QRW™ / PRW™ rings.

» Bases have a ¼-degree slope for long-range shooting applications.

» Mark 4 Super High rings specifically designed for use with handle mounting configurations.

» Mark 4 bases are available for nearly every long-range tactical weapon in use, including:

- Remington 700, 721, and 725 long and short action models
- Winchester Model 70, 670, 770, and 70A
- The Savage 110 through 116
- The Savage 10 through 16
- The Ruger M77



QR™ MOUNT (QUICK RELEASE™)

» Remove and reattach a scope using our QR™ mount and return to within half an inch of the original point-of-impact on the target.

» Proven in extensive testing.



QRW™ (QUICK RELEASE CROSS-SLOT FORMAT)

» Steel detachable accuracy mounts that are based on the familiar cross-slot design.

» Use the QRW mounts to achieve detachable accuracy.



PRW™ RINGS (PERMANENT CROSS-SLOT FORMAT)

» Steel rings that are based on the proven cross-slot design.

» Uses the Leupold QRW bases or any other Picatinny-style mounting rails.



TACTICAL BASE FIT & RING HEIGHT INFORMATION

SCOPE MODEL	MARK 2	MR/T	LR/T	ER/T	Maximum Ring Spacing in Inches										
					NA	5.5	5.6	5.3	6.1	5.5	5.8	5.8	6.2	5.4	6.5
1x14mm Tactical Prismatic	Mark 2 1.5-4x20mm	Mark 2 3.9x40mm T2 (& Tactical Hunter)	Mark 2 4.1x240mm Adj. Obj. T2	Mark 2 6.1x840mm Adj. Obj. T1	Mark 4 1.5-5x20mm MR/T M2 (one-inch)	Mark 4 1.5-5x20mm MR/T M2 Illuminated Reticle	Mark 4 2.5-8x36mm MR/T M1 & M2 (& Illuminated Reticle)	Mark 4 3.5-10x40mm LR/T M1, M2 & M3 (& Illum. Reticle & Front Focal)	Mark 4 4.5-14x50mm LR/T Target	Mark 4 4.5-14x50mm LR/T M1 (& Illuminated Reticle & Meric)	Mark 4 6.5-20x50mm LR/T M1 (& Illuminated Reticle)	Mark 4 8.5-25x50mm LR/T M1 & M3	Mark 4 16x40mm LR/T M1	Mark 4 8.5-25x50mm ER/T M1 Front Focal	
FIREARM	BASE PART NO.	NA	5.5	5.6	5.3	6.1	5.5	5.8	5.8	6.2	5.4	6.5	6.1	6.0	6.5
Base Model	Gloss	Matte													
Recommended Rings															
Colt AR15 & M16															
Mark 4 AR15 / M16 Handle Mount	—	52136	L	L	L	L	L	L30	L30	L30	L30	L30	L30	L30	L30
All AR15 style rifles with flat top Picatinny rail	—	—	SH	SH	SH	SH	SH	SH30	SH30	SH30	SH30	SH30	SH30	SH30	SH30
Remington 700/721/725 (Long Action, Right Hand Only)															
STD 700 RH-LA (1-Piece)	50003	50004	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
STD 700 Long Range RH-LA (1-Piece)	—	51732	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Remington 700/721/725 (Long Action, Left Hand Only)															
STD 700 LH-LA (1-Piece)	50007	—	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Remington 700/721/725 (All Long Action Models)															
STD 700 (2-Piece)	50015	50016	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
STD 700 RVF (2-Piece)	50017	50018	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
DD 700 (2-Piece)	50041	50042	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
DD 700 RVF (2-Piece)	—	50044	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QR 700 (2-Piece)	50049	50050	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QRW / PRW 700 (2-Piece)	49840	49841	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Mark 4 700 (2-Piece)	—	50039	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Remington 700/721/725 (Short Action, Right Hand Only)															
STD 700 RH-SA (1-Piece)	50005	50006	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
STD 700 Long Range RH-SA (1-Piece)	—	51734	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QR 700 RH-SA (1-Piece)	—	51247	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Mark 4 700 (1-Piece)	—	50040	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
DD XP-100 (1-Piece)	—	53570	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Remington 700/721/725 (All Short Action Models)															
STD 700 (2-Piece)	50015	50016	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
STD 700 RVF (2-Piece)	50017	50018	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
DD 700 (2-Piece)	50041	50042	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
DD 700 RVF (2-Piece)	—	50044	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QR 700 (2-Piece)	50049	50050	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QRW / PRW 700 (2-Piece)	49840	49841	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Mark 4 700 (2-Piece)	—	50039	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Savage 110 through 116 (Right Hand, Long Action, Heavy Barrel)															
STD 110 RH (1-Piece)	49996	—	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QR 110 RH (1-Piece)	—	50066	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QR 110 (2-Piece)	52314	—	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QRW / PRW 110 (2-Piece)	49833	—	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
Savage 110 through 116 Round Receiver (Right Hand, Long Action, Heavy Barrel)															
STD 110 RH Round Receiver (1-Piece)	55701	—	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
STD 10/110 Round Receiver (2-Piece)	55741	55742	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30
QR 10/110 Round Receiver (2-Piece)	55761	—	L	L	M	M	M	L	L30	L30	M30	M30	H30	H30	H30

Abbreviations

LA — Long action
SA — Short action
RH — Right hand
LH — Left hand
SH — Super high 1"
SH30 — Super high 30mm
H — High 1"
H30 — High 30mm
M — Medium 1"
M30 — Medium 30mm

Rings

SH — Super high 1"
SH30 — Super high 30mm
H — High 1"
H30 — High 30mm
M — Medium 1"
M30 — Medium 30mm

L — Low 1"
SL — Super low 1"
H — High 1" extension
MX — Medium 1" extension
LX — Low 1" extension
NA — Not available

♦ Indicates the correct ring to be used with this scope

Mount System Types

RM — Ringmount
PRW — Permanent Ring Weaver-style
DD — Dual Dovetail
QR — Detachable Accuracy: Quick Release Mount System
QRW — Detachable Accuracy: Cross-slot format
STD — Dovetail front and windage adjustable rear ring

TACTICAL BASE FIT & RING HEIGHT INFORMATION

		BASE PART NO.		Maximum Ring Spacing in Inches																
				NA	5.5	5.6	5.3	6.1	5.5	5.8	5.8	6.2	5.4	5.5	6.5	6.5	6.1	6.0	6.5	
FIREARM																				
Base Model				Gloss	Matte	Recommended Rings														
Savage 110 through 116 (Left Hand, Long Action, Heavy Barrel)																				
STD 110 LH (1-Piece)		50219		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QR 110 (2-Piece)		52314		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QRW / PRW 110 (2-Piece)		49833		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Savage 110 through 116 Round Receiver (Left Hand, Long Action, Heavy Barrel)																				
STD 110 LH Round Receiver (1-Piece)		55711		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
STD 10/110 Round Receiver (2-Piece)		55741		55742	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QR 10/110 Round Receiver (2-Piece)		55761		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Savage 10 through 16 (Right Hand, Short Action, Heavy Barrel)																				
STD 10 RH-SA (1-Piece)		52326		52317	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QR 110 (2-Piece)		52314		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QRW / PRW 110 (2-Piece)		49833		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Savage 10 through 16 Round Receiver (Right Hand, Short Action, Heavy Barrel)																				
STD 10 RH-SA Round Receiver (1-Piece)		55721		55724	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
STD 10/110 Round Receiver (2-Piece)		55741		55742	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QR 10/110 Round Receiver (2-Piece)		55761		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Savage 10 through 16 (Left Hand, Short Action, Heavy Barrel)																				
STD 10 LH-SA (1-Piece)		52326		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QR 110 (2-Piece)		52314		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QRW / PRW 110 (2-Piece)		49833		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Savage 10 through 16 Round Receiver (Left Hand, Short Action, Heavy Barrel)																				
STD 10 LH-SA Round Receiver (1-Piece)		55731		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
STD 10/110 Round Receiver (2-Piece)		55741		55742	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QR 10/110 Round Receiver (2-Piece)		55761		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Tactical Shotguns																				
Tactical Shotguns		—		—	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Winchester 70, 670, 770, & 70A (Long Action) (serial number higher than 66,360)																				
STD 70A (1-Piece)		50000		50001	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
STD 70 Long Range RH-LA (1-Piece)		—		51736	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
STD 70 RVR (2-Piece)		50020		50021	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
STD 70 RVF/R (2-Piece)		50022		50023	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
DD 70 (2-Piece)		50045		50046	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
DD 70 RVF (2-Piece)		—		54241	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QR 70 (2-Piece)		50053		50054	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QRW / PRW 70 (2-Piece)		—		49838	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Mark 4 70 (2-Piece)		—		51731	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Winchester 70, 670, 770, & 70A (Short Action) (serial number higher than 66,360)																				
STD 70 Long Range RH-SA (1-Piece)		—		51738	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
STD 70 RVR (2-Piece)		50020		50021	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
STD 70 RVF/R (2-Piece)		50022		50023	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
DD 70 (2-Piece)		50045		50046	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
DD 70 RVF (2-Piece)		—		54241	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QR 70 (2-Piece)		50053		50054	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
QRW / PRW 70 (2-Piece)		—		49838	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	
Mark 4 70 (2-Piece)		—		51731	L	L	M	M	M	M	L	L30	L30	M30	M30	H30	H30	H30	H30	

TOOLS AND ACCESSORIES

NEW» TACTICAL PRESENTATION KNIFE

Leupold's Limited Edition Tactical Presentation Knife incorporates a lockable, hardened stainless steel, 3.5" modified spear point blade, and a winewood handle featuring our distinctive gold medallion. **Part no. 62865**



NEW» TACTICAL KNIFE

Our new lockable Tactical Knife has a 3.5" hardened stainless steel spear point blade, ambidextrous thumb switch, carrying clip, and machined G10 handles in coyote brown. **Part no. 62860**



NEW» ANNIVERSARY KNIFE

Case knives are known for their collectibility, and now there's one with a special interest for everyone interested in shooting. This Case folder features a bone handle, two blades, and our 100th anniversary logo. **Part no. 62790**



RETRACTABLE BALLISTIC CHART

Keep critical, custom ballistics data where you can access it from any shooting position. Attaches to your scope's maintube (1" or 30mm) for instant access, and the durable metal tape with your ballistics data automatically retracts after use.



MODEL	PART NO.
Chart 1"	54804
Chart 30mm	54778

LEUPOLD ZERO POINT® MAGNETIC ILLUM. BORESIGHTER

With this revolutionary boresighter, you can get your rifle on the paper faster than ever, recheck your zero, and even record the zero at different ranges or bullet weights, and readjust your scope without the need to fire. **Part no. 59012**

LENS PEN

Has a natural hair brush which is fully retractable for protection when not in use. The microfiber cleaning tip automatically replenishes itself with cleaning compound. **Part no. 48807**

TORX® DRIVER

Gives you a better handle on driving and securing Torx®-head mounting screws, which won't strip like old-fashioned hex-head screws. **Part no. 50818**

LEUPOLD MARK 4 RING TORQUE WRENCH

With this special wrench you can not only tighten, but loosen the mounting screws on Mark 4 style rings. Delivers the proper amount of torque value (65-in lbs) when installing Mark 4 style rings for return to zero accuracy. **Part no. 48701**

MOUNTING TOOL

Features one slotted screwdriver, two Torx drivers, and five hex-head drivers. **Part no. 52296**



NEW» TREK POD II

Use it as a height-adjustable trekking pole, and when needed, three legs flair out, making it a free-standing optics mount. At the top is a powerful magnet, and you get two additional magnets which you can attach to any optics with threaded mounts. The VersaRest (included with the Trek Pod II) adds support for a rifle, long-lensed camera, or other large optic. Lightweight, with a dark brown anodized finish. **Part no. 62755**

LEUPOLD DIGITAL CAMERA ADAPTER FOR SPOTTING SCOPES



Capture images at long range using this adapter, your digital camera, and the Leupold Golden Ring 12-40x60mm spotting scope. The adapter itself snaps onto any digital camera with a 58mm lens. With the plates included with the kit, you can convert the adapter to fit 28mm, 37mm, 43mm, and 52mm digital camera lenses. **Part no. 58380**

LEUPOLD GREEN RING BINOCULAR TRIPOD ADAPTER

With the binocular tripod adapter, you can enjoy the same steady view with your binoculars that's normally reserved for spotting scopes. Fit Mesa™, Pinnacles™, and Olympic 8x42mm models. **Part no. 48826**

COMPACT TRIPOD

When a full-size tripod is just "too much equipment" to take into the field, our compact tripod gets the nod. The 4-section legs extend to 31.5" and collapses to a mere 15". The adjustable ball head with quick-release base gives you incredible viewing versatility. **Part no. 56446**



ALUMINA® FLIP-BACK LENS COVERS

These machined-aluminum flip-back lens covers protect your lenses from the water, snow, dust, and dirt you encounter in the field, yet keep them ready for action at an instant's notice.



MODEL	PART NO.
Flip-Back Lens Cover 50mm - Matte Finish	59050
Flip-Back Lens Cover 40mm - Matte Finish	59045
Flip-Back Lens Cover 36mm - Matte Finish	59040
Flip-Back Lens Cover 20mm - Matte Finish	59030
Flip-Back Lens Cover Kits 50mm - Matte Finish	62995
Flip-Back Lens Cover Kits 40mm - Matte Finish	62990

NEW Products Shown In Red

ALUMINA PROTECTIVE LENS COVERS

These machined-aluminum, knurled disks thread into your objective lens and eyepiece to protect your optics during storage or rough transport.



MODEL	PART NO.
Threaded Lens Cover 50mm - Matte Finish	58950
Threaded Lens Cover 40mm - Matte Finish	58940
Threaded Lens Cover 36mm - Matte Finish	58935
Threaded Lens Cover 20mm - Matte Finish	58925

ALUMINA RUBBER EYEPIECE GUARD

Shades the eyepiece, and protects you from recoil during extreme uphill shooting angles and extremely heavy recoiling firearms.

MODEL	PART NO.
Rubber Eyepiece Guard Standard EP - Matte Finish	58965

ALUMINA RAINCOTE® KIT

Specially coated, so that water instantly sheds off the lens surface, RainCote® lens protectors are included for both objective lenses and eyepieces. The Alumina® RainCote Kit also includes the Alumina RS Stacker, a compact, protective storage device for the Alumina RainCote Kit components.



MODEL	PART NO.
RainCote Kit 50mm - Matte Finish	59025
RainCote Kit 40mm - Matte Finish	59020
RainCote Kit 36mm - Matte Finish	59015
RainCote Kit 20mm - Matte Finish	59005

ALUMINA SERIES LENS SHADES

Thread these 2.5" and 4" Alumina lens shades together to create custom lengths.

MODEL	PART NO.
Alumina 50mm 2.5" - Matte Finish	52350
Alumina 50mm 4" - Matte Finish	52353
Alumina 40mm 2.5" - Matte Finish	56187
Alumina 40mm 4" - Matte Finish	56190

FITS 2004 AND NEWER MARK 4 40MM AND 50MM SCOPES

PRE-2004 LENS SHADES

These 2.5" and 4" lens shades can be threaded together to create custom lengths. Models to fit 40mm objective scopes are available.

MODEL	PART NO.
40mm 2.5" - Matte Finish	52344
40mm 4" - Matte Finish	52347

FITS ALL PRE-2004 40MM ADJ. OBJ. SCOPES

MARK 4 ANTI-REFLECTION DEVICE (ARD)

We've created these threaded Anti-Reflective Devices in nearly every objective lens size, each featuring scores of tiny, light-transmitting honeycomb baffles that reduce lens glare without obscuring your sight picture.

MODEL	PART NO.
ARD Anti-Reflection Device (Pre-2004)	52292
ARD Anti-Reflection Device - 60mm	62955
ARD Anti-Reflection Device - 50mm	62885
ARD Anti-Reflection Device - 40mm	62880
ARD Anti-Reflection Device - 36mm	62875

NEW Products Shown In Red

PRE-2004 ANTI-REFLECTION DEVICE (ARD)



A quarter-inch deep and perforated with scores of tiny, light-transmitting honeycomb baffles, the ARD reduces lens glare.

TACTICAL SCOPE COVERS

You've made an investment in the best... now protect it! Designed specifically to fit our Mark 4 riflescopes. Easy to put on and remove, the black neoprene sleeve offers 6mm of thick protection for your scope.

SCOPE MODELS	SIZE	PART NO.
Mark 2 1.5-4x20mm Mark 4 1.5-5x20mm MR/T (one-inch) Mark 4 1.5-5x20mm MR/T M2 Illuminated Reticle Mark 4 1-3x14mm CQ/T Illuminated Reticle	Mark 4 - S	54857
Mark 2 3-9x40mm T2 Mark 2 3-9x40mm Hunter Mark 2 4-12x40mm Adj. Obj. T2 Mark 4 2.5-8x36mm MR/T M1 (& Illuminated Reticle) Mark 4 2.5-8x36mm MR/T M2 (& Illuminated Reticle) Mark 4 3-9x36mm MR/T M1 (& Illuminated Reticle) Mark 4 3-9x36mm MR/T M3 (& Illuminated Reticle) Mark 4 4.5-14x40mm LR/T Target	Mark 4 - M	57866
Mark 2 6-18x40mm Adj. Obj. T1 Mark 4 4.5-14x50mm LR/T M1 (& Metric, & Illuminated Reticle)	Mark 4 - L	57868
Mark 4 3.5-10x40mm LR/T M1 (& Illuminated Reticle) Mark 4 3.5-10x40mm LR/T M1 Front Focal Mark 4 3.5-10x40mm LR/T M2 Illuminated Reticle Mark 4 3.5-10x40mm LR/T M3 (& Illuminated Reticle) Mark 4 3.5-10x40mm LR/T M3 Front Focal Mark 4 10x40mm LR/T M1 Mark 4 10x40mm LR/T M3 Mark 4 16x40mm LR/T M1	Mark 4 - X-L	57877
Mark 4 6.5-20x50mm LR/T M1 (& Illuminated Reticle) Mark 4 8.5-25x50mm LR/T M1 (& Illuminated Reticle) Mark 4 8.5-25x50mm ER/T M1 Front Focal	Mark 4 - XX-L	57864

NEW Products Shown In Red



RETICLE CONFIGURATIONS


We're proud to offer a wide selection of reticles, in a variety of riflescopes, designed to help you achieve your goals in nearly any type of shooting, from plinking to competition, and hunting to tactical environments. Several reticles are available as illuminated reticle options. Some are exclusive to certain rifle scope lines. If you don't see the reticle you prefer listed as available in a particular scope, contact the Leupold Custom Shop for information on custom reticle installation.

TACTICAL RETICLE SUBTENSIONS																								
Scope Type			Mark 2								CQ/T		PRISMATIC	LR/T										
Scope Model			1.5-4		3-9		4-12		6-18		1-3		1	3.5-10		4.5-14		6.5-20		8.5-25		10	16	
Power Setting			1.5	4	3	9	4	12	6	18	1	3	1	3.5	10	4.5	14	6.5	20	8.5	25	10	16	
Fine Duplex	Heavy Section	inch	—	—	—	—	0.9	0.3	0.7	0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	—	2.6	0.9	1.9	0.7	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Thin Section	inch	—	—	—	—	0.3	0.1	0.2	0.1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	—	0.9	0.3	0.6	0.2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Duplex	Thin Opening	inch	—	—	—	—	12.0	4.7	8.5	3.2	—	—	—	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	—	33.5	13.1	23.6	8.9	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Heavy Section	inch	4.7	1.8	—	—	—	—	—	—	—	—	—	2.1	0.7	0.4	0.1	—	—	—	—	—	—	
		cm	13.1	4.9	—	—	—	—	—	—	—	—	—	5.9	2.0	1.2	0.4	—	—	—	—	—	—	
Wide Duplex	Thin Section	inch	1.6	0.6	—	—	—	—	—	—	—	—	—	0.7	0.2	0.1	0.0	—	—	—	—	—	—	
		cm	4.4	1.7	—	—	—	—	—	—	—	—	—	1.9	0.6	0.4	0.1	—	—	—	—	—	—	
	Thin Opening	inch	35.6	13.5	—	—	—	—	—	—	—	—	—	16.1	5.4	4.7	1.6	—	—	—	—	—	—	
		cm	98.9	37.5	—	—	—	—	—	—	—	—	—	44.8	15.0	13.1	4.5	—	—	—	—	—	—	
Illum. Circle Dot	Heavy Section	inch	—	—	—	4.9	1.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	13.7	5.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Thin Section	inch	—	—	—	1.8	0.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	4.9	1.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Illum. Circle Dot	Thin Opening	inch	—	—	—	26.3	9.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	73.0	27.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Circle Inside	inch	—	—	—	—	—	—	—	—	212.5	72.3	183.9	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	—	—	—	—	—	590.4	200.7	467.1	—	—	—	—	—	—	—	—	—	—	
Illum. Circle Dot	Circle Line Width	inch	—	—	—	—	—	—	—	3.6	1.2	3.1	—	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	—	—	—	—	9.9	3.3	7.9	—	—	—	—	—	—	—	—	—	—	—	
	Dot	inch	—	—	—	—	—	—	—	—	9.2	3.1	3.1	—	—	—	—	—	—	—	—	—	—	
		cm	—	—	—	—	—	—	—	—	25.6	8.7	7.9	—	—	—	—	—	—	—	—	—	—	

Note: Subtension values are in inches at 100 yards and cm at 100 meters.

DUPLEX®

Leupold invented the Duplex design more than 35 years ago. Heavy posts stand out against cover and in twilight conditions, pointing boldly to the intersection. Centering is a snap. The thin crosshairs obscure little.




FINE DUPLEX

Thinner posts and crosshairs allow for less target coverage, making precision shots on small targets easy.

TARGET DOT

This is a conventional shooter's dot, which seems to "float." The crosshairs are extremely thin.




MIL DOT

Several Leupold riflescopes are available with the Mil Dot reticle, which was designed to help the U.S. Marine Corps estimate distances. It's now standard for all military branches.

Range Estimating with the Mil Dot Reticle:

With practice, the Mil Dot system is simple to use. Dots are spaced in one mil (milliradian) increments on the crosshair. Using the mil formula, the shooter can create a table based on the known size of the object targeted. Just look through the scope, bracket the object between dots, and refer to the table for an estimated distance to the target. Leupold scopes fitted with the Mil Dot reticle include more specific instructions on its use.




CQ/T ILLUMINATED CIRCLE DOT

The Circle Dot reticle is designed to offer fast target acquisition in any environment. It can also be used to estimate range.



Range Estimating with the Circle Dot Reticle:

Estimating range using the Circle Dot reticle is simple. Place the target inside the circle of the reticle. At 3x the diameter equates to 6 feet in height at 100 yards. At 200 yards, 6 feet is measured from the dot to the edge of the circle.





TACTICAL MILLING RETICLE (TMR™)

The Tactical Milling Reticle expands on existing Mil Dot reticles by using various sized and spaced hash marks on the vertical and horizontal stadia for increased ranging precision, accuracy, and quick one-meter range estimating reference points. All Mil Dot calculations are TMR compatible. To use the system, simply determine the range to the target using the mil system, then, use the corresponding aiming point that is matched to your cartridge to engage the target.



SPECIAL PURPOSE RETICLE

With the Special Purpose Reticle, you can engage targets with greater precision at longer ranges than generally possible with other reticle styles, yet also use it for instinctive, close-range/low-magnification engagements. It also features several methods of accurate range estimation, using the height or width of the target as a guide. To use the system, simply determine the range to the target using the mil system, then, use the corresponding aiming point that is matched to your cartridge to engage the target. For targets that are inside 300 yards, simply use the center aiming dot to engage.



PRODUCT SPECIFICATIONS

TACTICAL SCOPES

TACTICAL SCOPE	SPECIFICATIONS																				Actual Magnification	Linear Field of View				Optimum Eye Relief				Objective Clear Aperture		Weight		Elevation Adjustment Range*		Windage Adjustment Range**	
																						ft at 100 yd		m at 100 m		inch		mm		Low		High		Low		High	
	Dimensions (inches unless otherwise stated)										Low	High	Low	High	Low	High	Low	High	Low	High		Low	High	Low	High	Low	High	Low	High								
	A ¹	B ²	C	D	E ^{1,4}	F	G	H	I ⁵																												
Leupold Mark 4 Long Range/Tactical (LRT)																																					
10x40mm LRT/ M1	13.1	6.1	2.3	2.2	2.7	4.3	2.0	1.7	30mm	10.0	—	11.1	—	3.7	—	3.4	—	86	—	1.6	40	21.0	595	—	90	—	60	—	60	—	60						
10x40mm LRT/ M3*	13.1	6.1	2.3	2.2	2.7	4.3	2.0	1.7	30mm	10.0	—	11.1	—	3.7	—	3.4	—	86	—	1.6	40	21.0	595	75	52	—	75	52	—	45							
16x40mm LRT/ M1	13.1	6.0	3.1	1.4	2.7	4.3	2.0	1.7	30mm	15.6	—	6.8	—	2.3	—	4.0	—	101	—	1.6	40	22.5	638	140	45	—	140	45	—	45							
3.5-10x40mm LRT/ M1	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	—	65	65	—	65							
3.5-10x40mm LRT/ M1 Ill. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.7	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	21.0	595	65	65	—	65	65	—	65							
3.5-10x40mm LRT/ M1 Front Focal	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	—	65	65	—	65							
3.5-10x40mm LRT/ M2 Ill. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	—	65	65	—	65							
3.5-10x40mm LRT/ M3*	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	—	65	65	—	65							
3.5-10x40mm LRT/ M3* Ill. Ret.	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	21.0	595	65	65	—	65	65	—	65							
3.5-10x40mm LRT/ M3* Front Focal	13.5	6.2	2.4	2.4	3.2	4.3	1.8	1.6	30mm	3.2	9.5	29.9	11.0	10.0	3.7	4.7	3.4	119	93	1.6	40	19.5	553	65	65	—	65	65	—	65							
4.5-14x40mm LRT/ Target	12.6	5.4	1.8	2.3	3.2	4.0	2.0	1.6	30mm	4.9	14.6	18.6	7.3	6.2	2.4	4.4	3.7	113	93	1.6	40	16.0	454	100	100	—	100	100	—	100							
4.5-14x50mm LRT/ M1	12.5	5.5	1.6	2.4	3.2	3.7	2.3	1.6	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100	—	100	100	—	100							
4.5-14x50mm LRT/ M1 Ill. Ret.	12.8	5.5	1.6	2.4	3.2	3.7	2.3	1.7	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100	—	100	100	—	100							
4.5-14x50mm LRT/ M1 Ill. Ret. (metric)	12.8	5.5	1.6	2.4	3.2	3.7	2.3	1.7	30mm	4.8	14.3	19.0	7.6	6.3	2.5	4.5	3.6	113	93	2.0	50	22.0	624	100	100	—	100	100	—	100							
6.5-20x50mm LRT/ M1	14.5	6.5	2.6	2.4	3.2	4.9	2.3	1.6	30mm	6.5	19.5	14.3	5.5	4.8	1.8	4.4	3.6	111	93	2.0	50	22.0	624	70	70	—	70	70	—	70							
6.5-20x50mm LRT/ M1 Ill. Ret.	14.4	6.5	2.6	2.4	3.2	4.9	2.3	1.7	30mm	6.5	19.5	14.3	5.5	4.8	1.8	4.4	3.6	111	93	2.0	50	22.0	624	70	70	—	70	70	—	70							
8.5-25x50mm LRT/ M1	14.5	6.5	2.6	2.4	3.2	4.9	2.3	1.6	30mm	8.2	25.1	11.2	4.4	3.7	1.4	5.3	3.7	134	94	2.0	50	22.5	638	75	70	—	75	70	—	70							
8.5-25x50mm LRT/ M1 Ill. Ret.	14.4	6.5	2.6	2.4	3.2	4.9	2.3	1.7	30mm	8.2	25.1	11.2	4.4	3.7	1.4	5.3	3.7	134	94	2.0	50	22.5	638	75	70	—	75	70	—	70							
Leupold Mark 4 Mid Range/Tactical (MRT)																																					
1.5-5x20mm MRT/ (one-inch)	9.3	5.5	2.0	3.3	3.1	—	1.0	1.6	1.0	1.5	4.7	65.7	23.9	21.9	7.9	4.4	3.6	113	93	0.8	20	9.7	275	80	80	—	80	80	—	80							
1.5-5x20mm MRT/ M2	9.3	5.8	2.1	2.5	3.1	—	1.2	1.7	30mm	1.5	4.5	65.7	23.7	7.9	21.9	4.4	3.6	112	91	0.8	20	15.0	425	120	120	—	120	120	—	120							
2.5-8x36mm MRT/ M1	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90	—	90	90	—	90							
2.5-8x36mm MRT/ M2	11.3	5.8	1.9	2.4	3.1	2.6	1.7	1.7	30mm	3.0	8.7	35.5	13.6	11.7	4.5	3.7	3.0	93	76	1.4	36	16.0	454	90	90	—	90	90	—	90							
Leupold Mark 4 Extended Range/Tactical (ERT)																																					
8.5-25x50mm ERT/ M1 Front Focal	14.5	6.5	2.6	2.4	3.2	4.9	2.3	1.7	30mm	8.2	25.1	11.2	4.4	3.7	1.4	5.3	3.7	134	94	2.0	50	22.5	638	60	60	—	60	60	—	60							
Leupold Mark 2																																					
1.5-4x20mm	9.2	5.5	2.1	2.2	3.1	—	1.0	1.6	1.0	1.6	4.2	75.0	28.5	25.0	9.5	4.3	3.8	109	97	0.8	20	9.5	269	67	67	—	67	67	—	67							
3-9x40mm T2	12.4	5.6	2.3	2.2	3.2	3.5	1.8	1.6	1.0	3.3	8.6	32.3	14.0	10.8	4.7	4.7	3.7	119	94	1.6	40	12.5	354	56	56	—	56	56	—	56							
3-9x40mm Hunter	12.4	5.6	2.3	2.2	3.2	3.5	1.8	1.6	1.0	3.3	8.6	32.3	14.0	10.8	4.7	4.7	3.7	119	94	1.6	40	12.5	354	56	56	—	56	56	—	56							
4-12x40mm Adj. Obj. T2	12.4	5.3	2.0	2.2	3.1	4.0	2.1	1.6	1.0	4.3	11.2	22.8	11.0	3.7	7.6	4.7	3.7	119	95	1.6	40	14.5	411	55	55	—	55	55	—	55							
6-18x40mm Adj. Obj. T1	13.5	6.1	2.7	2.2	3.2	4.2	2.1	1.6	1.0	6.7	17.1	14.5	6.6	4.8	2.2	4.7	3.7	119	94	1.6	40	14.5	411	56	56	—	56	56	—	56							
Leupold Tactical Prismatic																																					
1x14mm Prismatic	4.5	2.6	0.6	0.8	1.9	NA	NA	NA	30mm	1.0	—	83.0	—	27.6	—	5.0	3.0	127	76	0.6	14	12.0	340	70	70	—	70	70	—	70							
Leupold Mark 4 Close Quarter/Tactical (CQ/T)																																					
1-3x14mm CQ/T	8.8	1.6	—	—	3.0	—	1.2	1.5	2.9	1.0	2.9	112.0	41.5	37.5	13.8	2.8	2.0	71	51	0.6	14	17.5	496	90	90	—	90	90	—	90							

¹ On all fixed power scopes, dimension "E" is measured from the back of the eyepiece to the beginning of the eyepiece tube threads. ² On all scopes with adjustable objectives, dimension "G" is measured over the knurled ring.

³ Dimensions "A" and "E" may vary according to the focusing position of the eyepiece. ⁴ On CQ/T, dimension is measured from where mounting foot rests on the base.

* BDC (Bullet Drop Compensation) Dial
** Elevation and windage adjustment ranges are the distance from one extreme of the adjustment to the other.

BINOCULARS, SPOTTING SCOPES & RANGEFINDERS

NEW PRODUCTS ARE SHOWN IN RED	SPECIFICATIONS																			
	Actual Magnification	Linear Field of View		Angular Field of View	Weight		Length		Objective Aperture	Twilight Factor	Exit Pupil	Eye Relief	Interpupillary Distance		Close Focus Distance					
		ft/1000 yd/m/1000 m		degrees	ounce	gram	inches	mm	mm	mm	mm	mm	mm	mm	ft	mm				
Leupold Golden Ring Binoculars																				
8x32mm	8x	420	140	8.0	27.0	765	5.2	132	32	16.0	4.0	17.5	56-72	4.9	1.1					
8x32mm HD	8x	420	140	8.0	27.0	765	5.2	132	32	16.0	4.0	17.5	56-72	4.9	1.5					
10x32mm	10x	356	119	6.8	27.1	768	5.2	132	32	17.9	3.2	14.7	56-72	4.9	1.5					
10x32mm HD	10x	356	119	6.8	27.1	768	5.2	132	32	17.9	3.2	14.7	56-72	4.9	1.5					
8x42mm HD	8x	381	127	7.3	33.2	938	6.0	152	42	18.3	5.3	16.5	56-72	7.0	2.1					
10x42mm HD	10x	340	113	6.5	33.8	958	6.0	152	42	20.5	4.2	16.0	56-72	7.0	2.1					
7/17x32mm w/ Switch/Power Technology	7x/17x	262/135	129/71.5	5.0/16.1	21.4	608	180	180	32	15.0/19.6	4.6/2.7	18.7/21.8	57-72	6.3/6.0	2.1/2.0					
10/17x42mm w/ Switch/Power Technology	10x/17x	376/216	87.3/45.4	7.0/24.2	23.9	678	180	180	42	20.5/26.7	4.1/2.4	18.1/21.1	57-72	12.8/13.1	4.1/4.0					
Leupold Golden Ring Spotting Scopes																				
10x-20x40mm Compact	10.0x-19.9x	199-136	66-45	3.8-2.6	15.8	447	7.5	191	40	20.0-28.3	4.0-2.0	18.5-17.2	NA	5.5	1.7					
15x-30x50mm HD	15.2x-30.4x	136-89	45-30	2.6-1.7	21.5	610	10.0	279	50	27.6-39.0	3.3-1.6	17.5-17.1	NA	13.5	4.1					
12x-40x60mm	12.7x-38.1x	168-52	56-18	3.2-1.0	37.0	1049	12.4	315	60	26.8-48.9	4.8-1.5	30.0-30.0	NA	36.0	11.0					
12x-40x60mm HD	12.7x-38.1x	168-52	56-18	3.2-1.0	37.0	1049	12.4	315	60	26.8-48.9	4.8-1.5	30.0-30.0	NA	36.0	11.0					
Leupold Tactical Binoculars																				
10x50mm Patrol	10x	262	87	5.0	25.7	729	6.7	170	50	22.4	5.0	18.0	60-70	10.5	3.2					
10x50mm Military w/ Mil Dot	10x	262	87	5.0	25.7	729	6.7	170	50	22.4	5.0	18.0	60-70	10.5	3.2					
10x50mm Military w/ TMR	10x	262	87	5.0	25.7	729	6.7	170	50	22.4	5.0	18.0	60-70	10.5	3.2					
Leupold Mark 4 Spotting Scopes																				
12x-40x60mm Tactical w/ Mil Dot	12.7x-38.1x	168-52	56-18	3.2-1.0	37.0	1049	12.4	315	60	26.8-48.9	4.8-1.5	30.0-30.0	NA	36.0	11.0					
12x-40x60mm Tactical w/ TMR	12.7x-38.1x	168-52	56-18	3.2-1.0	37.0	1049	12.4	315	60	26.8-48.9	4.8-1.5	30.0-30.0	NA	36.0	11.0					
Leupold Green Ring Pinnacles Series Binoculars																				
8x42mm	8x	341	114	6.5	23.0	652	5.5	138	42	18.3	5.3	17.8	60-70	6.6	2.0					
10x42mm	10x	267	89	5.1	25.0	758	5.5	138	42	20.5	4.3	16.5	60-70	6.6	2.0					
Leupold Green Ring Olympic Series Binoculars																				
8x25mm Compact	8x	273	91	5.2	14.8	420	4.9	124	25	14.1	3.1	16.5	60-70	8.2	2.5					
10x25mm Compact	10x	262	87	5.0	14.8	420	4.9	124	25	15.8	2.5	15.5	60-70	9.8	3.0					
8x42mm	8x	325	108	6.2	21.8	619	5.7	146	42	18.3	5.3	18.0	60-70	7.5	2.3					
10x50mm	10x	262	87	5.0	25.7	728	6.7	170	50	22.4	5.0	18.0	60-70	10.5	3.2					
12x50mm	12x	252	84	4.8	25.7	730	6.6	167	50	22.5	4.0	15.5	60-70	13.1	4.0					